

**Mahindra & Mahindra Ltd, Farm Division, H.No02-076/3/402, 4th floor, sai baba complex, pet basheerabad, kudbullapur mandal, medchal, medchal road, rangareddy district, secunderabad - 500055. Mr.bheema,Mobile no-8008803016, Email-vadde.bheemana@mahindra.com,**

Sl.No	Approved Model	Specifications	ENGINE /PTO HP	PTO HP	DRIVE	Sale price including Corporation service charges and GST@12%
1	2		3	4	5	
1	MAHINDRA 415 DI BP OIB PCM LC LT PS	HP – 40, Maximum PTO HP-36, Number of cylinders- 4, Air cleaner- Wet Type, -Engine rated RPM-1900,Transmission type - Partial constant mesh,Brake type - OIB , Hydraulic Lift capacity (kg) – 1500, Steering type - Mechanical steering Tyre size -13.6x28	39.98/3 5.5	35.5	2WD	521372
2	MAHINDRA 415 DI BP OIB PCM LC LT	HP – 40, Maximum PTO HP-36, Number of cylinders- 4, Air cleaner- Wet Type, -Engine rated RPM-1900,Transmission type - Partial constant mesh,Brake type - OIB , Hydraulic Lift capacity (kg) – 1500, Steering type - Mechanical steering Tyre size -13.6x28	<b>39.98/3</b> <b>5.5</b>	<b>35.5</b>	<b>2WD</b>	509913
3	MAHINDRA 415 DI PS CRPTO YUVO	HP- 40, Maximum PTO HP-35.5, Number of cylinders-4, Air cleaner- Dry Type 6", Engine rated RPM-2000,Transmission type - Fully Constant Mesh , Brake type -OIB,Hydraulic Lift capacity (kg) - 1500, Steering type- Manual / Power steering ,Tyre size,13.6 X 28	39/35.4 9	35.49	2WD	589373
4	MAHINDRA NOVO 49.9 HP 2 WD	HP- 49.9, Number of cylinders-4, Air cleaner-Dry Type, Engine rated RPM-2100, Maximum PTO HP-43.5,Transmission type- Mechanical Synchromesh, Brake type -OIB (Multi Disc),Main clutch type –Dual, Hydraulic Lift capacity (kg) -1800 ,Steering type- Power Steering,Tyre size,-F: 7.5 X 16 / R: 14.9 X 28 (Opt: 16.9 - 28)	49.9/36. 25	36.25	2WD	705331
5	Mahendra : 475 OIB LT PCM	HP- 42, Maximum PTO HP- 38.5, Number of cylinders-4, Air cleaner-Dry Type 6", Engine rated RPM-2000, Transmission type -Partially Constant Mesh, Number of gears-12 F + 3 R, Brake type- OIB, Hydraulic Lift capacity (kg) – 1500, Steering type- Mechanical steering, Tyre size - 13.6 X 28	42.02/3 7.94	37.94	2WD	561736
6	Mahendra :(475 NST WL LT South special OIB)	HP- 42, Maximum PTO HP- 38.5, Number of cylinders-4, Air cleaner-Dry Type 6", Engine rated RPM-2000, Transmission type -Fully Constant Mesh, Number of gears-12 F + 3 R, Brake type- OIB, Hydraulic Lift capacity (kg) – 1500, Steering type- Mechanical steering, Tyre size - 13.6 X 28	42.02/3 7.94	37.94	2WD	578720
7	(475 DI/OIB/BPMKM/PCM BS3A / south / 1900 RPM/37 PTO HP/2 Wheel Drive) 42 HP / 4-Stroke / Water Cooled / Direct Injection Diesel Engine	HP- 42, Maximum PTO HP- 38.5, Number of cylinders-4, Air cleaner-Dry Type 6", Engine rated RPM-2000, Transmission type -Partially Constant Mesh, Number of gears-12 F + 3 R, Brake type- OIB, Hydraulic Lift capacity (kg) – 1500, Steering type- Mechanical steering, Tyre size – 12.4 X 28	42.02/3 7.94	37.94	2WD	554720

Sl.No	Approved Model	Specifications	ENGINE /PTO HP	PTO HP	DRIVE	Sale price including Corporation service charges and GST@12%
8	MAHINDRA 475 DI PS CRPTO - UO	HP-42, Maximum PTO HP-38.5,Number of cylinders-4, Air cleaner-Dry Type 6",Engine rated RPM -- 2000,Transmission type- Full Constant Mesh ,Brake type - OIB, Lift capacity (kg) - 1500,Steering type- Power Steering ,Tyre size - 13.6 X 28	42.02/38.48	38.48	2WD	608781
9	(575 DI/OIB/Power Steering/ 2100 RPM/39.86 PTO HP/2 Wheel Drive) 44 HP / 4-Stroke / Water Cooled / Direct Injection Diesel Engine	HP-45, Number of cylinders-4 ,Air cleaner-Wet type ,Engine rated RPM-2100, Maximum PTO HP – 39.97, Transmission type - Sliding Mesh/Partial constant mesh, Brake type - Dry Disc / OIB , Lift capacity (kg) – 1600, Steering type- power steering ,Tyre size- F : 6.00 X 16/ R: 13.6 X 28	44.6/39.98	39.98	2WD	618021
10	(575 DI/OIB/BPMKM/ PCM BS3A /south/ 1900 RPM/39.86 PTO HP/2 Wheel Drive) 44 HP / 4-Stroke / Water Cooled / Direct Injection Diesel Engine	HP-45, Number of cylinders-4 ,Air cleaner-Wet type ,Engine rated RPM-1900, Maximum PTO HP – 39.97, Transmission type - Sliding Mesh/Partial constant mesh, Brake type - Dry Disc / OIB Lift capacity (kg) – 1600, Steering type- Mechanical steering ,Tyre size- F : 6.00 X 16/ R: 13.6 X 28	44.6/39.98	39.98	2WD	620746
11	Mahendra : (575 NST DI	HP-45, Number of cylinders-4 ,Air cleaner-Wet type ,Engine rated RPM-1900, Maximum PTO HP – 39, Transmission type - Sliding Mesh/Partial constant mesh, Brake type - Dry Disc / OIB Lift capacity (kg) – 1600, Steering type- Mechanical ,Tyre size- F : 6.00 X 16/ R: 13.6 X 28	44.6/39.98	39.98	2WD	636788
12	Mahindra Tractor arjun ultra -1 555 DI (555 Arjun) Including T.R	HP- 49.9, Number of cylinders- 4, Air cleaner- Dry Type, Engine rated RPM- 2100, Maximum PTO HP – 44 , Transmission type -Full Constant Mesh, Brake type -OIB ,Lift capacity (kg) -1650,Steering type- Double Acting Power Steering, Tyre size - F: 7.5 X 16 / R: 14.9 X 28	49.98/45.56	45.56	2WD	696720
13	Mahindra tractor arjun ultra -1 555 DI (555 Arjun LT)(P.T.O. 46 HPO (Including T.R)	HP- 49.9, Number of cylinders- 4, Air cleaner- Dry Type, Engine rated RPM- 2100, Maximum PTO HP – 44, Transmission type -Full Constant Mesh, Brake type -OIB ,Lift capacity (kg) -1650,Steering type- Double Acting Power Steering, Tyre size F: 7.5 X 16 / R: 16.9 X 28	49.98/45.56	45.56	2WD	706720
14	Mahindra Tractor arjun ultra -1 555 DI (555 Arjun PS-CRPTO-DLX 49.5HP - BS3A) Including T.R	HP- 49.9, Number of cylinders- 4, Air cleaner- Dry Type, Engine rated RPM- 2100, Maximum PTO HP – 44, Clutch Type – Duel, Transmission type -Full Constant Mesh, Brake type -OIB ,Lift capacity (kg) - 1650,Steering type- Double Acting Power Steering, Tyre size F: 7.5 X 16 / R: 14.9 X 28	49.98/45.56	45.56	2WD	706720
15	Mahindra Tractor arjun NOVO 605 DI PSI (TR 555 MBSRI) (PTO 46 HP) Including T.R	HP-52, Number of cylinders-4, Engine rated RPM-2100, Maximum PTO HP-45,Transmission type - Mechanical Synchromesh, Brake type - Multi disc OIB, Main clutch type –Dual, Lift capacity (kg) - 2200,Steering type-Power Steering, Tyre size, inches -F: 7.5 X 16 / R: 14.9 X 28(Optional 16.9 x 28)	52.08/45.56	45.56	2WD	726720

Sl.No	Approved Model	Specifications	ENGINE /PTO HP	PTO HP	DRIVE	Sale price including Corporation service charges and GST@12%
16	Mahindra Tractor arjun NOVO 605DI (TR 605 MBSRI) TR605MBSRI (PTO 50 HP) Including T.R	HP-57, Number of cylinders-4, Air cleaner-Dry Type, Maximum PTO HP-50.0, Transmission type –Synchronesh, Brake type –OIB, Main clutch type -Dual ,Lift capacity (kg) -2200, Steering type-Power Steering, Tyre size, F: 7.5 X 16 / R: 16.9 x 28)	56.52/51.01	51.01	2WD	781720
17	MAHINDRA NOVO 57 HP 4 WD	HP-57, Number of cylinders-4, Air cleaner-Dry Type, Maximum PTO HP-50.0, Transmission type –Synchronesh, Brake type –OIB, Main clutch type -Dual ,Lift capacity (kg) -2200, Steering type-Power Steering, Tyre size, F: 7.5 X 16 / R: 16.9 x 28),Drive - 4WD	56.5/51.01	51.01	4 WD	931466
18	MAHINDRA YUVO 575 DI	HP-45, Number of cylinders-4, Engine rated RPM-2000, Maximum PTO HP - 41.1, Transmission type - Full Constant Mesh ,Number of gears -12 F + 3 R, Brake type –OIB, Main clutch type Single Clutch Dry Friction Plate 11 " (Optional Dual Clutch CRPTO, 2-Speed PTO) Lift capacity (kg) -1500,Steering type-Power Steering, Tyre size - R: 13.6 X 28 (Optional: 14.9 X 28)	45/41.1	41.1	2wd	702782
19	MAHINDRA 605 DI MS 4WD S+ (Brand Name - Arjun Novo) 49.9 HP	HP- 49.9, Number of cylinders-4, Air cleaner-Dry Type, Engine rated RPM-2100, Maximum PTO HP-43.5,Transmission type- Mechanical Synchronesh, Brake type -OIB (Multi Disc),Main clutch type –Dual, Hydraulic Lift capacity (kg) -1800 ,Steering type- Power Steering,Tyre size,-F: 7.5 X 16 / R: 14.9 X 28 (Opt: 16.9 - 28),Drive - 4WD	49.9/43.5	43.5	4wd	804970

**Accessories include tool kit, three point linkage and toplinek**

**The basic prices given above are correct if proved wrong the empanelment will be cancelled**

**If it is found that the rates are furnished above reduced in the regular retail market the empanelment will be cancelled**

**Final negotiated prices given above are agreed**

Dealers list	Area of operation
SRI LAKSHMI MOTORS, SRIKALAHASTI, CHITTOR	CHITTOR
Vinayaka Motors, M & M Tractor(FES), S.NO:18/1H, Gooty Road, Opp to 'Vaartha' Office, Anantapur - 515 001. Ph:08554- 240213	Anantapur
JNR Automotives, Plot No.E7, C.T.M. Road, Industrial Estate, Madanapalle - 517 325.	Chittoor

Sl.No	Approved Model	Specifications	ENGINE /PTO HP	PTO HP	DRIVE	Sale price including Corporation service charges and GST@12%
	Sri Durga Automotives, D.NO:8/325-B, Almospet, Cuddapah - 516 001 Ph : 08562 246526 / 28	Cuddapah				
	Sree Vasavi Tractors, Musunur Road, Opp. Teachers Colony, Kavali - 524 201.	Nellore				
	Sree Gayathri Tractors, Plot no.24, Survey No.32/2, Wood Complex, Nellore-524 004.	Nellore				
	Bharath Agro Agencies, Plot No: 111, Vanjiya Nagar, Opp : APSP 2nd Batalion, NH - 7, Kurnool - 518 003. Ph:08518-259887	Kurnool				
	Sri Vinayaka Company, Near Flyover Bridge, Opp RDO Office, Naidupeta - 524126	Nellore				
	Sree Nandi Automotives, D.No. 28/466/1C, KC Road, Near Lorry Union Office, Allagadda - Nandyal Road, Nandyal - 518 501.	Kurnool				
	Sri Sairam Automotives, Opp. Junior Girls College, Bypass Road, Kadiri - 515 591. Ph:08494-220113	Anantapur				

Sl.No	Approved Model	Specifications	ENGINE /PTO HP	PTO HP	DRIVE	Sale price including Corporation service charges and GST@12%
	BKN Automotives, D.No.23-13/4,5, Industrial Estate, Puttur Road, Chittoor. Ph:08572-245050	Chittoor				
	Shanmuki Motors, D.No:19-3-1/D, Opp Nikki Two Wheeler Motors, Renigunta Road, Tirupati - 517 501.	Chittoor				
	Rams' Agrose, Highway near buvanagiripalli Arch Near by, Rajampet, Cuddapah, AP -516115	Cuddapah				
	SRI GOPAL AUTOMOTIVE LTD NH - 5 Road, Near Port Hospital, Visakhapatnam - 530 024 , 0891 6453111	Visakhapatnam				
	SRI SAI SAGAR AUTOMOBILES Veeramachineni Complex, Vidya Nagar, NH -9, Nandigama - 521 185 08678 - 277224	Krishna				
	SRI GOPAL AUTOMOTIVE LTD VALLABHAI STREET,SILVER HOUSE,KAKINADA-533101 - 0884 2373231	East Godavari				
	SRI SOMA SAI AGENCIES RAILWAY STATION ROAD,TADEPALLIGUDEM-534101 - 08818 229475	West Godavari				

Sl.No	Approved Model	Specifications	ENGINE /PTO HP	PTO HP	DRIVE	Sale price including Corporation service charges and GST@12%
	NERELLA RAJA AUTOMOBILES , Ravi Complex, Stadium Road, Eluru - 534005, 08812 226883	West Godavari				
	SRI RANGA AUTOMOBILES OPP.VISAKHA "A"COLONY,PEDAPADU ROAD,SRIKAKULAM-532001 - 08942 221569	Srikakulam				
	SRI RANGA AGRO SERVICES Off: Near Swami Ayyappa Temple, Mkt Yard, Tiruvur - 521235	Krishna				
	SRI RANGA AGRO SERVICES Off: Near Swami Ayyappa Temple, Mkt Yard, Tiruvur - 521235	Guntur				
	SRI SAI KRISHNA AGENCIES PLOT NO.A1(B).INDUSTRIAL ESTATE,AUTO NAGAR,GUDIWADA-521301 - 08674 220346	Krishna				
	sri guru motors, plot no.83, 4th road mg auto nagar, tenali	Guntur				
	SRI RANGA MOTORS D.NO.8-12-63/1,NEAR HIMAGIRI THEATRE,MAYURI JUNCTION,VIZAINAGARAM-535003 - 08922 272036	Vizianagaram				

Sl.No	Approved Model	Specifications	ENGINE /PTO HP	PTO HP	DRIVE	Sale price including Corporation service charges and GST@12%
	PIONEER AUTO SERVICE Near Wood Complex, North By pass Road, NH - 5, Ongole 08592 233437	Prakasam				
	VARDHAN MOTORS D.NO.8/1-A,Srisailam Road, MARKAPURAM-523316 - 08596 226777	Prakasam				
	JAMPANI MOTORS, Guntur Road, Opp: Good News Public School, Gurajala - 522415 08649 248489	Guntur, prakasam				