

Mahindra & Mahindra Ltd. Swaraj division, plot no.1, survey no.105,2nd floor, mallareddy complex, beside chinplanet kompally, secunderabnad-500014., seshukumar, kumar.seshu@mahindraswaraj.com, 9177569555, giri.prakash@mahindraswaraj.com, 9672231111, prakash giri

Sl.No	Approved Model	Specifications	ENGINE /PTO HP	PTO HP	DRIVE	Sale price including GST and Corporation service charges@4%
1	(724 XMOPX540NT) 724 Swaraj Orchared Narrow Trac Tractor/ 2 WD/ 1800 RPM / 19.1 HP	ENGINE SPECIFICATIONS : Maximum HP - 24.0 hp (17.6kw @ 1800rpm),Rated RPM-1800 RPM,) No. of Cylinders-2,Cubic capacity/Displacement) CC-1823,Bore/Stroke (mm)-100/116,Cooling System-Water Cooled,Max Torque/Engine speed (N-m/rpm)-103.2/1200 +200 rpm. Type of Gear Box: Manual, Mechanical,8 forward & 2 Reverse speeds,Transmission specifications: Single Clutch,Power Steering Worm & roller having single drop arm.Brakes:Oil immersed ,.TURNING RADIUS:) Min. Turning Radius (mtrs or mm) with Brakes-2.93mtr,Min. Turning Radius (mtrs or mm) without Brakes-3.39 mtr,Tyres:) Front tyre size with ply rating-5.0x15 (4 PR) Rear tyre size with ply rating-11.2x24 (12PR),WHEEL BASE (mm):1545.,ACCESSORIES:HITCH,DRAWBAR, TOOL KIT & GREASE GUN	24/19.3	19.3	2 WD	416200
2	(2) Mahendra Swaraj : 825XMLX540	ENGINE SPECIFICATIONS : Maximum HP - 16.92Kw @ 1650 rpm (23 PS),Rated RPM-1650 RPM,) No. of Cylinders-1,Cubic capacity/Displacement) CC-1537,Bore/Stroke (mm)-12/136,Cooling System-Water Cooled,Max Torque/Engine speed (N-m/rpm)-102.4 @1000rpm. Type of Gear Box:Manual, Mechanical Sliding mesh,8 forward & 2 Reverse speeds,Transmission specifications: Single Clutch,Mechanical Steering Worm & roller having single drop arm.Brakes:Oil:Self enerzising dry disc type, water proof (Mech).TURNING RADIUS:) Min. Turning Radius (mtrs or mm) with Brakes-2.82mtr,Min. Turning Radius (mtrs or mm) without Brakes-3.27 mtr,Tyres:) Front tyre size with ply rating-6.0X16 (8PR) ,) Rear tyre size with ply rating-12.4X28 (12PR),WHEEL BASE (mm):1920.,ACCESSORIES:HITCH,DRAWBAR, TOOL KIT & GREASE GUN	23/20.00	20	2 WD	357372
3	Mahendra Swaraj 724 XMPX540	ENGINE SPECIFICATIONS : Maximum HP - 24.0 hp (17.6kw @ 1800rpm),Rated RPM-1800 RPM,) No. of Cylinders-2,Cubic capacity/Displacement) CC-1823,Bore/Stroke (mm)-100/116,Cooling System-Water Cooled,Max Torque/Engine speed (N-m/rpm)-113/1200 +200 rpm. Type of Gear Box: Manual, Mechanical,8 forward & 2 Reverse speeds,Transmission specifications: Single Clutch,Mechanical Steering Worm & roller having single drop arm.Brakes:Oil immersed ,.TURNING RADIUS:) Min. Turning Radius (mtrs or mm) with Brakes-3.02mtr,Min. Turning Radius (mtrs or mm) without Brakes-3.55 mtr,Tyres:) Front tyre size with ply rating-6.00x16 (8PR) Rear tyre size with ply rating-12.4X28 (12PR),WHEEL BASE (mm):1920.,ACCESSORIES:HITCH,DRAWBAR, TOOL KIT & GREASE GUN	24/21.5	21.5	2WD	413360

Sl.No	Approved Model	Specifications	ENGINE /PTO HP	PTO HP	DRIVE	Sale price including GST and Corporation service charges@4%
4	(1) Mahendra Swaraj : 724 Orchard	ENGINE SPECIFICATIONS : Maximum HP - 24.0 hp (17.6kw @ 1800rpm),Rated RPM-1800 RPM,) No. of Cylinders-2,Cubic capacity/Displacement) CC-1823,Bore/Stroke (mm)-100/116,Cooling System-Water Cooled,Max Torque/Engine speed (N-m/rpm)-103.2/1200 +200 rpm. Type of Gear Box: Manual, Mechanical,8 forward & 2 Reverse speeds,Transmission specifications: Single Clutch,Mechanical Steering Worm & roller having single drop arm.Brakes:Oil immersed ,TURNING RADIUS:) Min. Turning Radius (mtrs or mm) with Brakes-2.93mtr,Min. Turning Radius (mtrs or mm) without Brakes-3.39 mtr,Tyres:) Front tyre size with ply rating-5.0x15 (4 PR) Rear tyre size with ply rating-11.2x24 (12PR),WHEEL BASE (mm):1545.,ACCESSORIES:HITCH,DRAWBAR, TOOL KIT & GREASE GUN	24/21.5	21.5	2 WD	405098
5	(3) Mahendra Swaraj : 724XMLX	ENGINE SPECIFICATIONS : Maximum HP - 24.0 hp (17.6kw @ 1800rpm),Rated RPM-1800 RPM,) No. of Cylinders-2,Cubic capacity/Displacement) CC-1823,Bore/Stroke (mm)-100/116,Cooling System-Water Cooled,Max Torque/Engine speed (N-m/rpm)-113/1200 +200 rpm. Type of Gear Box: Manual, Mechanical,8 forward & 2 Reverse speeds,Transmission specifications: Single Clutch,Mechanical Steering Worm & roller having single drop arm.Brakes:Dry type ,TURNING RADIUS:) Min. Turning Radius (mtrs or mm) with Brakes-3.02mtr,Min. Turning Radius (mtrs or mm) without Brakes-3.55 mtr,Tyres:) Front tyre size with ply rating-6.00x16 (8PR) Rear tyre size with ply rating-12.4X28 (12PR),WHEEL BASE (mm):1920.,ACCESSORIES:HITCH,DRAWBAR, TOOL KIT & GREASE GUN	24/21.5	21.5	2 WD	404755
6	Mahendra Swaraj 834XMJX	ENGINE SPECIFICATIONS : Maximum HP - 30.58 hp (22.8Kw @ 1800 rpm),Rated RPM-1800 RPM,) No. of Cylinders-3,Cubic capacity/Displacement) CC-2592,Bore/Stroke (mm)-100/110,Cooling System-Water Cooled,Max Torque/Engine speed (N-m/rpm)-155 / 1200 + 200 rpm. Type of Gear Box: Manual, Mechanical,8 forward & 2 Reverse speeds,Transmission specifications: Single Clutch,Mechanical Steering Worm & roller having single drop arm.Brakes:Oil immersed ,TURNING RADIUS:) Min. Turning Radius (mtrs or mm) with Brakes-3.02mtr,Min. Turning Radius (mtrs or mm) without Brakes-3.55 mtr,Tyres:) Front tyre size with ply rating-6.00x16 (8PR) Rear tyre size with ply rating-13.6X28 (12PR),WHEEL BASE (mm):2055.,ACCESSORIES:HITCH,DRAWBAR, TOOL KIT & GREASE GUN	30.58/28.4	28.4	2WD	486360
7	(4) Mahendra Swaraj : 834XMLX	ENGINE SPECIFICATIONS : Maximum HP - 30.58 hp (22.8Kw @ 1800 rpm),Rated RPM-1800 RPM,) No. of Cylinders-3,Cubic capacity/Displacement) CC-2592,Bore/Stroke (mm)-100/110,Cooling System-Water Cooled,Max Torque/Engine speed (N-m/rpm)-155 / 1200 + 200 rpm. Type of Gear Box: Manual, Mechanical,8 forward & 2 Reverse speeds,Transmission specifications: Single Clutch,Mechanical Steering Worm & roller having single drop arm.Brakes:Disc ,TURNING RADIUS:) Min. Turning Radius (mtrs or mm) with Brakes-3.02mtr,Min. Turning Radius (mtrs or mm) without Brakes-3.55 mtr,Tyres:) Front tyre size with ply rating-6.00x16 (8PR) Rear tyre size with ply rating-12.4X28 (12PR),WHEEL BASE (mm):1930.,ACCESSORIES:HITCH,DRAWBAR, TOOL KIT & GREASE GUN	30.58/28.4 0	28.4	2 WD	471594

Sl.No	Approved Model	Specifications	ENGINE /PTO HP	PTO HP	DRIVE	Sale price including GST and Corporation service charges@4%
8	(5) Mahendra Swaraj : 834XMPX	ENGINE SPECIFICATIONS : Maximum HP - 30.58 hp (22.8Kw @ 1800 rpm),Rated RPM-1800 RPM,) No. of Cylinders-3,Cubic capacity/Displacement) CC-2592,Bore/Stroke (mm)-100/110,Cooling System-Water Cooled,Max Torque/Engine speed (N-m/rpm)-155 / 1200 + 200 rpm. Type of Gear Box: Manual, Mechanical,8 forward & 2 Reverse speeds,Transmission specifications: Single Clutch,Mechanical Steering Worm & roller having single drop arm.Brakes:Oil immersed ,.TURNING RADIUS:) Min. Turning Radius (mtrs or mm) with Brakes-3.02mtr,Min. Turning Radius (mtrs or mm) without Brakes-3.55 mtr,Tyres:) Front tyre size with ply rating-6.00x16 (8PR) Rear tyre size with ply rating-12.4X28 (12PR),WHEEL BASE (mm):1930.,ACCESSORIES:HITCH,DRAWBAR, TOOL KIT & GREASE GUN	30.58/28.4 0	28.4	2 WD	481551
9	(6) Mahendra Swaraj : 735LXPDS	ENGINE SPECIFICATIONS : Maximum HP - 34.52 HP (25.74 KW @1800 rpm),Rated RPM-1800 RPM,) No. of Cylinders-3,Cubic capacity/Displacement) CC-2734,Bore/Stroke (mm)-100/116,Cooling System-Water Cooled,Max Torque/Engine speed (N-m/rpm)-175/1200 + 200rpm. Type of Gear Box: Manual, Mechanical,8 forward & 2 Reverse speeds,Transmission specifications: Single Clutch,Mechanical Steering Worm & roller having single drop arm.Brakes:Disc ,.TURNING RADIUS:) Min. Turning Radius (mtrs or mm) with Brakes-3.02mtr,Min. Turning Radius (mtrs or mm) without Brakes-3.55 mtr,Tyres:) Front tyre size with ply rating-6.00x16 (8PR) Rear tyre size with ply rating-12.4X28 (12PR),WHEEL BASE (mm):1950.,ACCESSORIES:HITCH,DRAWBAR, TOOL KIT & GREASE GUN	34.5/31.92	31.92	2 WD	522409
10	(7) Mahendra Swaraj : 735PXPDS540	ENGINE SPECIFICATIONS : Maximum HP - 34.52 HP (25.74 KW @1800 rpm),Rated RPM-1800 RPM,) No. of Cylinders-3,Cubic capacity/Displacement) CC-2734,Bore/Stroke (mm)-100/116,Cooling System-Water Cooled,Max Torque/Engine speed (N-m/rpm)-175/1200 + 200rpm. Type of Gear Box: Manual, Mechanical,8 forward & 2 Reverse speeds,Transmission specifications: Single Clutch,Mechanical Steering Worm & roller having single drop arm.Brakes:Oil immersed ,.TURNING RADIUS:) Min. Turning Radius (mtrs or mm) with Brakes-3.02mtr,Min. Turning Radius (mtrs or mm) without Brakes-3.55 mtr,Tyres:) Front tyre size with ply rating-6.00x16 (8PR) Rear tyre size with ply rating-12.4X28 (12PR),WHEEL BASE (mm):1920.,ACCESSORIES:HITCH,DRAWBAR, TOOL KIT & GREASE GUN	34.5/31.92	31.92	2 WD	532252
11	(8) Mahendra Swaraj : 735JXPDS540	ENGINE SPECIFICATIONS : Maximum HP - 34.52 HP (25.74 KW @1800 rpm),Rated RPM-1800 RPM,) No. of Cylinders-3,Cubic capacity/Displacement) CC-2734,Bore/Stroke (mm)-100/116,Cooling System-Water Cooled,Max Torque/Engine speed (N-m/rpm)-175/1200 + 200rpm. Type of Gear Box: Manual, Mechanical,8 forward & 2 Reverse speeds,Transmission specifications: Single Clutch,Mechanical Steering Worm & roller having single drop arm.Brakes:Oil immersed ,.TURNING RADIUS:) Min. Turning Radius (mtrs or mm) with Brakes-3.02mtr,Min. Turning Radius (mtrs or mm) without Brakes-3.55 mtr,Tyres:) Front tyre size with ply rating-6.00x16 (8PR) Rear tyre size with ply rating-13.6X28 (12PR),WHEEL BASE (mm):2055.,ACCESSORIES:HITCH,DRAWBAR, TOOL KIT & GREASE GUN	34.5/31.92	31.92	2 WD	538318

Sl.No	Approved Model	Specifications	ENGINE /PTO HP	PTO HP	DRIVE	Sale price including GST and Corporation service charges@4%
12	(9) Mahendra Swaraj : 735PXPS540	ENGINE SPECIFICATIONS : Maximum HP - 34.52 HP (25.74 KW @1800 rpm),Rated RPM-1800 RPM,) No. of Cylinders-3,Cubic capacity/Displacement) CC-2734,Bore/Stroke (mm)-100/116,Cooling System-Water Cooled,Max Torque/Engine speed (N-m/rpm)-175/1200 + 200rpm. Type of Gear Box: Manual, Mechanical,8 forward & 2 Reverse speeds,Transmission specifications: Single Clutch,Power Steering Worm & roller having single drop arm.Brakes:Oil immersed ,.TURNING RADIUS:) Min. Turning Radius (mtrs or mm) with Brakes-3.02mtr,Min. Turning Radius (mtrs or mm) without Brakes-3.55 mtr,Tyres:) Front tyre size with ply rating-6.00x16 (8PR) Rear tyre size with ply rating-12.4X28 (12PR),WHEEL BASE (mm):2070.,ACCESSORIES:HITCH,DRAWBAR, TOOL KIT & GREASE GUN	34.5/31.92	31.92	2 WD	544956
13	Mahendra Swaraj 735XTJXSCSS540	ENGINE SPECIFICATIONS : Maximum HP - 37.40 HP (25.74 KW @1800 rpm),Rated RPM-1800 RPM,) No. of Cylinders-3,Cubic capacity/Displacement) CC-2734,Bore/Stroke (mm)-100/116,Cooling System-Water Cooled,Max Torque/Engine speed (N-m/rpm)-175/1200 + 200rpm. Type of Gear Box: Manual, Mechanical,8 forward & 2 Reverse speeds,Transmission specifications: Single Clutch,Mechanical Steering Worm & roller having single drop arm.Brakes:Oil immersed ,.TURNING RADIUS:) Min. Turning Radius (mtrs or mm) with Brakes-3.02mtr,Min. Turning Radius (mtrs or mm) without Brakes-3.55 mtr,Tyres:) Front tyre size with ply rating-6.00x16 (8PR) Rear tyre size with ply rating-13.6X28 (12PR),WHEEL BASE (mm):1930.,ACCESSORIES:HITCH,DRAWBAR, TOOL KIT & GREASE GUN	37.4/34.5	34.5	2WD	538360
14	(735XTJXSCSSPS540S) 735 Swaraj XT Tractor / 2 WD / 1800 RPM / 34.2 HP	ENGINE SPECIFICATIONS : Maximum HP - 37.40 HP (25.74 KW @1800 rpm),Rated RPM-1800 RPM,) No. of Cylinders-3,Cubic capacity/Displacement) CC-2734,Bore/Stroke (mm)-100/116,Cooling System-Water Cooled,Max Torque/Engine speed (N-m/rpm)-175/1200 + 200rpm. Type of Gear Box: Manual, Mechanical,8 forward & 2 Reverse speeds,Transmission specifications: Single Clutch,Power Steering Worm & roller having single drop arm.Brakes:Oil immersed ,.TURNING RADIUS:) Min. Turning Radius (mtrs or mm) with Brakes-3.02mtr,Min. Turning Radius (mtrs or mm) without Brakes-3.55 mtr,Tyres:) Front tyre size with ply rating-6.00x16 (8PR) Rear tyre size with ply rating-13.6X28 (12PR),WHEEL BASE (mm):1930.,ACCESSORIES:HITCH,DRAWBAR, TOOL KIT & GREASE GUN	37.4/34.5	34.5	2 WD	549992

Sl.No	Approved Model	Specifications	ENGINE /PTO HP	PTO HP	DRIVE	Sale price including GST and Corporation service charges@4%
1	Accessories include draw bar, including 3 point linkage, toolkit, and trailer hitch					
2	The basic prices given above are correct if proved wrong the empanelment will be cancelled					
3	If it is found that the rates are furnished above reduced in the regular retail market the empanelment will be cancelled					
4	Final negotiated prices given above are agreed					
	The above equipment authorized dealers is					
	AP State Agro industries Development Corporation Limited, Vijayawada					all districts of Ap
	Service Dealers list					Area of operation
	B NAGENDRA DILEEP SRI DURGA BHAVANI ENTERPRISES 11-52/2, POOLAVANIGUNTA, RENIGUNTA ROAD, TIRUPATI. PIN: 517501					CHITTOOR
	MAHESWANI MOTORS V. RAM MOHAN REDDY PLOT NO. 20, WOOD COMPLEX, NEAR AYYAPPA TEMPLE, VEDAYAPALEM, NELLORE. PIN: 524004					NELLORE
	SRI VIJAYA TRACTOR AGENCIES,D.NO-17-1-265,SRINIVASA COMPLEX,GOOTY ROAD,ANANTAPUR.-515001.					ANANTAPUR
	CHENNAKESAVA TRACTORS surver no.83-1a4,83-1a5,83-2a3 ,parigi road,hindupur-515201 anantapur dist a.p					ANANTAPUR
	SRI PRASANANJANEYA AGRO AGENCIES, DESU PLAZA, NORTH BYPASS ROAD, ONGOLE					PRAKASAM

Sl.No	Approved Model	Specifications	ENGINE /PTO HP	PTO HP	DRIVE	Sale price including GST and Corporation service charges@4%
	SRI PRASANANJANEYA AUTO AGENCIES, NRT ROAD, ADDANKI					PRAKASAM
	ROYAL MOTORS, SURVEY NO. 876/2, COLLEGE ROAD, MARKAPUR					PRAKASAM
	TULASI AGRO TECH, PLOT NO.27, MAHATMAGANDHI AUTO NAGAR, TENALI					GUNTUR
	Neelam Agro Services, Peddapadu road, beside Harika Hill Kalyana Mandapam, Srikakulam- 532001					Srikakulam
	Mayura Agencies, 50/2A, KL PURAM, NH 43 ROAD, NEAR RTO OFFICE VIZIANAGARAM-535004					Vizianagaram
	Saimanikantaautomotive, survey No. 2/2,Vadlamuru, Prathipadu road, Peddapuram Mandal, East Godavari, A.P . Pin code-533437.					East Godavari
	HARISAIMANIKANTATRACTORS,1-5A, NEAR AYYAPPA TEMPLE, BY PASS ROAD, TIRUVURU,KRISHNA DIST, ANDHRAPRADESH					KRISHNA
	RUDHRA AGRO SERVICES (SWARAJ TRACTORS) ELURU ROAD,RAMACHANDRA PURAM,JANGAREDDYGUEDEM WEST GODAVARI-534447 AP					WEST GODAVARI
	LAKSHMI PURNIMA AUTOMOBILES ,KADAKATLA, OPP.HOUSING BOARD COLONY, TADEPALLIGUEDEM, W.G.Dist.- 534101					WEST GODAVARI
	SRI MITHRA MOTORS NANDIGAMA,Old by-pass Road, Near Saibaba Temple, Nandigama- 521185, Krishna (dist), A.P					KRISHNA

Sl.No	Approved Model	Specifications	ENGINE /PTO HP	PTO HP	DRIVE	Sale price including GST and Corporation service charges@4%
	SIVA TRACTORS, DOOR NO: 358/10, GUNTUR ROAD, KONDAMODU,RAJUPALEM, 522413					GUNTUR
	HAROON TRACTORS,KADAPA					KADAPA
	Sri ajay agro agency, ananthapur road, opposite venkateswara temple, kadiri, ananthapur					annathapur
	GM Agro agencies, plot no.3, dhanna compelex, opp: ITC COMPANY BANGLORE ROAD KURNOOL					KURNOOL
	MAHALAKSHMI TRACTORS, D.NO.27-328, OPP: GOVT DEGREE COLLEGE NEAR BOMMLASATRAM, NANDYAL, KURNOOL					KURNOOL
	MAHESWARI TRACTORS, D.NO.7-41/2, CHANNAI ROAD, SRIKALAHASTI, CHITTOR					CHITTOR
	KN Tractors, 19-517, vellore road, chittor					chittor
	Sree Siva Rama Krishna Tractros,D.no:7-217, Lic Building, Thotlavalluru road, Uyuru. Mail: sivaramakrishnatractors@gmail.com					Krishna
	SRI SAI MOTORS, VINUKONDA, GUNTUR					GUNTUR
	SRI SIVARAMAKRISNA TRACTORS, 7-217, SAI DURGA TOWERS. LIC BUILDINGS, THOTLAVALLURU ROAD, VUYURU, KRISHNA					krishna

Sl.No	Approved Model	Specifications	ENGINE /PTO HP	PTO HP	DRIVE	Sale price including GST and Corporation service charges@4%
	SAI GAURAVISREE AUTOMOTVES, ANANKAPALI, EAST GODVARAI					East Godavari
	KVG AUTOMOBILES, MADANAPA LLI, CHITTOR					CHITTOR
	SRI VENKATA KRISHNA TRACTORS, ADONI, KURNOOL					KURNOOL
	MAHESWARI TRACTORS, D.NO.7-41/2, CHANNAI ROAD, SRIKALAHASTI, CHITTOR					CHITTOR
	KN Tractors, 19-517, vellore road, chittor					chittor
	AR TRACTORS, PRODDUTUR, KADAPA					KADAPA