



GOVERNMENT OF ANDHRA PRADESH

SEASON AND CROP COVERAGE REPORT

RABI 2019-20

UPTO THE WEEK ENDING 15/01/2020

1. Rainfall.....	1
2. Water levels in major reservoirs	2
3. Crop Sowings.....	3
4. Pests & Diseases	4
5. Rainfall - Annexure	
6. District/crop-wise area sown - Annexures	



**COMMISSIONERATE OF AGRICULTURE
ANDHRA PRADESH, GUNTUR
(Statistics section)**

SEASON AND CROP COVERAGE (RABI 2019-20 SEASON)

1. WEATHER CONDITIONS

1.1. South-West Monsoon: The South-West Monsoon is crucial for the Agriculture Sector. The IMD has announced that the South-West Monsoon has arrived over Kerala on 8th June, 2019. Onset of South-West Monsoon over Andhra Pradesh on 21st June, 2019 and covered entire Andhra Pradesh by 22nd June, 2019.

North-East Monsoon: North-East Monsoon rains commenced over Tamilnadu and adjoining areas of Andhra Pradesh, Karnataka and Kerala on 16th October, 2019.

Mainly Dry weather likely to prevail over coastal Andhra Pradesh and Rayalaseema districts.

(Rainfall in mm)

Season	Season Normal	Normal As on date	Actual Rainfall (mm)			% deviation to Normal as on date	Status
			2017	2018	2019		
South-West Monsoon (from June to September)	556.0	556.0	567.1	456.7	532.8	-4.2	Normal
North-East Monsoon (from October to December)	296.0	296.0	177.6	124.1	245.8	-17.0	Normal
Winter Period (from 01.01.2020 to 15.01.2020)	15.8	6.8	0.1	0.0	12.2	79	Excess

Overall, the average rainfall received in Andhra Pradesh from 1-6-2019 to 15-01-2020 is recorded as 790.8 mm as against the Normal as on date of 858.8 mm showing by Normal -7.9 percent.

1.2. District wise Rainfall:

The district wise rainfall from 1.6.2019 to 15.01.2020 is presented in **Annexure-I**.

Status and deviation of Rainfall during the period from 1.6.2019 to 15.01.2020 is presented below:

S.No	Districts	No.of districts	Status & deviation
1	----- Nil -----	0	Excess (20% & above)
2	All districts	13	Normal (+19% to -19%)
3	----- Nil -----	0	Deficit (-20% to -59%)
4	----- Nil -----	0	Scanty (-60% to -99%)
5	----- Nil -----	0	No rain (-100%)

WATER LEVELS IN MAJOR RESERVOIRS

All the Major reservoirs are holding 692.72 tmc as on 15-01-2020, by this time last year, the level had stood at 365.90 tmc. The water levels in all major reservoirs as on **15-01-2020** are furnished hereunder.

Reservoir	Full level (in feet)	Reservoir level (in feet)		Storage in TMC		Flow(in cusecs)	
		Last year	This year	Last year	This year	Average Inflows of last 24 hrs	Average Outflows of last 24 hrs
Almatti	1705.0	1685.9	1698.9	54.9	99.1	0	865
Narayanapur	1615.0	1598.6	1612.3	18.6	34.0	336	177
Ujjaini	1630.0	1619.8	1630.0	84.8	117.2	0	1423
Jurala	1045.0	1033.4	1042.3	3.8	8.0	1006	1226
Tungabhadra	1633.0	1602.9	1621.8	23.1	63.2	0	13025
Srisailem	885.0	837.4	871.9	58.2	149.8	6627	6627
Nagarjuna Sagar	590.0	540.2	562.2	188.7	237.5	6973	26028
Pulichintala	175.0	120.9	165.3	4.0	32.0	0	2000
Jaikwadi	1522.0	1502.2	1520.4	40.5	96.0	0	946
Singur	1717.9	1682.3	1680.1	2.0	1.5	0	30
Nizam Sagar	1405.0	1377.2	1389.0	0.9	3.7	0	176
Sri Ram Sagar	1091.0	1071.4	1088.6	31.9	78.3	0	8312
Mid Manair Reservoir	1043.3	997.7	1040.1	4.5	25.0	0	0
Lower Manair Dam	920.0	899.7	910.6	10.1	16.7	0	5244
Kaddam	700.0	682.1	697.6	3.8	7.0	0	502
Sripada Yellampalli	485.6	481.6	479.2	16.9	15.08	0	576
Veligodu Balancing Reservoir	868.5	836.5	856.1	4.4	11.10	0	2085
Somasila	330.0	295.0	324.4	24.5	65.66	1680	2849
Kandaleru	278.9	219.5	258.4	12.1	41.42	0	1580

Source: Irrigation Department, A.P. Guntur.

III. CROP SOWINGS

Rabi 2019 -20

The total area sown in the State is 17.96 lakh ha. (79%) as against the normal area of 22.78 lakh ha., and normal as on date is 19.10 lakh ha. (94%).

% of area covered to season Normal		Crops
< 25 %		Bajra, Cotton, Coriander.
26% to 50%		Sunflower, Sesamum.
51% to 75%		Paddy, Ragi, Greengram, Blackgram, Nigerseed, Chillies.
76% to 100%		Jowar, Maize, Groundnut, Tobacco.
>100		Horsegram, Bengalgram, Safflower, Onion.
% of area covered to season Normal	No. of Districts	Name of the Districts
< 25 %	0	NIL
26% to 50%	1	West Godavari.
51% to 75%	5	Vizianagaram, Visakhapatnam, East Godavari, Krishna, Guntur.
76% to 100%	4	Srikakulam, Prakasam, YSR Kadapa, Kurnool
>100	3	SPSR Nellore, Chittoor, Ananthapur

IV. AGRICULTURAL OPERATIONS AND CROP CONDITIONS.

Rabi: Sowings of Rabi pulses are under progress in the State. Paddy is at nursery to transplanting, panicle initiation and grain hardening stages. Jowar and Maize crops are at sowings, vegetative and grain setting to harvesting stage. Blackgram and Greengram crops are at flowering to pod development and harvesting stage. Bengalgram is at flowering to pod development stage. Horsegram is at vegetative to flowering stage. Rajma is at harvesting to harvested stage.

V. PESTS AND DISEASES

The pests & diseases on Kharif standing & Rabi crops have been reported below.

Crop	Pest / Diseases	Major Districts Affected	Area Affected (ha.)	Area Treated (ha.)
Paddy (Kharif)	BLB	Prakasam	12500	12500
Paddy (Rabi)	Leaf folder, stem borer, Gall midge	Nellore, Prakasam	17600	17600
Maize (Rabi)	FAW	Krishna, Vizianagaram, Srikakulam, Prakasam, East Godavari, West Godavari, Guntur	13092	11158
Redgram (Kharif)	Maruca leaf webber / Helicoverpa (below ETL)	Prakasam	9200	9200
Bengal gram (Rabi)	Helicoverpa, Spodoptera & Wilt	Nellore, Prakasam	1100	1100
Greengram (Rabi)	Sucking pest, Maruca leaf folder	Prakasam, Vizianagaram, SPSR Nellore	945	945
Blackgram (Rabi)	Powdery Mildew Cercospora leaf spot, YMV	Prakasam, Krishna, SPSR Nellore, Vizianagaram	8950	8950
Horsegram (Rabi)	Sucking pest	Prakasam	450	450
Groundnut (Rabi)	Leaf folder, Sucking pests, Tikka leaf spot	Guntur	120	120
Sesamum (Rabi)	Sucking pest	Prakasam	1608	1608
Sunflower (Rabi)	Sucking pest	Prakasam	142	142
Cotton (Kharif)	Sucking pests, Pink Boll Worm	Guntur	17152	17152
Cotton (Rabi)	PBW	Prakasam	188	188
Chillies (Kharif)	Sucking pests, collar rot, pod borer,	Prakasam	23643	23643
Chillies (Rabi)	Sucking pests, pod borer & leaf curls	Prakasam, Vizianagaram	4225	4225
Sugarcane (Kharif)	Mealy bug, stem borer, smut, Aphids, Ring spot	Prakasam, Vizianagaram	822	822
Tobacco (Rabi)	White fly	Prakasam	35472	35472

ANNEXURE - I
DISTRICT-WISE RAINFALL DURING SOUTH-WEST, NORTH-EAST MONSOON AND WINTER PERIOD DURING
THE YEAR FROM 01.06.2019 TO 15.01.2020

(Provisional)

Sl. No.	District	SOUTH-WEST MONSOON			NORTH-EAST MONSOON (October to December)			WINTER PERIOD (January to February)							GRAND TOTAL(1.6.19 to 15.01.20)			
		Season Normal	Actual rainfall (1.6.19 to 30.09.19)	% Deviation to normal	Season Normal	From 1.10.19 to 31.12.19	% Deviation to normal as on date	RAINFALL FOR THE WEEK/PERIOD							Normal as on date	Actual from 1.6.19 to 15.01.20	% deviation to Normal as on date	Status
								Season Normal	Normal As on date	From 1.1.18 to 15.01.18	From 1.1.19 to 15.01.19	From 1.1.20 to 15.01.20	% Deviation to normal as on date	Status				
1	SRIKAKULAM	705.7	728.4	3.2	276.0	308.3	11.7	25.9	5.3	0.0	0.0	2.4	-55	Deficit	987.0	1039.1	5.3	Normal
2	VIZIANAGARAM	692.7	702.2	1.4	245.9	322.4	31.1	25.4	8.4	0.0	0.0	8.1	-4	Normal	947.0	1032.7	9.0	Normal
3	VISAKHAPATNAM	712.5	780.6	9.6	297.2	289.5	-2.6	22.3	8.1	0.0	0.0	5.9	-27	Deficit	1017.8	1076.0	5.7	Normal
4	EAST GODAVARI	768.1	712.7	-7.2	305.4	264.9	-13.3	19.7	7.7	0.0	0.0	8.3	8	Normal	1081.2	985.9	-8.8	Normal
5	WEST GODAVARI	792.0	705.2	-11.0	239.3	186.0	-22.3	17.8	8.3	0.0	0.0	13.2	59	Excess	1039.6	904.4	-13.0	Normal
	NORTH-COASTAL	734.2	725.8	-1.1	272.8	274.2	0.5	22.2	7.6	0.0	0.0	7.6	0	Normal	1014.5	1007.6	-0.7	Normal
6	KRISHNA	685.1	594.8	-13.2	249.4	178.4	-28.5	15.8	7.3	0.0	0.0	10.4	42	Excess	941.8	783.6	-16.8	Normal
7	GUNTUR	525.8	506.1	-3.7	228.9	161.3	-29.5	18.4	8.4	0.0	0.0	16.6	98	Excess	763.1	684.0	-10.4	Normal
8	PRAKASAM	388.3	378.9	-2.4	393.7	274.6	-30.3	16.3	10.6	0.0	0.0	30.3	186	Excess	792.6	683.8	-13.7	Normal
9	NELLORE	331.4	310.6	-6.3	661.4	513.4	-22.4	19.9	12.0	0.1	0.0	49.8	315	Excess	1004.8	873.8	-13.0	Normal
	SOUTH-COASTAL	482.7	447.6	-7.3	383.4	281.9	-26.5	17.6	9.6	0.0	0.0	26.8	180	Excess	875.6	756.3	-13.6	Normal
	COASTAL A.P	622.4	602.2	-3.3	321.9	277.6	-13.8	20.2	8.5	0.0	0.0	16.1	91	Excess	952.8	895.9	-6.0	Normal
13	CHITTOOR	439.4	509.1	15.9	395.4	283.6	-28.3	12.2	6.4	0.0	0.0	8.7	36	Excess	841.2	801.4	-4.7	Normal
12	KADAPA	393.5	362.3	-7.9	251.0	194.0	-22.7	3.4	1.9	0.0	0.1	5.1	168	Excess	646.4	561.4	-13.1	Normal
11	ANANTAPUR	338.4	332.7	-1.7	155.3	182.9	17.8	2.9	0.6	0.0	0.0	0.6	0	Normal	494.3	516.2	4.4	Normal
10	KURNOOL	455.1	468.1	2.9	149.5	119.6	-20.0	4.6	2.5	0.0	0.0	1.0	-60	Scanty	607.1	588.7	-3.0	Normal
	RAYALASEEMA	406.6	418.1	2.8	237.8	195.0	-18.0	5.8	2.9	0.0	0.0	3.8	35	Excess	647.3	616.9	-4.7	Normal
	ANDHRA PRADESH	556.0	532.8	-4.2	296.0	245.8	-17.0	15.8	6.8	0.1	0.0	12.2	79	Excess	858.8	790.8	-7.9	Normal

Source: Directorate of Economics & Statistics, AP: Vijayawada

Data is provisional & Limits for deviation from Normal

Excess = (+20% & above), Normal=(+19% to -19%), Deficit=(-20% to -59%), Scanty=(-60% to -99%), No rain=(-100%)

**ANNEXURE-II
CROP SOWINGS**

CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 15.01.2020

(Area in lakh hectares)

SL NO	CROP	Targetted area	Normal		During corresponding period		Current year as on 15.01.20	% sown to	
			Season	As on date	Corres. Period as on 15.01.19	Corres. Period as on 15.01.19		Season	As on date
1	PADDY	7.40	6.98	5.31	6.07	4.67	4.70	67%	88%
2	WHEAT	0.00	0.00	0.00	0.00	0.00	0.00	2%	5%
3	JOWAR	1.24	1.14	1.00	0.96	1.06	1.14	100%	114%
4	BAJRA	0.04	0.03	0.01	0.02	0.01	0.008	25%	64%
5	MAIZE	2.43	1.83	1.50	1.91	1.18	1.52	83%	101%
6	RAGI	0.20	0.06	0.04	0.07	0.06	0.03	57%	87%
7	MINOR MILLETS	0.05	0.04	0.03	0.03	0.02	0.03	72%	97%
COARSE GRAINS		3.96	3.10	2.58	2.99	2.33	2.73	88%	106%
8	BENGALGRAM	5.01	4.42	4.25	5.10	4.49	4.56	103%	107%
9	GREENGRAM	1.64	1.29	0.95	0.90	0.76	0.78	61%	82%
10	BLACKGRAM	4.36	3.60	3.22	3.20	2.38	2.62	73%	81%
11	HORSEGRAM	0.25	0.28	0.37	0.25	1.07	0.45	159%	122%
12	OTHER PULSES	0.28	0.23	0.22	0.22	0.28	0.17	75%	79%
TOTAL PULSES		11.53	9.83	9.01	9.67	8.97	8.58	87%	95%
TOTAL FOODGRAINS		22.90	19.91	16.90	18.73	15.97	16.01	80%	95%
13	GROUNDNUT	0.94	0.78	0.63	0.74	0.50	0.61	78%	97%
14	SESAMUM	0.34	0.35	0.13	0.09	0.09	0.12	35%	92%
15	SUNFLOWER	0.22	0.18	0.13	0.05	0.08	0.05	27%	37%
16	SAFFLOWER	0.00	0.00	0.00	0.00	0.00	0.01	494%	658%
17	NIGER SEED	0.00	0.06	0.06	0.06	0.06	0.05	74%	74%
18	RAPE & MUSTARD	0.03	0.04	0.005	0.01	0.00	0.001	2%	18%
19	OTHER OILSEED (Castor, Soyabean, etc.,)	0.10	0.02	0.01	0.01	0.02	0.01	36%	67%
TOTAL OILSEEDS		1.63	1.43	0.97	0.95	0.75	0.85	59%	87%
20	TOBACCO	0.91	0.94	0.89	0.74	0.82	0.81	86%	91%
21	CHILLIES	0.23	0.24	0.22	0.15	0.14	0.16	63%	72%
22	COTTON	0.03	0.05	0.01	0.00	0.01	0.01	20%	109%
23	CORIANDER	0.07	0.15	0.09	0.01	0.01	0.03	17%	30%
24	ONION	0.08	0.05	0.04	0.03	0.04	0.11	197%	302%
TOTAL CROPPED AREA		25.84	22.78	19.10	20.62	17.73	17.96	79%	94%

Source: District Joint Directors of Agriculture
Data is provisional

ANNEXURE-III

DISTRICT WISE AREA SOWN DURING RABI 2019-20 AS ON 15.01.2020

(Area in hectares)

SI No	DISTRICT	Targetted area	TOTAL AREA SOWN						% Sown to	
			Normal		During			Season Normal	As on Date	
			Season	As on date	Corres. Period as on 15.01.18	Corres. Period as on 15.01.19	Current year as on 15.01.20			
1.	Srikakulam	174180	110193	94324	125105	91647	91952	83%	97%	
2.	Vizianagaram	82790	70077	51612	62412	31549	48745	70%	94%	
3.	Visakhapatnam	42844	37339	26230	26104	21103	23024	62%	88%	
4.	East Godavari	235250	223154	168738	180052	131751	143045	64%	85%	
5.	West Godavari	282076	277879	241941	241372	237360	75613	27%	31%	
6.	Krishna	219900	200592	172882	184044	150347	150134	75%	87%	
7	Guntur	227008	199016	151447	188379	104206	146361	74%	97%	
8.	Prakasam	299535	255781	233475	216910	244434	231977	91%	99%	
9.	SPSR Nellore	307655	234049	180142	210439	132489	249619	107%	139%	
10	Chittoor	69132	73636	70537	73947	131087	84429	115%	120%	
11	YSR Kadapa	175036	168286	143022	148054	149044	130862	78%	91%	
12	Anantapur	133897	114193	94646	105737	109625	142105	124%	150%	
13	Kurnool	334612	313508	281222	299279	238569	278017	89%	99%	
ANDHRA PRADESH		2583915	2277703	1910218	2061834	1773211	1795883	79%	94%	

**ANNEXURE-IV
DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 15.01.2020**

(Area in hectare)

SI No	DISTRICT	1. PADDY						2. Wheat						3. Jowar					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	3829	903	1211	2409	63%	267%	0	0	0	0	0%	0%	1	1	0	0	0%	0%
2.	Vizianagaram	4031	1170	183	1551	38%	133%	0	0	0	0	0%	0%	3	1	0	0	0%	0%
3.	Visakhapatnam	4646	725	131	1022	22%	141%	0	0	0	0	0%	0%	1	1	0	0	0%	0%
4.	East Godavari	161932	136075	104337	116901	72%	86%	0	0	0	0	0%	0%	1631	1250	1420	1441	88%	115%
5.	West Godavari	171490	155697	161395	12507	7%	8%	0	0	0	0	0%	0%	39	14	2	0	0%	0%
6.	Krishna	25830	7488	7218	10013	39%	134%	0	0	0	0	0%	0%	569	317	46	104	18%	33%
7.	Guntur	18713	11115	20833	14212	76%	128%	0	0	0	0	0%	0%	23340	14470	5036	25794	111%	178%
8.	Prakasam	36360	31277	35302	43634	120%	140%	0	0	0	0	0%	0%	13705	12226	18499	8221	60%	67%
9.	SPSR Nellore	182140	139819	100643	208193	114%	149%	0	0	0	0	0%	0%	1555	1200	1675	690	44%	58%
10.	Chittoor	41281	30104	24517	39397	95%	131%	0	0	0	0	0%	0%	4	1	4	510	12750%	63750%
11.	YSR Kadapa	12480	6238	2128	3347	27%	54%	4	0	0	0	0%	0%	11765	10660	15692	11982	102%	112%
12.	Anantapur	10547	3947	4348	8443	80%	214%	15	5	0	3	20%	56%	4696	4581	3227	5626	120%	123%
13.	Kurnool	25119	6726	5017	8237	33%	122%	113	51	91	0	0%	0%	56397	55063	60767	59852	106%	109%
	ANDHRA PRADESH	698398	531285	467263	469866	67%	88%	132	57	91	3	2%	5%	113706	99783	106368	114220	100%	114%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 15.01.2020

(Area in hectare)

Sl No	DISTRICT	4. Bajra						5. Maize						6. Ragi					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	0	0	0	0%	0%	10924	9293	11745	14755	135%	159%	1972	1530	2695	1141	58%	75%
2.	Vizianagaram	0	0	0	0	0%	0%	17052	13064	12543	15356	90%	118%	696	359	333	176	25%	49%
3.	Visakhapatnam	0	0	0	0	0%	0%	1087	574	343	352	32%	61%	275	78	60	68	25%	88%
4.	East Godavari	1	0	0	0	0%	0%	10331	7894	6991	6012	58%	76%	1	1	3	0	0%	0%
5.	West Godavari	0	0	0	0	0%	0%	53311	46281	42056	40222	75%	87%	1	0	0	0	0%	0%
6.	Krishna	0	0	0	0	0%	0%	18716	14434	12506	14545	78%	101%	0	0	0	0	0%	0%
7.	Guntur	26	0	0	0	0%	0%	44906	36092	12304	39324	88%	109%	507	451	942	528	104%	117%
8.	Prakasam	657	401	15	90	14%	22%	10540	9358	3820	8013	76%	86%	832	575	332	354	43%	62%
9.	SPSR Nellore	28	3	1	12	43%	375%	719	430	362	212	29%	49%	57	25	31	28	49%	113%
10.	Chittoor	1	1	0	0	0%	0%	889	676	1554	1116	126%	165%	734	538	790	644	88%	120%
11.	YSR Kadapa	2303	635	332	539	23%	85%	2529	2107	3257	1693	67%	80%	118	56	63	6	5%	11%
12.	Anantapur	28	18	2	16	57%	89%	4146	2997	2821	3398	82%	113%	883	345	304	508	58%	147%
13.	Kurnool	185	230	166	162	88%	70%	8248	6547	7350	6541	79%	100%	0	0	0	0	0%	0%
ANDHRA PRADESH		3229	1289	516	819	25%	64%	183398	149745	117652	151539	83%	101%	6076	3956	5553	3453	57%	87%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 15.01.2020

(Area in hectare)

Sl No	DISTRICT	7. Minor Millets						I. COARSE GRAINS						8. Bengalgram					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	21	104	0	0%	0%	12897	10844	14544	15896	123%	147%	0	0	0	0	0%	0%
2.	Vizianagaram	0	0	0	0	0%	0%	17751	13424	12876	15532	87%	116%	130	103	41	65	50%	63%
3.	Visakhapatnam	0	0	0	0	0%	0%	1363	653	403	420	31%	64%	98	113	92	32	33%	28%
4.	East Godavari	0	0	0	0	0%	0%	11964	9144	8414	7453	62%	82%	1203	936	2112	1460	121%	156%
5.	West Godavari	0	0	0	0	0%	0%	53351	46294	42058	40222	75%	87%	29	16	15	0	0%	0%
6.	Krishna	0	0	0	0	0%	0%	19285	14751	12552	14649	76%	99%	1784	1536	2670	2567	144%	167%
7	Guntur	48	5	24	45	94%	938%	68827	51018	18306	65691	95%	129%	20169	18132	20151	14530	72%	80%
8.	Prakasam	2827	2333	2193	2423	86%	104%	28561	24893	24859	19101	67%	77%	88469	82634	103793	88523	100%	107%
9.	SPSR Nellore	2	0	0	31	1550%	0%	2361	1657	2069	973	41%	59%	9025	7969	12084	10534	117%	132%
10	Chittoor	1	0	0	20	2000%	0%	1629	1215	2348	2290	141%	188%	3	1	2	0	0%	0%
11	YSR Kadapa	411	184	93	111	27%	60%	17126	13642	19437	14331	84%	105%	85615	81178	98693	88126	103%	109%
12	Anantapur	33	136	33	16	48%	12%	9786	8077	6387	9564	98%	118%	63900	62625	74691	86297	135%	138%
13	Kurnool	353	57	48	8	2%	14%	65183	61897	68331	66563	102%	108%	171217	169746	134294	163462	95%	96%
	ANDHRA PRADESH	3675	2735	2495	2654	72%	97%	310084	257509	232584	272685	88%	106%	441642	424989	448638	455596	103%	107%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 15.01.2020

(Area in hectare)

Sl No	DISTRICT	9. Greengram						10. Blackgram						11. Horsegram					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	32399	30227	27319	27055	84%	90%	45362	43179	41735	39583	87%	92%	2942	2764	2231	2180	74%	79%
2.	Vizianagaram	14720	13011	5888	11727	80%	90%	20549	17557	8347	16903	82%	96%	3895	3656	2480	1963	50%	54%
3.	Visakhapatnam	3327	2106	1007	1392	42%	66%	5936	4178	2057	3469	58%	83%	931	883	530	509	55%	58%
4.	East Godavari	16389	6499	4421	4130	25%	64%	23548	10772	7273	6149	26%	57%	47	23	11	150	319%	658%
5.	West Godavari	11397	6559	7509	4195	37%	64%	13737	6945	4026	1899	14%	27%	57	43	16	21	37%	48%
6.	Krishna	7125	6478	5027	3426	48%	53%	141469	138221	118388	117471	83%	85%	891	880	1221	95	11%	11%
7.	Guntur	31223	20604	18046	18566	59%	90%	48588	41862	20038	27651	57%	66%	9	5	25	0	0%	0%
8.	Prakasam	1068	528	520	582	54%	110%	20309	19877	13660	12781	63%	64%	590	512	1309	981	166%	192%
9.	SPSR Nellore	5624	2745	1976	3588	64%	131%	16173	15748	6848	16476	102%	105%	303	222	363	356	117%	161%
10.	Chittoor	383	387	298	172	45%	44%	2981	3090	3980	3397	114%	110%	10943	21024	84643	25415	232%	121%
11.	YSR Kadapa	3811	3642	1912	2608	68%	72%	7182	6980	2353	4096	57%	59%	3339	3407	7331	2951	88%	87%
12.	Anantapur	576	704	1530	97	17%	14%	59	37	3	18	31%	48%	4250	3466	6287	10591	249%	306%
13.	Kurnool	1165	1545	308	663	57%	43%	14294	13518	9258	11919	83%	88%	229	165	91	40	17%	24%
ANDHRA PRADESH		129207	95035	75761	78201	61%	82%	360187	321965	237966	261812	73%	81%	28426	37050	106538	45252	159%	122%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 15.01.2020

(Area in hectare)

Sl No	DISTRICT	12. Other Pulses (Redgram, Cowgram etc.)						II. TOTAL PULSES						III. TOTAL FOODGRAINS					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	15	106	1	4	27%	4%	80718	76276	71286	68822	85%	90%	97444	88024	87041	87127	89%	99%
2.	Vizianagaram	7	3	1	2	29%	63%	39301	34330	16757	30660	78%	89%	61083	48924	29816	47743	78%	98%
3.	Visakhapatnam	10182	10341	10672	10664	105%	103%	20474	17621	14358	16066	78%	91%	26483	18998	14892	17508	66%	92%
4.	East Godavari	228	161	12	53	23%	33%	41415	18391	13829	11942	29%	65%	215311	163611	126580	136296	63%	83%
5.	West Godavari	398	193	73	11	3%	6%	25618	13755	11639	6126	24%	45%	250459	215747	215092	58855	23%	27%
6.	Krishna	32	47	226	0	0%	0%	151301	147161	127532	123559	82%	84%	196416	169399	147302	148221	75%	87%
7.	Guntur	1388	733	726	653	47%	89%	101377	81337	58986	61400	61%	75%	188917	143469	98125	141303	75%	98%
8.	Prakasam	7798	7658	10520	4323	55%	56%	118234	111209	129802	107190	91%	96%	183155	167379	189963	169925	93%	102%
9.	SPSR Nellore	214	196	199	234	109%	119%	31339	26880	21470	31188	100%	116%	215840	168356	124182	240354	111%	143%
10.	Chittoor	105	180	533	285	271%	158%	14415	24682	89456	29269	203%	119%	57325	56001	116321	70956	124%	127%
11.	YSR Kadapa	864	848	1522	336	39%	40%	100811	96056	111811	98117	97%	102%	130421	115936	133376	115795	89%	100%
12.	Anantapur	315	310	1214	24	8%	8%	69100	67143	83725	97027	140%	145%	89448	79172	94460	115037	129%	145%
13.	Kurnool	1704	1301	2006	756	44%	58%	188609	186275	145957	176840	94%	95%	279024	254950	219396	251640	90%	99%
	ANDHRA PRADESH	23250	22078	27705	17345	75%	79%	982712	901116	896608	858206	87%	95%	1991326	1689967	1596546	1600760	80%	95%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 15.01.2020

(Area in hectare)

Sl No	DISTRICT	13. Groundnut						14. Sesamum (gingelly)						15. Sunflower					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	4532	3604	3541	3304	73%	92%	5901	1249	665	736	12%	59%	724	149	34	99	14%	66%
2.	Vizianagaram	1429	1360	935	474	33%	35%	6416	389	288	181	3%	46%	4	5	0	0	0%	0%
3.	Visakhapatnam	609	344	111	283	46%	82%	3161	355	233	479	15%	135%	121	23	0	0	0%	0%
4.	East Godavari	249	96	85	213	86%	222%	2433	1576	1286	1442	59%	92%	176	145	349	3	2%	2%
5.	West Godavari	2155	1894	1187	553	26%	29%	514	125	14	7	1%	6%	170	123	68	0	0%	0%
6.	Krishna	719	581	446	43	6%	7%	515	177	103	77	15%	43%	13	12	0	0	0%	0%
7.	Guntur	2949	2063	887	2045	69%	99%	474	81	4	18	4%	22%	29	9	44	0	0%	0%
8.	Prakasam	2105	1932	855	958	46%	50%	4534	3357	2239	3120	69%	93%	2588	2404	508	365	14%	15%
9.	SPSR Nellore	3849	2258	1588	2333	61%	103%	2976	1375	1237	660	22%	48%	414	200	165	0	0%	0%
10.	Chittoor	12069	11472	10773	10756	89%	94%	792	537	738	415	52%	77%	840	442	214	257	31%	58%
11.	YSR Kadapa	15427	11710	7189	7111	46%	61%	6486	3595	2041	4542	70%	126%	7825	5403	4739	2239	29%	41%
12.	Anantapur	18185	13714	13564	21841	120%	159%	2	0	0	20	1000%	0%	1647	1374	1002	1585	96%	115%
13.	Kurnool	13669	11631	9016	10750	79%	92%	1067	681	318	695	65%	102%	2954	2469	1027	197	7%	8%
ANDHRA PRADESH		77946	62659	50177	60664	78%	97%	35271	13498	9166	12392	35%	92%	17505	12759	8150	4745	27%	37%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 15.01.2020

(Area in hectare)

SI No	DISTRICT	16. Safflower						17. Rape & Mustard						18. Other Oil seeds (Castor, Soyabean etc.)					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	0	0	0	0%	0%	0	0	0	0	0%	0%	91	0	0	0	0%	0%
2.	Vizianagaram	0	0	0	0	0%	0%	0	0	0	0	0%	0%	65	0	0	0	0%	0%
3.	Visakhapatnam	6	0	0	0	0%	0%	0	0	0	0	0%	0%	75	0	0	0	0%	0%
4.	East Godavari	0	0	0	0	0%	0%	0	0	0	0	0%	0%	50	0	0	0	0%	0%
5.	West Godavari	0	0	0	0	0%	0%	10	0	0	0	0%	0%	0	0	0	0	0%	0%
6.	Krishna	0	0	0	0	0%	0%	625	357	120	92	15%	26%	5	0	0	0	0%	0%
7.	Guntur	0	0	0	0	0%	0%	131	6	0	0	0%	0%	174	102	116	8	5%	8%
8.	Prakasam	1	0	0	4	400%	0%	30	18	8	6	20%	34%	1159	735	1018	567	49%	77%
9.	SPSR Nellore	0	0	0	0	0%	0%	15	0	0	0	0%	0%	2	2	8	0	0%	0%
10.	Chittoor	0	0	0	0	0%	0%	0	0	0	0	0%	0%	0	0	0	0	0%	0%
11.	YSR Kadapa	114	100	210	168	147%	167%	0	2	0	0	0%	0%	25	29	140	40	160%	137%
12.	Anantapur	111	95	12	1154	1040%	1220%	0	0	0	0	0%	0%	101	73	0	74	73%	102%
13.	Kurnool	71	32	111	170	239%	525%	3126	155	0	0	0%	0%	211	117	358	22	10%	19%
ANDHRA PRADESH		303	227	333	1496	494%	658%	3937	537	128	98	2%	18%	1958	1057	1640	711	36%	67%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 15.01.2020

(Area in hectare)

Sl No	DISTRICT	19. Nigerseed						IV. TOTAL OIL SEEDS						20. Tobacco					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	0	0	0	0%	0%	11248	5003	4240	4139	37%	83%	0	0	0	0	0%	0%
2.	Vizianagaram	19	10	2	0	0%	0%	7933	1764	1225	655	8%	37%	206	199	65	47	23%	24%
3.	Visakhapatnam	6227	6190	5750	4592	74%	74%	10199	6912	6094	5354	52%	77%	61	22	7	1	2%	5%
4.	East Godavari	0	0	0	0	0%	0%	2908	1817	1720	1658	57%	91%	2232	1336	1374	2124	95%	159%
5.	West Godavari	0	0	0	0	0%	0%	2849	2142	1269	560	20%	26%	22672	22484	20055	15574	69%	69%
6.	Krishna	0	0	0	0	0%	0%	1877	1126	669	212	11%	19%	1609	1431	1597	1219	76%	85%
7.	Guntur	0	0	0	0	0%	0%	3757	2261	1051	2071	55%	92%	3152	2803	4618	2703	86%	96%
8.	Prakasam	1	0	0	0	0%	0%	10418	8446	4628	5020	48%	59%	50987	48674	44755	49180	96%	101%
9.	SPSR Nellore	0	0	0	0	0%	0%	7256	3835	2998	2993	41%	78%	6759	6128	4229	5084	75%	83%
10.	Chittoor	0	0	0	0	0%	0%	13701	12451	11725	11428	83%	92%	10	7	0	0	0%	0%
11.	YSR Kadapa	0	0	0	0	0%	0%	29877	20839	14319	14100	47%	68%	22	17	79	0	0%	0%
12.	Anantapur	0	0	0	0	0%	0%	20046	15256	14578	24674	123%	162%	123	47	9	0	0%	0%
13.	Kurnool	0	0	0	0	0%	0%	21098	15086	10830	11834	56%	78%	5741	5486	4964	4683	82%	85%
ANDHRA PRADESH		6247	6200	5752	4592	74%	74%	143167	96937	75346	84698	59%	87%	93574	88633	81752	80615	86%	91%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 15.01.2020

(Area in hectare)

SI No	DISTRICT	21. Chillies						22. Cotton						23. Coriander						24. Onion					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	1156	964	326	532	46%	55%	0	0	0	0	0%	0%	0	0	0	0	0%	0%	345	333	40	154	45%	46%
2.	Vizianagaram	717	641	402	248	35%	39%	0	0	0	0	0%	0%	0	0	0	0	0%	0%	138	85	41	52	38%	61%
3.	Visakhapatnam	489	257	100	129	26%	50%	0	0	0	0	0%	0%	4	0	0	0	0%	0%	103	42	10	32	31%	77%
4.	East Godavari	2665	1973	2077	2943	110%	149%	0	0	0	0	0%	0%	30	0	0	0	0%	0%	8	1	0	24	300%	2000%
5.	West Godavari	1898	1569	944	624	33%	40%	0	0	0	0	0%	0%	1	0	0	0	0%	0%	0	0	0	0	0%	0%
6.	Krishna	687	926	779	470	68%	51%	0	0	0	0	0%	0%	0	0	0	0	0%	0%	3	0	0	12	400%	0%
7.	Guntur	3072	2838	390	264	9%	9%	25	0	0	0	0%	0%	0	0	0	0	0%	0%	93	76	22	20	22%	26%
8.	Prakasam	9725	8850	4962	7396	76%	84%	657	97	115	384	58%	398%	810	11	0	0	0%	0%	29	18	11	72	248%	391%
9.	SPSR Nellore	1602	1391	839	838	52%	60%	2508	431	241	316	13%	73%	81	0	0	0	0%	0%	3	0	0	34	1133%	0%
10.	Chittoor	1816	1688	1935	1447	80%	86%	355	74	73	51	14%	69%	182	114	572	380	209%	332%	247	201	461	167	68%	83%
11.	YSR Kadapa	125	109	342	15	12%	14%	719	165	125	151	21%	91%	5883	5194	66	67	1%	1%	1239	763	737	734	59%	96%
12.	Anantapur	195	52	261	76	39%	146%	376	61	29	32	9%	53%	3537	0	0	1104	31%	0%	468	58	288	1182	253%	2052%
13.	Kurnool	351	481	405	564	161%	117%	2	36	5	8	400%	22%	4514	3196	519	1001	22%	31%	2778	1988	2450	8287	298%	417%
ANDHRA PRADESH		24498	21738	13762	15546	63%	72%	4642	864	588	942	20%	109%	15042	8515	1157	2552	17%	30%	5454	3564	4060	10770	197%	302%