



GOVERNMENT OF ANDHRA PRADESH

SEASON AND CROP COVERAGE REPORT

RABI 2019-20

UPTO THE WEEK ENDING 22/01/2020

1. Rainfall.....	1
2. Water levels in major reservoirs	2
3. Crop Sowings.....	3
4. Pests & Diseases	4
5. Rainfall - Annexure	3
6. District/crop-wise area sown - Annexures	4



COMMISSIONERATE OF AGRICULTURE
ANDHRA PRADESH, GUNTUR
(Statistics section)

SEASON AND CROP COVERAGE (RABI 2019-20 SEASON)

1. WEATHER CONDITIONS

1.1. South-West Monsoon: The South-West Monsoon is crucial for the Agriculture Sector. The IMD has announced that the South-West Monsoon has arrived over Kerala on 8th June, 2019. Onset of South-West Monsoon over Andhra Pradesh on 21st June, 2019 and covered entire Andhra Pradesh by 22nd June, 2019.

North-East Monsoon: North-East Monsoon rains commenced over Tamilnadu and adjoining areas of Andhra Pradesh, Karnataka and Kerala on 16th October, 2019.

Mainly Dry weather likely to prevail over coastal Andhra Pradesh and Rayalaseema districts.

(Rainfall in mm)

Season	Season Normal	Normal As on date	Actual Rainfall (mm)			% deviation to Normal as on date	Status
			2017	2018	2019		
South-West Monsoon (from June to September)	556.0	556.0	567.1	456.7	532.8	-4.2	Normal
North-East Monsoon (from October to December)	296.0	296.0	177.6	124.1	245.8	-17.0	Normal
Winter Period (from 01.01.2020 to 22.01.2020)	15.8	78	0.1	0.0	12.4	59	Excess

Overall, the average rainfall received in Andhra Pradesh from 1-6-2019 to 22-01-2020 is recorded as 791.0 mm as against the Normal as on date of 859.8 mm showing by Normal -8.0 percent.

1.2. District wise Rainfall:

The district wise rainfall from 1.6.2019 to 22.01.2020 is presented in **Annexure-I**.

Status and deviation of Rainfall during the period from 1.6.2019 to 22.01.2020 is presented below:

S.No	Districts	No.of districts	Status & deviation
1	----- Nil -----	0	Excess (20% & above)
2	All districts	13	Normal (+19% to -19%)
3	----- Nil -----	0	Deficit (-20% to -59%)
4	----- Nil -----	0	Scanty (-60% to -99%)
5	----- Nil -----	0	No rain (-100%)

WATER LEVELS IN MAJOR RESERVOIRS

All the Major reservoirs are holding 667.25 tmc as on 22-01-2020, by this time last year, the level had stood at 355.14 tmc. The water levels in all major reservoirs as on **22-01-2020** are furnished hereunder.

Reservoir	Full level (in feet)	Reservoir level (in feet)		Storage in TMC		Flow(in cusecs)	
		Last year	This year	Last year	This year	Average Inflows of last 24 hrs	Average Outflows of last 24 hrs
Almatti	1705.0	1685.4	*1696.92	53.7	90.5	0	13842
Narayanapur	1615.0	1598.7	*1612.8	18.7	34.6	11505	11825
Ujjaini	1630.0	1617.7	1629.7	79.3	115.9	0	4439
Jurala	1045.0	1032.9	1041.3	3.7	7.5	86	1139
Tungabhadra	1633.0	1600.9	1619.3	20.7	56.2	0	10780
Srisailem	885.0	835.8	871.6	56.1	148.4	7292	7292
Nagarjuna Sagar	590.0	538.1	557.6	184.4	226.8	6259	27541
Pulichintala	175.0	119.2	164.1	3.6	30.5	0	2000
Jaikwadi	1522.0	1501.9	1520.2	39.9	95.3	0	1498
Singur	1717.9	1682.0	1679.7	1.9	1.5	0	30
Nizam Sagar	1405.0	1377.1	1388.6	0.9	3.5	0	232
Sri Ram Sagar	1091.0	1071.0	1087.1	31.0	73.6	0	6830
Mid Manair Reservoir	1043.3	997.7	1040.0	4.5	25.0	0	0
Lower Manair Dam	920.0	899.5	907.0	10.0	14.3	0	5238
Kaddam	700.0	681.9	696.4	3.8	6.7	33	103
Sripada Yellampalli	485.6	480.9	478.6	16.3	14.58	344	861
Veligodu Balancing Reservoir	868.5	836.1	854.5	4.4	10.45	0	160
Somasila	330.0	292.6	323.6	22.5	64.17	1562	4449
Kandaleru	278.9	219.5	257.5	12.1	40.41	0	1770

Source: Irrigation Department, A.P. Guntur.

III. CROP SOWINGS

Rabi 2019 -20

The total area sown in the State is 19.70 lakh ha. (86%) as against the normal area of 22.78 lakh ha., and normal as on date is 20.07 lakh ha. (98%).

% of area covered to season Normal		Crops
< 25 %		Cotton, Coriander.
26% to 50%		Bajra, Sunflower, Sesamum.
51% to 75%		Ragi, Greengram, Blackgram, Nigerseed, Chillies.
76% to 100%		Paddy, Maize, Groundnut, Tobacco.
>100		Jowar, Horsegram, Bengalgram, Safflower, Onion.
% of area covered to season Normal	No. of Districts	Name of the Districts
< 25 %	0	NIL
26% to 50%	0	NIL
51% to 75%	4	Vizianagaram, Visakhapatnam, East Godavari, West Godavari
76% to 100%	6	Srikakulam, Krishna, Guntur, Prakasam, YSR Kadapa, Kurnool
>100	3	SPSR Nellore, Chittoor, Ananthapur

IV. AGRICULTURAL OPERATIONS AND CROP CONDITIONS.

Rabi: Paddy is at transplanting to tillering stage. Jowar, Maize and Ragi crops are at sowings to vegetative and flowering stages. Blackgram and Greengram crops are at flowering to pod development and harvesting stage. Bengalgram is at flowering to pod development and harvesting stage. Horsegram is at flowering to pod formation stage. Rajma is at harvesting to harvested stage. Groundnut is at vegetative to flowering stage.

V. PESTS AND DISEASES

The pests & diseases on Kharif standing & Rabi crops have been reported below.

Crop	Pest / Diseases	Major Districts Affected	Area Affected (ha.)	Area Treated (ha.)
Paddy (Rabi)	Leaf folder, stem borer, Gall midge, BPH, Blast	Nellore, Prakasam, Chittoor, Vizianagaram, West Godavari	23431	23431
Jowar (Rabi)	FAW	Prakasam	560	560
Maize (Rabi)	FAW	Krishna, Vizianagaram, Srikakulam, Prakasam, East Godavari, West Godavari, Guntur	18639	16649
Redgram (Kharif)	Maruca leaf webber/Helicoverpa (below ETL)	Prakasam	9800	9800
Bengal gram (Rabi)	Helicoverpa, Spodoptera & Wilt	Nellore, Prakasam	3500	3500
Greengram (Rabi)	Maruca leaf folder	Vizianagaram	708	708
Blackgram (Rabi)	YMV	Vizianagaram	595	595
Horsegram (Rabi)	Powdery mildew	Prakasam, Vizianagaram	2028	2028
Groundnut (Rabi)	Leaf folder, Sucking pests, Tikka leaf spot	Guntur	120	120
Sesamum (Rabi)	Sucking pest	Prakasam	1608	1608
Sunflower (Rabi)	Sucking pest	Prakasam	142	142
Cotton (Kharif)	Sucking pests, Pink Boll Worm	Guntur	17152	17152
Chillies (Kharif)	flowering to capsule formation stage	Prakasam	4589	4589
Chillies (Rabi)	Sucking pests, pod borer & leaf curls	Prakasam, Vizianagaram	350	350
Tobacco (Rabi)	White fly	Prakasam	35472	35472
Sugarcane (Kharif)	Whip smut	Vizianagaram	210	210

ANNEXURE - I

DISTRICT-WISE RAINFALL DURING SOUTH-WEST, NORTH-EAST MONSOON AND WINTER PERIOD DURING
THE YEAR FROM 01.06.2019 TO 22.01.2020

(Provisional)																		
Sl. No.	District	SOUTH-WEST MONSOON			NORTH-EAST MONSOON (October to December)			WINTER PERIOD (January to February)							GRAND TOTAL(1.6.19 to 22.01.20)			
		Season Normal	Actual rainfall (1.6.19 to 30.09.19)	% Deviation to normal	Season Normal	From 1.10.19 to 31.12.19	% Deviation to normal as on date	RAINFALL FOR THE WEEK/PERIOD							Normal as on date	Actual from 1.6.19 to 22.01.20	% deviation to Normal as on date	Status
								Season Normal	Normal As on date	From 1.1.18 to 22.01.18	From 1.1.19 to 22.01.19	From 1.1.20 to 22.01.20	% Deviation to normal as on date	Status				
1	SRIKAKULAM	705.7	728.4	3.2	276.0	308.3	11.7	25.9	6.1	0.0	0.0	2.4	-61	Scanty	987.8	1039.1	5.2	Normal
2	VIZIANAGARAM	692.7	702.2	1.4	245.9	322.4	31.1	25.4	9.4	0.0	0.0	8.1	-14	Normal	948.0	1032.7	8.9	Normal
3	VISAKHAPATNAM	712.5	780.6	9.6	297.2	289.5	-2.6	22.3	8.9	0.0	0.0	5.9	-34	Deficit	1018.6	1076.0	5.6	Normal
4	EAST GODAVARI	768.1	712.7	-7.2	305.4	264.9	-13.3	19.7	8.6	0.0	0.0	8.3	-3	Normal	1082.1	985.9	-8.9	Normal
5	WEST GODAVARI	792.0	705.2	-11.0	239.3	186.0	-22.3	17.8	10.0	0.0	0.0	13.2	32	Excess	1041.3	904.4	-13.1	Normal
	NORTH-COASTAL	734.2	725.8	-1.1	272.8	274.2	0.5	22.2	8.6	0.0	0.0	7.6	-12	Normal	1015.6	1007.6	-0.8	Normal
6	KRISHNA	685.1	594.8	-13.2	249.4	178.4	-28.5	15.8	8.3	0.0	0.0	10.4	25	Excess	942.8	783.6	-16.9	Normal
7	GUNTUR	525.8	506.1	-3.7	228.9	161.3	-29.5	18.4	9.0	0.0	0.0	16.6	84	Excess	763.7	684.0	-10.4	Normal
8	PRAKASAM	388.3	378.9	-2.4	393.7	274.6	-30.3	16.3	11.8	0.0	0.0	30.3	157	Excess	793.8	683.8	-13.9	Normal
9	NELLORE	331.4	310.6	-6.3	661.4	513.4	-22.4	19.9	14.2	0.1	0.0	51.6	263	Excess	1007.0	875.6	-13.0	Normal
	SOUTH-COASTAL	482.7	447.6	-7.3	383.4	281.9	-26.5	17.6	10.8	0.0	0.0	27.2	152	Excess	876.8	756.8	-13.7	Normal
	COASTAL A.P	622.4	602.2	-3.3	321.9	277.6	-13.8	20.2	9.6	0.0	0.0	16.3	70	Excess	953.9	896.1	-6.1	Normal
13	CHITTOOR	439.4	509.1	15.9	395.4	283.6	-28.3	12.2	7.8	0.0	0.0	8.9	14	Normal	842.6	801.6	-4.9	Normal
12	KADAPA	393.5	362.3	-7.9	251.0	194.0	-22.7	3.4	2.2	0.0	0.1	5.1	132	Excess	646.7	561.4	-13.2	Normal
11	ANANTAPUR	338.4	332.7	-1.7	155.3	182.9	17.8	2.9	1.6	0.0	0.0	0.6	-62	Scanty	495.3	516.2	4.2	Normal
10	KURNOOL	455.1	468.1	2.9	149.5	119.6	-20.0	4.6	2.7	0.0	0.0	1.0	-63	Scanty	607.3	588.7	-3.1	Normal
	RAYALASEEMA	406.6	418.1	2.8	237.8	195.0	-18.0	5.8	3.6	0.0	0.0	3.9	9	Normal	648.0	617.0	-4.8	Normal
	ANDHRA PRADESH	556.0	532.8	-4.2	296.0	245.8	-17.0	15.8	7.8	0.1	0.0	12.4	59	Excess	859.8	791.0	-8.0	Normal

Source: Directorate of Economics & Statistics, APVijayawada

Data is provisional & Limits for deviation from Normal

Excess = (+20% & above), Normal = (+19% to -19%), Deficit = (-20% to -59%), Scanty = (-60% to -99%), No rain = (-100%)

**ANNEXURE-II
CROP SOWINGS**

CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 22.01.2020

(Area in lakh hectares)									
SL NO	CROP	Targetted area	Normal		During corresponding period		Current year as on 22.01.20	% sown to	
			Season	As on date	Corres. Period as on 22.01.18	Corres. Period as on 22.01.19		Season	As on date
1	PADDY	7.40	6.98	5.78	6.40	5.36	6.01	86%	104%
2	WHEAT	0.00	0.00	0.00	0.00	0.00	0.00	2%	5%
3	JOWAR	1.24	1.14	1.05	1.02	1.17	1.19	105%	114%
4	BAJRA	0.04	0.03	0.01	0.02	0.01	0.009	29%	67%
5	MAIZE	2.43	1.83	1.58	2.02	1.30	1.64	90%	104%
6	RAGI	0.20	0.06	0.04	0.07	0.06	0.04	64%	90%
7	MINOR MILLETS	0.05	0.04	0.03	0.03	0.03	0.03	74%	92%
COARSE GRAINS		3.96	3.10	2.71	3.15	2.55	2.91	94%	107%
8	BENGALGRAM	5.01	4.42	4.32	5.11	4.60	4.56	103%	106%
9	GREENGRAM	1.64	1.29	1.01	0.93	0.80	0.86	66%	85%
10	BLACKGRAM	4.36	3.60	3.32	3.22	2.51	2.70	75%	81%
11	HORSEGRAM	0.25	0.28	0.38	0.25	1.07	0.46	160%	121%
12	OTHER PULSES	0.28	0.23	0.22	0.22	0.28	0.18	76%	79%
TOTAL PULSES		11.53	9.83	9.25	9.73	9.26	8.75	89%	95%
TOTAL FOODGRAINS		22.90	19.91	17.75	19.28	17.17	17.68	89%	100%
13	GROUNDNUT	0.94	0.78	0.67	0.77	0.52	0.63	81%	94%
14	SESAMUM	0.34	0.35	0.16	0.10	0.12	0.13	37%	84%
15	SUNFLOWER	0.22	0.18	0.14	0.06	0.09	0.05	28%	35%
16	SAFFLOWER	0.00	0.00	0.00	0.00	0.00	0.02	560%	708%
17	NIGER SEED	0.00	0.06	0.06	0.06	0.06	0.05	74%	73%
18	RAPE & MUSTARD	0.03	0.04	0.010	0.02	0.01	0.002	4%	17%
19	OTHER OILSEED (Castor, Soyabean, etc.,)	0.10	0.02	0.01	0.01	0.02	0.01	41%	72%
TOTAL OILSEEDS		1.63	1.43	1.05	1.00	0.81	0.88	62%	84%
20	TOBACCO	0.91	0.94	0.91	0.76	0.84	0.84	90%	92%
21	CHILLIES	0.23	0.24	0.23	0.17	0.14	0.16	65%	70%
22	COTTON	0.03	0.05	0.01	0.00	0.01	0.01	21%	108%
23	CORIANDER	0.07	0.15	0.09	0.01	0.01	0.03	17%	30%
24	ONION	0.08	0.05	0.04	0.04	0.04	0.11	198%	295%
TOTAL CROPPED AREA		25.84	22.78	20.07	21.25	19.03	19.70	86%	98%

Source: District Joint Directors of Agriculture

Data is provisional

ANNEXURE-III

DISTRICT WISE AREA SOWN DURING RABI 2019-20 AS ON 22.01.2020

(Area in hectares)									
SI No	DISTRICT	Targetted area	TOTAL AREA SOWN						
			Normal		During			% Sown to	
			Season	As on date	Corres. Period as on 22.01.18	Corres. Period as on 22.01.19	Current year as on 22.01.20	Season Normal	As on Date
1.	Srikakulam	174180	110193	98430	127561	94770	93702	85%	95%
2.	Vizianagaram	82790	70077	52803	63863	34449	48745	70%	92%
3.	Visakhapatnam	42844	37339	28202	29962	21670	24572	66%	87%
4.	East Godavari	235250	223154	184357	189181	178991	159451	71%	86%
5.	West Godavari	282076	277879	254003	252209	246332	197410	71%	78%
6.	Krishna	219900	200592	184772	187622	165156	157844	79%	85%
7	Guntur	227008	199016	161782	196996	122719	163792	82%	101%
8.	Prakasam	299535	255781	237984	217662	246481	231977	91%	97%
9.	SPSR Nellore	307655	234049	192598	216659	139464	251315	107%	130%
10	Chittoor	69132	73636	73539	77231	135515	85265	116%	116%
11	YSR Kadapa	175036	168286	149755	151393	155104	133657	79%	89%
12	Anantapur	133897	114193	97522	109455	109625	142545	125%	146%
13	Kurnool	334612	313508	290858	305430	252240	279670	89%	96%
ANDHRA PRADESH		2583915	2277703	2006607	2125224	1902516	1969945	86%	98%

ANNEXURE-IV

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 22.01.2020

(Area in hectare)

SI No	DISTRICT	1. PADDY						2. Wheat						3. Jowar					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	3829	1590	1592	2810	73%	177%	0	0	0	0	0%	0%	1	1	0	0	0%	0%
2.	Vizianagaram	4031	1306	367	1551	38%	119%	0	0	0	0	0%	0%	3	1	0	0	0%	0%
3.	Visakhapatnam	4646	1120	248	1442	31%	129%	0	0	0	0	0%	0%	1	1	0	0	0%	0%
4.	East Godavari	161932	149595	148496	132540	82%	89%	0	0	0	0	0%	0%	1631	1548	1417	1441	88%	93%
5.	West Godavari	171490	163911	166036	117980	69%	72%	0	0	0	0	0%	0%	39	14	2	0	0%	0%
6.	Krishna	25830	12082	11514	13579	53%	112%	0	0	0	0	0%	0%	569	376	42	105	18%	28%
7.	Guntur	18713	11935	20096	17092	91%	143%	0	0	0	0	0%	0%	23340	17885	13673	30783	132%	172%
8.	Prakasam	36360	32607	35312	43634	120%	134%	0	0	0	0	0%	0%	13705	12455	18829	8221	60%	66%
9.	SPSR Nellore	182140	149164	110244	208868	115%	140%	0	0	0	0	0%	0%	1555	1295	1675	876	56%	68%
10.	Chittoor	41281	32101	27450	39842	97%	124%	0	0	0	0	0%	0%	4	1	4	510	12750%	63750%
11.	YSR Kadapa	12480	7411	2739	3615	29%	49%	4	0	0	0	0%	0%	11765	11025	15911	11979	102%	109%
12.	Anantapur	10547	4546	4348	8541	81%	188%	15	6	0	3	20%	54%	4696	4499	3227	5626	120%	125%
13.	Kurnool	25119	10937	7301	9512	38%	87%	113	51	91	0	0%	0%	56397	55947	61928	59930	106%	107%
ANDHRA PRADESH		698398	578305	535743	601006	86%	104%	132	57	91	3	2%	5%	113706	105048	116708	119471	105%	114%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 22.01.2020

(Area in hectare)

SI No	DISTRICT	4. Bajra						5. Maize						6. Ragi					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	0	0	0	0%	0%	10924	9863	12945	14808	136%	150%	1972	1618	2933	1164	59%	72%
2.	Vizianagaram	0	0	0	0	0%	0%	17052	13373	12831	15356	90%	115%	696	385	376	176	25%	46%
3.	Visakhapatnam	0	0	0	0	0%	0%	1087	655	364	358	33%	55%	275	96	84	73	27%	76%
4.	East Godavari	1	0	0	0	0%	0%	10331	8098	8066	6178	60%	76%	1	1	2	0	0%	0%
5.	West Godavari	0	0	0	0	0%	0%	53311	49099	44181	47003	88%	96%	1	0	0	0	0%	0%
6.	Krishna	0	0	0	0	0%	0%	18716	15583	14948	14942	80%	96%	0	0	0	0	0%	0%
7.	Guntur	26	0	0	0	0%	0%	44906	38039	17623	44464	99%	117%	507	480	752	912	180%	190%
8.	Prakasam	657	413	25	90	14%	22%	10540	9501	3820	8013	76%	84%	832	687	357	354	43%	52%
9.	SPSR Nellore	28	11	1	20	71%	189%	719	439	362	220	31%	50%	57	30	31	33	58%	111%
10.	Chittoor	1	1	0	0	0%	0%	889	684	1556	1186	133%	173%	734	549	805	665	91%	121%
11.	YSR Kadapa	2303	778	332	653	28%	84%	2529	2190	3289	1724	68%	79%	118	64	68	9	8%	14%
12.	Anantapur	28	18	2	16	57%	89%	4146	3287	2821	3495	84%	106%	883	426	304	511	58%	120%
13.	Kurnool	185	197	180	170	92%	86%	8248	6874	7009	6657	81%	97%	0	0	0	0	0%	0%
ANDHRA PRADESH		3229	1418	540	949	29%	67%	183398	157684	129815	164404	90%	104%	6076	4334	5712	3897	64%	90%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 22.01.2020

(Area in hectare)

SI No	DISTRICT	7. Minor Millets						I. COARSE GRAINS						8. Bengalgram					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	21	104	0	0%	0%	12897	11503	15982	15972	124%	139%	0	0	0	0	0%	0%
2.	Vizianagaram	0	0	0	0	0%	0%	17751	13758	13207	15532	87%	113%	130	105	52	65	50%	62%
3.	Visakhapatnam	0	0	0	0	0%	0%	1363	752	448	431	32%	57%	98	119	98	32	33%	27%
4.	East Godavari	0	0	0	0	0%	0%	11964	9647	9485	7619	64%	79%	1203	1037	2356	1478	123%	142%
5.	West Godavari	0	0	0	0	0%	0%	53351	49113	44183	47003	88%	96%	29	52	20	0	0%	0%
6.	Krishna	0	0	0	0	0%	0%	19285	15959	14990	15047	78%	94%	1784	1551	2670	2568	144%	166%
7	Guntur	48	6	30	45	94%	750%	68827	56410	32078	76204	111%	135%	20169	18881	21304	14675	73%	78%
8.	Prakasam	2827	2536	2193	2423	86%	96%	28561	25592	25224	19101	67%	75%	88469	83660	105303	88523	100%	106%
9.	SPSR Nellore	2	0	0	51	2550%	0%	2361	1774	2069	1200	51%	68%	9025	8232	9278	10496	116%	128%
10	Chittoor	1	0	0	56	5600%	0%	1629	1234	2365	2417	148%	196%	3	1	2	0	0%	0%
11	YSR Kadapa	411	185	93	117	28%	63%	17126	14242	19693	14482	85%	102%	85615	83192	101137	88588	103%	106%
12	Anantapur	33	139	33	16	48%	11%	9786	8370	6387	9664	99%	115%	63900	62899	74691	86297	135%	137%
13	Kurnool	353	62	48	8	2%	13%	65183	63079	69165	66765	102%	106%	171217	172341	143281	163470	95%	95%
ANDHRA PRADESH		3675	2949	2501	2716	74%	92%	310084	271433	255276	291437	94%	107%	441642	432071	460192	456192	103%	106%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 22.01.2020

		(Area in hectare)																	
SI No	DISTRICT	9. Greengram						10. Blackgram						11. Horsegram					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	32399	30972	27833	27568	85%	89%	45362	44048	41735	39941	88%	91%	2942	2779	2212	2245	76%	81%
2.	Vizianagaram	14720	13227	6843	11727	80%	89%	20549	17909	9351	16903	82%	94%	3895	3671	2539	1963	50%	53%
3.	Visakhapatnam	3327	2418	1037	1855	56%	77%	5936	4801	2155	3992	67%	83%	931	921	545	533	57%	58%
4.	East Godavari	16389	6917	4995	4424	27%	64%	23548	11400	8001	6541	28%	57%	47	27	6	150	319%	556%
5.	West Godavari	11397	6637	7575	7895	69%	119%	13737	7167	4281	4490	33%	63%	57	49	35	21	37%	43%
6.	Krishna	7125	6794	5032	4963	70%	73%	141469	143548	126378	119551	85%	83%	891	954	1221	95	11%	10%
7.	Guntur	31223	22467	20027	19756	63%	88%	48588	43185	22221	29896	62%	69%	9	5	25	0	0%	0%
8.	Prakasam	1068	616	520	582	54%	94%	20309	19699	13705	12781	63%	65%	590	524	1309	981	166%	187%
9.	SPSR Nellore	5624	4572	1976	3619	64%	79%	16173	15757	6848	16399	101%	104%	303	222	363	404	133%	182%
10.	Chittoor	383	390	307	172	45%	44%	2981	3123	4066	3397	114%	109%	10943	21053	84643	25415	232%	121%
11.	YSR Kadapa	3811	3756	2355	2595	68%	69%	7182	7170	2958	4149	58%	58%	3339	3430	7331	3152	94%	92%
12.	Anantapur	576	704	1530	97	17%	14%	59	39	3	22	37%	57%	4250	3805	6287	10591	249%	278%
13.	Kurnool	1165	1574	334	663	57%	42%	14294	13860	9275	11970	84%	86%	229	182	176	40	17%	22%
ANDHRA PRADESH		129207	101044	80364	85916	66%	85%	360187	331706	250977	270032	75%	81%	28426	37623	106692	45590	160%	121%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 22.01.2020

(Area in hectare)

SI No	DISTRICT	12. Other Pulses (Redgram, Cowgram etc.)						II. TOTAL PULSES						III. TOTAL FOODGRAINS					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	15	111	1	4	27%	4%	80718	77910	71781	69758	86%	90%	97444	91003	89355	88540	91%	97%
2.	Vizianagaram	7	4	2	2	29%	48%	39301	34917	18787	30660	78%	88%	61083	49982	32361	47743	78%	96%
3.	Visakhapatnam	10182	10358	10675	10679	105%	103%	20474	18617	14510	17091	83%	92%	26483	20489	15206	18964	72%	93%
4.	East Godavari	228	167	22	53	23%	32%	41415	19548	15380	12646	31%	65%	215311	178791	173361	152805	71%	85%
5.	West Godavari	398	198	73	182	46%	92%	25618	14103	11984	12588	49%	89%	250459	227126	222203	177571	71%	78%
6.	Krishna	32	52	226	0	0%	0%	151301	152899	135527	127177	84%	83%	196416	180941	162031	155803	79%	86%
7.	Guntur	1388	767	852	644	46%	84%	101377	85305	64429	64971	64%	76%	188917	153650	116603	158267	84%	103%
8.	Prakasam	7798	7663	10520	4323	55%	56%	118234	112162	131357	107190	91%	96%	183155	170362	191893	169925	93%	100%
9.	SPSR Nellore	214	197	199	247	115%	125%	31339	28980	18664	31165	99%	108%	215840	179918	130977	241233	112%	134%
10.	Chittoor	105	199	566	290	276%	146%	14415	24766	89584	29274	203%	118%	57325	58102	119399	71533	125%	123%
11.	YSR Kadapa	864	869	1516	363	42%	42%	100811	98416	115297	98847	98%	100%	130421	120069	137729	116944	90%	97%
12.	Anantapur	315	313	1214	24	8%	8%	69100	67761	83725	97031	140%	143%	89448	80683	94460	115239	129%	143%
13.	Kurnool	1704	1384	2246	758	44%	55%	188609	189341	155312	176901	94%	93%	279024	263408	231869	253178	91%	96%
ANDHRA PRADESH		23250	22282	28112	17569	76%	79%	982712	924726	926337	875299	89%	95%	1991326	1774521	1717447	1767745	89%	100%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 22.01.2020

		(Area in hectare)																	
SI No	DISTRICT	13. Groundnut						14. Sesamum (gingelly)						15. Sunflower					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	4532	4038	3955	3398	75%	84%	5901	1654	947	928	16%	56%	724	264	116	138	19%	52%
2.	Vizianagaram	1429	1370	961	474	33%	35%	6416	480	573	181	3%	38%	4	5	0	0	0%	0%
3.	Visakhapatnam	609	459	214	284	47%	62%	3161	599	383	568	18%	95%	121	35	0	1	1%	3%
4.	East Godavari	249	133	130	108	43%	81%	2433	1587	1341	1444	59%	91%	176	157	389	3	2%	2%
5.	West Godavari	2155	1910	1237	790	37%	41%	514	199	133	30	6%	15%	170	126	83	0	0%	0%
6.	Krishna	719	814	446	85	12%	10%	515	200	115	77	15%	38%	13	3	0	0	0%	0%
7.	Guntur	2949	2097	958	2424	82%	116%	474	90	8	18	4%	20%	29	11	51	0	0%	0%
8.	Prakasam	2105	1966	855	958	46%	49%	4534	3518	2239	3120	69%	89%	2588	2493	520	365	14%	15%
9.	SPSR Nellore	3849	2687	1708	2350	61%	87%	2976	1541	1258	882	30%	57%	414	224	165	24	6%	11%
10.	Chittoor	12069	12068	11629	10944	91%	91%	792	591	859	430	54%	73%	840	589	496	262	31%	44%
11.	YSR Kadapa	15427	12655	7357	8273	54%	65%	6486	4295	3348	4642	72%	108%	7825	6268	4971	2389	31%	38%
12.	Anantapur	18185	14941	13564	22024	121%	147%	2	0	0	20	1000%	0%	1647	1476	1002	1600	97%	108%
13.	Kurnool	13669	11831	9109	10865	79%	92%	1067	770	336	695	65%	90%	2954	2706	895	197	7%	7%
ANDHRA PRADESH		77946	66969	52123	62977	81%	94%	35271	15524	11540	13035	37%	84%	17505	14357	8688	4979	28%	35%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 22.01.2020

		(Area in hectare)																	
SI No	DISTRICT	16. Saflower						17. Rape & Mustard						18. Other Oil seeds (Castor, Soyabean etc.)					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	0	0	0	0%	0%	0	0	0	0	0%	0%	91	0	0	0	0%	0%
2.	Vizianagaram	0	0	0	0	0%	0%	0	0	0	0	0%	0%	65	0	0	0	0%	0%
3.	Visakhapatnam	6	0	0	0	0%	0%	0	0	0	0	0%	0%	75	0	0	0	0%	0%
4.	East Godavari	0	0	0	0	0%	0%	0	0	0	0	0%	0%	50	0	0	0	0%	0%
5.	West Godavari	0	0	0	2	0%	0%	10	0	0	0	0%	0%	0	0	0	0	0%	0%
6.	Krishna	0	0	0	0	0%	0%	625	362	120	165	26%	46%	5	0	0	0	0%	0%
7.	Guntur	0	0	0	0	0%	0%	131	20	0	0	0%	0%	174	102	116	8	5%	8%
8.	Prakasam	1	0	0	4	400%	0%	30	18	8	6	20%	34%	1159	775	1018	567	49%	73%
9.	SPSR Nellore	0	0	0	0	0%	0%	15	0	0	0	0%	0%	2	2	8	0	0%	0%
10.	Chittoor	0	0	0	0	0%	0%	0	0	0	0	0%	0%	0	0	0	0	0%	0%
11.	YSR Kadapa	114	104	210	362	318%	349%	0	2	0	0	0%	0%	25	29	140	91	364%	310%
12.	Anantapur	111	95	12	1158	1043%	1224%	0	0	0	0	0%	0%	101	73	0	105	104%	145%
13.	Kurnool	71	41	156	170	239%	413%	3126	616	1100	0	0%	0%	211	119	370	22	10%	18%
ANDHRA PRADESH		303	239	378	1696	560%	708%	3937	1017	1228	171	4%	17%	1958	1101	1652	793	41%	72%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 22.01.2020

(Area in hectare)

SI No	DISTRICT	19.Nigerseed						IV. TOTAL OIL SEEDS						20. Tobacco					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	0	0	0	0%	0%	11248	5956	5018	4464	40%	75%	0	0	0	0	0%	0%
2.	Vizianagaram	19	10	2	0	0%	0%	7933	1865	1536	655	8%	35%	206	205	68	47	23%	23%
3.	Visakhapatnam	6227	6250	5750	4592	74%	73%	10199	7343	6347	5445	53%	74%	61	25	7	1	2%	4%
4.	East Godavari	0	0	0	0	0%	0%	2908	1877	1860	1555	53%	83%	2232	1447	1693	2124	95%	147%
5.	West Godavari	0	0	0	0	0%	0%	2849	2235	1453	822	29%	37%	22672	22997	21732	18205	80%	79%
6.	Krishna	0	0	0	0	0%	0%	1877	1379	681	327	17%	24%	1609	1600	1933	1223	76%	76%
7	Guntur	0	0	0	0	0%	0%	3757	2320	1133	2450	65%	106%	3152	2865	4598	2746	87%	96%
8.	Prakasam	1	0	0	0	0%	0%	10418	8770	4640	5020	48%	57%	50987	49552	44860	49180	96%	99%
9.	SPSR Nellore	0	0	0	0	0%	0%	7256	4453	3139	3256	45%	73%	6759	6370	4229	5610	83%	88%
10	Chittoor	0	0	0	0	0%	0%	13701	13249	12984	11636	85%	88%	10	9	0	0	0%	0%
11	YSR Kadapa	0	0	0	0	0%	0%	29877	23352	16026	15757	53%	67%	22	18	79	0	0%	0%
12	Anantapur	0	0	0	0	0%	0%	20046	16583	14578	24907	124%	150%	123	85	9	0	0%	0%
13	Kurnool	0	0	0	0	0%	0%	21098	16083	11966	11949	57%	74%	5741	5598	5021	4683	82%	84%
ANDHRA PRADESH		6247	6260	5752	4592	74%	73%	143167	105466	81361	88243	62%	84%	93574	90771	84229	83819	90%	92%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 22.01.2020

		(Area in hectare)																							
SI No	DISTRICT	21. Chillies						22. Cotton						23. Coriander						24. Onion					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	1156	1137	357	544	47%	48%	0	0	0	0	0%	0%	0	0	0	0	0%	0%	345	334	40	154	45%	46%
2.	Vizianagaram	717	649	431	248	35%	38%	0	0	0	0	0%	0%	0	0	0	0	0%	0%	138	103	53	52	38%	51%
3.	Visakhapatnam	489	298	100	130	27%	44%	0	0	0	0	0%	0%	4	0	0	0	0%	0%	103	47	10	32	31%	68%
4.	East Godavari	2665	2242	2077	2943	110%	131%	0	0	0	0	0%	0%	30	0	0	0	0%	0%	8	1	0	24	300%	2000%
5.	West Godavari	1898	1644	944	812	43%	49%	0	0	0	0	0%	0%	1	0	0	0	0%	0%	0	0	0	0	0%	0%
6.	Krishna	687	853	511	479	70%	56%	0	0	0	0	0%	0%	0	0	0	0	0%	0%	3	0	0	12	400%	0%
7.	Guntur	3072	2872	363	309	10%	11%	25	0	0	0	0%	0%	0	0	0	0	0%	0%	93	76	22	20	22%	26%
8.	Prakasam	9725	9169	4962	7396	76%	81%	657	101	115	384	58%	381%	810	11	0	0	0%	0%	29	19	11	72	248%	383%
9.	SPSR Nellore	1602	1407	839	838	52%	60%	2508	450	280	344	14%	76%	81	0	0	0	0%	0%	3	0	0	34	1133%	0%
10.	Chittoor	1816	1782	2009	1462	81%	82%	355	77	83	51	14%	66%	182	114	572	380	209%	332%	247	206	468	203	82%	98%
11.	YSR Kadapa	125	115	342	15	12%	13%	719	173	125	151	21%	87%	5883	5240	66	56	1%	1%	1239	787	737	734	59%	93%
12.	Anantapur	195	52	261	81	42%	155%	376	61	29	32	9%	52%	3537	0	0	1104	31%	0%	468	58	288	1182	253%	2052%
13.	Kurnool	351	478	410	564	161%	118%	2	36	5	8	400%	22%	4514	3226	519	1001	22%	31%	2778	2028	2450	8287	298%	409%
ANDHRA PRADESH		24498	22699	13606	15821	65%	70%	4642	899	637	970	21%	108%	15042	8592	1157	2541	17%	30%	5454	3659	4079	10806	198%	295%