



GOVERNMENT OF ANDHRA PRADESH

SEASON AND CROP COVERAGE REPORT

RABI 2019-20

UPTO THE WEEK ENDING 12/02/2020

1. Rainfall.....	} 1
2. Water levels in major reservoirs	
3. Crop Sowings.....	} 2
4. Pests & Diseases	
5. Rainfall - Annexure	3
6. District/crop-wise area sown - Annexures	4



**COMMISSIONERATE OF AGRICULTURE
ANDHRA PRADESH, GUNTUR
(Statistics section)**

SEASON AND CROP COVERAGE (RABI 2019-20 SEASON)

1. WEATHER CONDITIONS

1.1. South-West Monsoon: The South-West Monsoon is crucial for the Agriculture Sector. The IMD has announced that the South-West Monsoon has arrived over Kerala on 8th June, 2019. Onset of South-West Monsoon over Andhra Pradesh on 21st June, 2019 and covered entire Andhra Pradesh by 22nd June, 2019.

North-East Monsoon: North-East Monsoon rains commenced over Tamilnadu and adjoining areas of Andhra Pradesh, Karnataka and Kerala on 16th October, 2019.

Mainly Dry weather likely to prevail over coastal Andhra Pradesh and Rayalaseema districts.

(Rainfall in mm)

Season	Season Normal	Normal As on date	Actual Rainfall (mm)			% deviation to Normal as on date	Status
			2017	2018	2019		
South-West Monsoon (from June to September)	556.0	556.0	567.1	456.7	532.8	-4.2	Normal
North-East Monsoon (from October to December)	296.0	296.0	177.6	124.1	245.8	-17.0	Normal
Winter Period (from 01.01.2020 to 05.02.2020)	15.8	9.8	1.4	9.2	19.9	103	Excess

Overall, the average rainfall received in Andhra Pradesh from 1-6-2019 to 12-02-2020 is recorded as 798.5 mm as against the Normal as on date of 861.8 mm showing by Normal -7.3 percent.

1.2. District wise Rainfall:

The district wise rainfall from 1.6.2019 to 12.02.2020 is presented in **Annexure-I**.

Status and deviation of Rainfall during the period from 1.6.2019 to 12.02.2020 is presented below:

S.No	Districts	No.of districts	Status & deviation
1	----- Nil -----	0	Excess (20% & above)
2	All districts	13	Normal (+19% to -19%)
3	----- Nil -----	0	Deficit (-20% to -59%)
4	----- Nil -----	0	Scanty (-60% to -99%)
5	----- Nil -----	0	No rain (-100%)

WATER LEVELS IN MAJOR RESERVOIRS

All the Major reservoirs are holding 590.31 tmc as on 12-02-2020, by this time last year, the level had stood at 323.58 tmc. The water levels in all major reservoirs as on **12-02-2020** are furnished hereunder.

Reservoir	Full level (in feet)	Reservoir level (in feet)		Storage in TMC		Flow(in cusecs)	
		Last year	This year	Last year	This year	Average Inflows of last 24 hrs	Average Outflows of last 24 hrs
Almatti	1705.0	1683.3	1692.81	49.1	75.1	0	12350
Narayanapur	1615.0	1599.0	1611.81	19.0	33.3	10835	12105
Ujjaini	1630.0	1616.3	1627.9	75.9	109.7	0	1947
Jurala	1045.0	1031.0	1042.0	3.1	7.8	0	1343
Tungabhadra	1633.0	1597.8	1613.2	17.1	41.7	0	9319
Srisailam	885.0	833.3	867.2	53.1	130.7	0	12077
Nagarjuna Sagar	590.0	531.7	548.5	171.5	206.5	6555	16680
Pulichintala	175.0	121.9	158.4	4.3	23.7	1215	2500
Jaikwadi	1522.0	1499.4	1518.8	34.7	89.8	0	2586
Singur	1717.9	1680.8	1679.2	1.6	1.4	0	65
Nizam Sagar	1405.0	1376.7	1388.1	0.9	3.3	0	185
Sri Ram Sagar	1091.0	1067.9	1083.7	25.1	62.9	0	5097
Mid Manair Reservoir	1043.3	997.5	1039.0	4.5	24.3	3450	7799
Lower Manair Dam	920.0	898.1	896.1	9.4	8.4	7270	5754
Kaddam	700.0	681.4	694.0	3.7	6.1	0	663
Sripada Yellampalli	485.6	479.2	475.1	15.0	12.29	0	7229
Veligodu Balancing Reservoir	868.5	834.8	849.7	4.0	8.57	0	1135
Somasila	330.0	286.4	320.3	17.4	57.48	1114	4841
Kandaleru	278.9	214.7	254.1	10.1	36.82	0	2295

Source: Irrigation Department, A.P. Guntur.

III. CROP SOWINGS

Rabi 2019 -20

The total area sown in the State is 21.39 lakh ha. (94%) as against the normal area of 22.78 lakh ha., and normal as on date is 21.68 lakh ha. (99%).

% of area covered to season Normal		Crops
< 25 %		Coriander.
26% to 50%		Sunflower, Sesamum, Cotton.
51% to 75%		Greengram, Nigerseed, Chillies.
76% to 100%		Bajra, Maize, Ragi, Blackgram, Groundnut, Tobacco.
>100		Paddy, Jowar, Horsegram, Bengalgram, Safflower, Onion.
% of area covered to season Normal	No.of Districts	Name of the Districts
< 25 %	0	NIL
26% to 50%	0	NIL
51% to 75%	0	NIL
76% to 100%	10	Srikakulam, Vizianagaram, Visakhapatnam, East Godavari, West Godavari, Krishna, Guntur, Prakasam, YSR Kadapa, Kurnool
>100	3	SPSR Nellore, Chittoor, Ananthapur

IV. AGRICULTURAL OPERATIONS AND CROP CONDITIONS.

Rabi: Paddy is at transplanting to tillering and panicle initiation stage. Jowar, Maize and Ragi crops are at vegetative to flowering stages. Blackgram and Greengram crops are at flowering to pod development and harvesting stage. Bengalgram is at flowering to pod development and harvesting stage. Horsegram is at flowering to pod formation stage. Groundnut is at pod development stage. Tobacco is at first picking to second picking stage.

V. PESTS AND DISEASES

The pests & diseases on Kharif standing & Rabi crops have been reported below.

Crop	Pest / Diseases	Major Districts Affected	Area Affected (ha.)	Area Treated (ha.)
Paddy (Rabi)	Leaf folder, Stem borer, Gall midge, Blast	SPSR Nellore, Guntur, Prakasam	13860	13860
Jowar (Rabi)	FAW	Guntur	465	465
Maize (Rabi)	FAW	Krishna, Vizianagaram, Srikakulam, Prakasam, East Godavari, West Godavari, Guntur	26653	25888
Redgram (Kharif)	Maruca leaf webber/Helicoverpa (below ETL)	Prakasam	9800	9800
Bengalgram (Rabi)	Helicoverpa, Spodoptera & Wilt	Prakasam, Krishna & Guntur	4445	4445
Greengram (Rabi)	Maruca leaf folder	Guntur	1725	1725
Blackgram (Rabi)	YMV, Powdery mildew	Guntur, Krishna	6925	6925
Horsegram (Rabi)	Powdery mildew	Prakasam, Vizianagaram	2028	2028
Groundnut (Rabi)	Leaf folder, Sucking pests, Tikka leaf spot	Prakasam, Krishna	127	127
Sugarcane (Kharif)	Whip smut	Vizianagaram	210	210
Castor (Kharif)	Semi looper	Prakasam	282	282
Chillies (Kharif)	flowering to capsule formation stage	Prakasam	4589	4589
Chillies (Rabi)	Sucking pests, pod borer & leaf curls	Prakasam, Krishna	324	324

PP section of Commissionerate of Agriculture, AP: Guntur.

ANNEXURE - I
DISTRICT-WISE RAINFALL DURING SOUTH-WEST, NORTH-EAST MONSOON AND WINTER PERIOD DURING
THE YEAR FROM 01.06.2019 TO 12.02.2020

(Provisional)

Sl. No.	District	SOUTH-WEST MONSOON			NORTH-EAST MONSOON (October to December)			WINTER PERIOD (January to February)							GRAND TOTAL(1.6.19 to 12.02.20)			
		Season Normal	Actual rainfall (1.6.19 to 30.09.19)	% Deviation to normal	Season Normal	From 1.10.19 to 31.12.19	% Deviation to normal as on date	RAINFALL FOR THE WEEK/PERIOD							Normal as on date	Actual from 1.6.19 to 12.02.20	% deviation to Normal as on date	Status
								Season Normal	Normal As on date	From 1.1.18 to 12.02.18	From 1.1.19 to 12.02.19	From 1.1.20 to 12.02.20	% Deviation to normal as on date	Status				
1	SRIKAKULAM	705.7	728.4	3.2	276.0	308.3	11.7	25.9	8.5	0.0	0.0	33.5	294	Excess	990.2	1070.2	8.1	Normal
2	VIZIANAGARAM	692.7	702.2	1.4	245.9	322.4	31.1	25.4	13.0	0.0	0.1	39.2	202	Excess	951.6	1063.8	11.8	Normal
3	VISAKHAPATNAM	712.5	780.6	9.6	297.2	289.5	-2.6	22.3	12.0	0.0	0.4	23.7	98	Excess	1021.7	1093.8	7.1	Normal
4	EAST GODAVARI	768.1	712.7	-7.2	305.4	264.9	-13.3	19.7	10.9	0.0	7.4	13.4	23	Excess	1084.4	991.0	-8.6	Normal
5	WEST GODAVARI	792.0	705.2	-11.0	239.3	186.0	-22.3	17.8	12.5	0.0	17.3	15.5	24	Excess	1043.8	906.7	-13.1	Normal
	NORTH-COASTAL	734.2	725.8	-1.1	272.8	274.2	0.5	22.2	11.4	0.0	5.0	25.1	120	Excess	1018.3	1025.1	0.7	Normal
6	KRISHNA	685.1	594.8	-13.2	249.4	178.4	-28.5	15.8	10.4	0.0	17.8	17.6	69	Excess	944.9	790.8	-16.3	Normal
7	GUNTUR	525.8	506.1	-3.7	228.9	161.3	-29.5	18.4	12.0	0.0	9.6	32.2	168	Excess	766.7	699.6	-8.8	Normal
8	PRAKASAM	388.3	378.9	-2.4	393.7	274.6	-30.3	16.3	13.7	0.0	7.7	35.6	160	Excess	795.7	689.1	-13.4	Normal
9	NELLORE	331.4	310.6	-6.3	661.4	513.4	-22.4	19.9	16.7	0.4	9.8	52.3	213	Excess	1009.5	876.3	-13.2	Normal
	SOUTH-COASTAL	482.7	447.6	-7.3	383.4	281.9	-26.5	17.6	13.2	0.1	11.2	34.4	161	Excess	879.2	764.0	-13.1	Normal
	COASTAL A.P	622.4	602.2	-3.3	321.9	277.6	-13.8	20.2	12.2	0.0	7.8	29.2	140	Excess	956.5	909.0	-5.0	Normal
13	CHITTOOR	439.4	509.1	15.9	395.4	283.6	-28.3	12.2	8.1	10.1	8.7	9.1	12	Normal	842.9	801.8	-4.9	Normal
12	KADAPA	393.5	362.3	-7.9	251.0	194.0	-22.7	3.4	2.5	1.4	10.9	5.1	104	Excess	647.0	561.4	-13.2	Normal
11	ANANTAPUR	338.4	332.7	-1.7	155.3	182.9	17.8	2.9	2.1	2.1	-15.1	0.6	-71	Scanty	495.8	516.2	4.1	Normal
10	KURNOOL	455.1	468.1	2.9	149.5	119.6	-20.0	4.6	4.0	0.4	14.9	1.0	-75	Scanty	608.6	588.7	-3.3	Normal
	RAYALASEEMA	406.6	418.1	2.8	237.8	195.0	-18.0	5.8	4.2	3.5	4.8	3.9	-5	Normal	648.6	617.0	-4.9	Normal
	ANDHRA PRADESH	556.0	532.8	-4.2	296.0	245.8	-17.0	15.8	9.8	1.4	9.2	19.9	103	Excess	861.8	798.5	-7.3	Normal

Source: Directorate of Economics & Statistics, AP: Vijayawada

Data is provisional & Limits for deviation from Normal

Excess = (+20% & above). Normal=(+19% to -19%), Deficit=(-20% to -59%), Scanty=(-60% to -99%), No rain=(-100%)

CROP SOWINGS

CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 12.02.2020

(Area in lakh hectares)

SL NO	CROP	Targetted area	Normal		During corresponding period		Current year as on 12.02.20	% sown to	
			Season	As on date	Corres. Period as on 12.02.19	Corres. Period as on 12.02.19		Season	As on date
1	PADDY	7.40	6.98	6.49	6.95	6.10	7.30	105%	113%
2	WHEAT	0.00	0.00	0.00	0.00	0.00	0.00	5%	9%
3	JOWAR	1.24	1.14	1.13	1.06	1.37	1.25	110%	111%
4	BAJRA	0.04	0.03	0.02	0.04	0.01	0.029	90%	117%
5	MAIZE	2.43	1.83	1.77	2.19	1.57	1.77	96%	100%
6	RAGI	0.20	0.06	0.05	0.08	0.08	0.05	88%	99%
7	MINOR MILLETS	0.05	0.04	0.03	0.03	0.03	0.03	75%	86%
COARSE GRAINS		3.96	3.10	3.01	3.40	3.06	3.13	101%	104%
8	BENGALGRAM	5.01	4.42	4.41	5.21	4.70	4.46	101%	101%
9	GREENGRAM	1.64	1.29	1.13	0.96	0.97	0.90	69%	79%
10	BLACKGRAM	4.36	3.60	3.47	3.27	2.85	2.78	77%	80%
11	HORSEGRAM	0.25	0.28	0.38	0.26	1.07	0.46	160%	119%
12	OTHER PULSES	0.28	0.23	0.23	0.22	0.29	0.19	82%	82%
TOTAL PULSES		11.53	9.83	9.63	9.93	9.88	8.79	89%	91%
TOTAL FOODGRAINS		22.90	19.91	19.12	20.28	19.04	19.21	96%	100%
13	GROUNDNUT	0.94	0.78	0.74	0.82	0.60	0.70	89%	94%
14	SESAMUM	0.34	0.35	0.23	0.14	0.22	0.17	49%	77%
15	SUNFLOWER	0.22	0.18	0.16	0.06	0.10	0.06	34%	37%
16	SAFFLOWER	0.00	0.00	0.00	0.00	0.00	0.02	522%	624%
17	NIGER SEED	0.00	0.06	0.06	0.06	0.06	0.05	74%	73%
18	RAPE & MUSTARD	0.03	0.04	0.016	0.02	0.02	0.002	5%	14%
19	OTHER OILSEED (Castor, Soyabean, etc.,)	0.10	0.02	0.02	0.01	0.02	0.01	41%	37%
TOTAL OILSEEDS		1.63	1.43	1.23	1.11	1.01	1.00	70%	81%
20	TOBACCO	0.91	0.94	0.93	0.77	0.86	0.85	91%	91%
21	CHILLIES	0.23	0.24	0.25	0.20	0.14	0.18	72%	71%
22	COTTON	0.03	0.05	0.02	0.01	0.02	0.01	27%	55%
23	CORIANDER	0.07	0.15	0.09	0.01	0.02	0.03	19%	31%
24	ONION	0.08	0.05	0.04	0.04	0.04	0.11	200%	280%
TOTAL CROPPED AREA		25.84	22.78	21.68	22.41	21.13	21.39	94%	99%

Source: District Joint Directors of Agriculture

Data is provisional

DISTRICT WISE AREA SOWN DURING RABI 2019-20 AS ON 12.02.2020

(Area in hectares)

Sl No	DISTRICT	Targetted area	TOTAL AREA SOWN						
			Normal		During			% Sown to	
			Season	As on date	Corres. Period as on 12.02.18	Corres. Period as on 12.02.19	Current year as on 12.02.20	Season Normal	As on Date
1.	Srikakulam	174180	110193	104142	133320	108854	98684	90%	95%
2.	Vizianagaram	82790	70077	60791	69419	38532	54698	78%	90%
3.	Visakhapatnam	42844	37339	34406	35880	28766	29834	80%	87%
4.	East Godavari	235250	223154	199760	196104	195508	182006	82%	91%
5.	West Godavari	282076	277879	264591	259362	253596	250059	90%	95%
6.	Krishna	219900	200592	198479	200133	205455	195321	97%	98%
7	Guntur	227008	199016	196422	208053	184756	179196	90%	91%
8.	Prakasam	299535	255781	249601	229198	253377	232182	91%	93%
9.	SPSR Nellore	307655	234049	216519	231712	166032	252674	108%	117%
10	Chittoor	69132	73636	81771	86094	137964	89224	121%	109%
11	YSR Kadapa	175036	168286	157616	157819	160888	137100	81%	87%
12	Anantapur	133897	114193	103469	114801	116702	150661	132%	146%
13	Kurnool	334612	313508	300728	318999	262835	287274	92%	96%
ANDHRA PRADESH		2583915	2277703	2168294	2240894	2113265	2138913	94%	99%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 12.02.2020

(Area in hectare)

SI No	DISTRICT	1. PADDY						2. Wheat						3. Jowar					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	3829	2753	3817	4626	121%	168%	0	0	0	0	0%	0%	1	1	0	0	0%	0%
2.	Vizianagaram	4031	2294	914	3753	93%	164%	0	0	0	0	0%	0%	3	3	0	0	0%	0%
3.	Visakhapatnam	4646	2999	1627	3554	76%	118%	0	0	0	0	0%	0%	1	1	0	0	0%	0%
4.	East Godavari	161932	159726	160210	152486	94%	95%	0	0	0	0	0%	0%	1631	1619	1726	1441	88%	89%
5.	West Godavari	171490	168769	169038	168165	98%	100%	0	0	0	0	0%	0%	39	18	0	0	0%	0%
6.	Krishna	25830	20755	26658	43290	168%	209%	0	0	0	0	0%	0%	569	439	218	135	24%	31%
7.	Guntur	18713	18779	28720	21382	114%	114%	0	0	0	0	0%	0%	23340	22851	29366	34678	149%	152%
8.	Prakasam	36360	35194	36873	45643	126%	130%	0	0	0	0	0%	0%	13705	13460	20036	8221	60%	61%
9.	SPSR Nellore	182140	168333	131292	208416	114%	124%	0	0	0	0	0%	0%	1555	1466	1905	893	57%	61%
10.	Chittoor	41281	37666	27997	41069	99%	109%	0	0	0	0	0%	0%	4	29	143	510	12750%	1783%
11.	YSR Kadapa	12480	9320	4068	5447	44%	58%	4	1	0	0	0%	0%	11765	11487	16736	12058	102%	105%
12.	Anantapur	10547	7146	6786	12440	118%	174%	15	7	0	6	40%	88%	4696	4612	3337	5637	120%	122%
13.	Kurnool	25119	14891	12093	19723	79%	132%	113	57	101	0	0%	0%	56397	56852	63648	61410	109%	108%
ANDHRA PRADESH		698398	648626	610093	729994	105%	113%	132	65	101	6	5%	9%	113706	112837	137115	124983	110%	111%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 12.02.2020

(Area in hectare)

SI No	DISTRICT	4. Bajra						5. Maize						6. Ragi					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	0	0	0	0%	0%	10924	10281	14293	16626	152%	162%	1972	1886	3475	1912	97%	101%
2.	Vizianagaram	0	0	0	0	0%	0%	17052	15816	14049	17283	101%	109%	696	606	879	386	55%	64%
3.	Visakhapatnam	0	0	0	0	0%	0%	1087	968	505	503	46%	52%	275	183	287	241	88%	132%
4.	East Godavari	1	0	0	0	0%	0%	10331	9629	9231	6417	62%	67%	1	2	2	0	0%	0%
5.	West Godavari	0	0	0	0	0%	0%	53311	52261	46329	48486	91%	93%	1	0	0	0	0%	0%
6.	Krishna	0	0	0	0	0%	0%	18716	17379	17176	17212	92%	99%	0	0	0	0	0%	0%
7.	Guntur	26	0	0	0	0%	0%	44906	44782	34996	47316	105%	106%	507	507	851	1069	211%	211%
8.	Prakasam	657	613	25	90	14%	15%	10540	10132	4147	8013	76%	79%	832	793	375	354	43%	45%
9.	SPSR Nellore	28	25	1	67	239%	270%	719	641	463	229	32%	36%	57	43	41	8	14%	19%
10.	Chittoor	1	4	0	0	0%	0%	889	1274	1867	1366	154%	107%	734	695	1222	734	100%	106%
11.	YSR Kadapa	2303	1625	843	2460	107%	151%	2529	2407	3344	1886	75%	78%	118	68	35	23	19%	34%
12.	Anantapur	28	21	10	23	82%	112%	4146	3772	3360	4136	100%	110%	883	640	689	648	73%	101%
13.	Kurnool	185	188	40	269	145%	143%	8248	7436	7332	7212	87%	97%	0	0	0	0	0%	0%
ANDHRA PRADESH		3229	2476	919	2909	90%	117%	183398	176776	157092	176685	96%	100%	6076	5421	7856	5375	88%	99%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 12.02.2020

(Area in hectare)

SI No	DISTRICT	7. Minor Millets						I. COARSE GRAINS						8. Bengalgram					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	21	104	0	0%	0%	12897	12189	17872	18538	144%	152%	0	0	0	0	0%	0%
2.	Vizianagaram	0	0	0	0	0%	0%	17751	16425	14928	17669	100%	108%	130	126	55	96	74%	76%
3.	Visakhapatnam	0	0	0	0	0%	0%	1363	1152	792	744	55%	65%	98	144	166	54	55%	38%
4.	East Godavari	0	0	0	0	0%	0%	11964	11250	10959	7858	66%	70%	1203	1183	2364	1592	132%	135%
5.	West Godavari	0	0	0	0	0%	0%	53351	52279	46329	48486	91%	93%	29	27	23	6	21%	22%
6.	Krishna	0	0	0	0	0%	0%	19285	17818	17394	17347	90%	97%	1784	1640	2915	2848	160%	174%
7.	Guntur	48	8	42	87	181%	1036%	68827	68149	65255	83150	121%	122%	20169	20479	24692	15178	75%	74%
8.	Prakasam	2827	2764	2201	2423	86%	88%	28561	27762	26784	19101	67%	69%	88469	87647	107459	86718	98%	99%
9.	SPSR Nellore	2	0	0	51	2550%	0%	2361	2174	2410	1248	53%	57%	9025	8645	10447	10118	112%	117%
10.	Chittoor	1	0	0	58	5800%	0%	1629	2002	3232	2668	164%	133%	3	1	2	0	0%	0%
11.	YSR Kadapa	411	206	112	57	14%	28%	17126	15793	21070	16484	96%	104%	85615	83933	101034	86629	101%	103%
12.	Anantapur	33	140	33	29	88%	21%	9786	9184	7429	10473	107%	114%	63900	63145	74903	86535	135%	137%
13.	Kurnool	353	86	63	55	16%	64%	65183	64561	71083	68946	106%	107%	171217	173594	145908	156327	91%	90%
ANDHRA PRADESH		3675	3225	2555	2760	75%	86%	310084	300736	305537	312712	101%	104%	441642	440565	469968	446101	101%	101%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 12.02.2020

(Area in hectare)

SI No	DISTRICT	9. Greengram						10. Blackgram						11. Horsegram					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	32399	31562	29503	26461	82%	84%	45362	44799	43836	40091	88%	89%	2942	2841	2378	2138	73%	75%
2.	Vizianagaram	14720	14513	7250	12384	84%	85%	20549	20132	10248	17739	86%	88%	3895	3943	2593	1659	43%	42%
3.	Visakhapatnam	3327	3334	2002	2379	72%	71%	5936	6070	4173	4950	83%	82%	931	1013	633	553	59%	55%
4.	East Godavari	16389	7907	6278	5276	32%	67%	23548	12635	8967	7507	32%	59%	47	32	7	150	319%	475%
5.	West Godavari	11397	7498	8434	7775	68%	104%	13737	7739	4977	4495	33%	58%	57	60	39	25	44%	42%
6.	Krishna	7125	7247	7845	5205	73%	72%	141469	145515	145237	124129	88%	85%	891	1159	1225	235	26%	20%
7.	Guntur	31223	29030	28505	22094	71%	76%	48588	48691	28777	30592	63%	63%	9	5	25	2	22%	40%
8.	Prakasam	1068	751	612	583	55%	78%	20309	19981	14015	12781	63%	64%	590	576	1324	981	166%	170%
9.	SPSR Nellore	5624	4927	2278	4426	79%	90%	16173	15981	6996	15606	96%	98%	303	260	448	443	146%	170%
10.	Chittoor	383	395	310	190	50%	48%	2981	3160	4101	3550	119%	112%	10943	21100	84815	25226	231%	120%
11.	YSR Kadapa	3811	3874	2449	2156	57%	56%	7182	7442	2990	4040	56%	54%	3339	3387	6950	3496	105%	103%
12.	Anantapur	576	712	1585	97	17%	14%	59	44	24	23	39%	52%	4250	3746	6327	10591	249%	283%
13.	Kurnool	1165	1627	313	735	63%	45%	14294	14849	10574	12885	90%	87%	229	191	203	40	17%	21%
ANDHRA PRADESH		129207	113378	97364	89761	69%	79%	360187	347037	284915	278388	77%	80%	28426	38313	106967	45539	160%	119%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 12.02.2020

(Area in hectare)

SI No	DISTRICT	12. Other Pulses (Redgram, Cowgram etc.)						II. TOTAL PULSES						III. TOTAL FOODGRAINS					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	15	113	11	4	27%	4%	80718	79315	75728	68694	85%	87%	97444	94257	97417	91858	94%	97%
2.	Vizianagaram	7	9	2	2	29%	23%	39301	38723	20148	31880	81%	82%	61083	57441	35990	53302	87%	93%
3.	Visakhapatnam	10182	10497	10867	10743	106%	102%	20474	21057	17841	18679	91%	89%	26483	25208	20260	22977	87%	91%
4.	East Godavari	228	159	51	53	23%	33%	41415	21915	17667	14578	35%	67%	215311	192891	188836	174922	81%	91%
5.	West Godavari	398	346	111	194	49%	56%	25618	15670	13584	12495	49%	80%	250459	236718	228951	229146	91%	97%
6.	Krishna	32	76	322	13	41%	17%	151301	155637	157544	132430	88%	85%	196416	194209	201596	193067	98%	99%
7.	Guntur	1388	1164	882	889	64%	76%	101377	99369	82881	68755	68%	69%	188917	186297	176856	173287	92%	93%
8.	Prakasam	7798	7752	10575	4323	55%	56%	118234	116707	133985	105386	89%	90%	183155	179664	197642	170130	93%	95%
9.	SPSR Nellore	214	213	215	340	159%	159%	31339	30026	20384	30933	99%	103%	215840	200533	154086	240597	111%	120%
10.	Chittoor	105	268	802	512	488%	191%	14415	24924	90030	29478	204%	118%	57325	64592	121259	73215	128%	113%
11.	YSR Kadapa	864	870	1429	438	51%	50%	100811	99506	114852	96759	96%	97%	130421	124620	139990	118690	91%	95%
12.	Anantapur	315	322	1224	84	27%	26%	69100	67969	84063	97330	141%	143%	89448	84306	98278	120249	134%	143%
13.	Kurnool	1704	1494	2207	1388	81%	93%	188609	191755	159205	171375	91%	89%	279024	271264	242482	260044	93%	96%
ANDHRA PRADESH		23250	23281	28698	18983	82%	82%	982712	962574	987912	878772	89%	91%	1991326	1912000	1903643	1921484	96%	100%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 12.02.2020

(Area in hectare)

SI No	DISTRICT	13. Groundnut						14. Sesamum (gingelly)						15. Sunflower					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	4532	4337	4228	3412	75%	79%	5901	3490	6132	2399	41%	69%	724	532	634	295	41%	55%
2.	Vizianagaram	1429	1463	1030	449	31%	31%	6416	849	905	522	8%	62%	4	5	0	2	50%	37%
3.	Visakhapatnam	609	565	334	498	82%	88%	3161	1785	2164	1537	49%	86%	121	102	52	18	15%	18%
4.	East Godavari	249	190	207	122	49%	64%	2433	1938	2159	1697	70%	88%	176	182	270	174	99%	96%
5.	West Godavari	2155	2179	1302	891	41%	41%	514	343	251	35	7%	10%	170	148	83	69	41%	47%
6.	Krishna	719	656	380	217	30%	33%	515	422	421	184	36%	44%	13	9	0	8	62%	93%
7.	Guntur	2949	2734	2173	2653	90%	97%	474	801	32	63	13%	8%	29	37	52	0	0%	0%
8.	Prakasam	2105	2052	861	958	46%	47%	4534	3880	2445	3120	69%	80%	2588	2582	618	365	14%	14%
9.	SPSR Nellore	3849	3472	2676	2953	77%	85%	2976	2545	2198	1262	42%	50%	414	393	197	35	8%	9%
10.	Chittoor	12069	13065	11647	12180	101%	93%	792	794	989	673	85%	85%	840	764	555	493	59%	65%
11.	YSR Kadapa	15427	14054	9879	9074	59%	65%	6486	4860	3916	5049	78%	104%	7825	7210	5390	2635	34%	37%
12.	Anantapur	18185	17004	15818	24987	137%	147%	2	0	0	28	1400%	0%	1647	1579	1112	1697	103%	107%
13.	Kurnool	13669	12263	9071	11164	82%	91%	1067	856	419	796	75%	93%	2954	2771	942	216	7%	8%
ANDHRA PRADESH		77946	74034	59606	69558	89%	94%	35271	22563	22031	17365	49%	77%	17505	16313	9905	6007	34%	37%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 12.02.2020

(Area in hectare)

SI No	DISTRICT	16. Saflower						17. Rape & Mustard						18. Other Oil seeds (Castor, Soyabean etc.)					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	0	0	0	0%	0%	0	0	0	0	0%	0%	91	0	0	0	0%	0%
2.	Vizianagaram	0	0	0	0	0%	0%	0	0	0	0	0%	0%	65	0	0	0	0%	0%
3.	Visakhapatnam	6	0	0	0	0%	0%	0	0	0	0	0%	0%	75	0	0	0	0%	0%
4.	East Godavari	0	0	0	0	0%	0%	0	0	0	0	0%	0%	50	0	0	0	0%	0%
5.	West Godavari	0	0	0	0	0%	0%	10	0	0	40	400%	0%	0	0	0	0	0%	0%
6.	Krishna	0	0	0	0	0%	0%	625	446	469	169	27%	38%	5	0	0	0	0%	0%
7.	Guntur	0	0	0	0	0%	0%	131	81	0	0	0%	0%	174	224	177	2	1%	1%
8.	Prakasam	1	0	0	4	400%	0%	30	29	8	6	20%	21%	1159	845	1075	567	49%	67%
9.	SPSR Nellore	0	0	0	0	0%	0%	15	0	0	0	0%	0%	2	2	8	0	0%	0%
10.	Chittoor	0	0	0	0	0%	0%	0	0	0	0	0%	0%	0	0	0	0	0%	0%
11.	YSR Kadapa	114	123	208	249	218%	202%	0	2	0	0	0%	0%	25	17	79	78	312%	453%
12.	Anantapur	111	103	52	1158	1043%	1120%	0	0	0	0	0%	0%	101	32	0	105	104%	332%
13.	Kurnool	71	27	71	170	239%	639%	3126	1007	1220	0	0%	0%	211	1008	333	41	19%	4%
ANDHRA PRADESH		303	253	331	1581	522%	624%	3937	1564	1697	215	5%	14%	1958	2128	1672	793	41%	37%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 12.02.2020

(Area in hectare)

SI No	DISTRICT	19.Nigerseed						IV. TOTAL OIL SEEDS						20. Tobacco					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	0	0	0	0%	0%	11248	8358	10994	6106	54%	73%	0	0	0	0	0%	0%
2.	Vizianagaram	19	17	2	0	0%	0%	7933	2334	1937	973	12%	42%	206	212	78	49	24%	23%
3.	Visakhapatnam	6227	6250	5750	4592	74%	73%	10199	8702	8300	6645	65%	76%	61	41	16	8	13%	19%
4.	East Godavari	0	0	0	0	0%	0%	2908	2310	2636	1993	69%	86%	2232	1813	1904	2124	95%	117%
5.	West Godavari	0	0	0	0	0%	0%	2849	2670	1636	1035	36%	39%	22672	23452	22043	18791	83%	80%
6.	Krishna	0	0	0	0	0%	0%	1877	1533	1270	578	31%	38%	1609	1860	2003	1185	74%	64%
7.	Guntur	0	0	0	0	0%	0%	3757	3877	2434	2718	72%	70%	3152	3045	4812	2717	86%	89%
8.	Prakasam	1	0	0	0	0%	0%	10418	9388	5007	5020	48%	53%	50987	50470	45395	49180	96%	97%
9.	SPSR Nellore	0	0	0	0	0%	0%	7256	6412	5079	4250	59%	66%	6759	6641	4431	5810	86%	87%
10.	Chittoor	0	0	0	0	0%	0%	13701	14622	13191	13346	97%	91%	10	8	0	0	0%	0%
11.	YSR Kadapa	0	0	0	0	0%	0%	29877	26266	19472	17085	57%	65%	22	18	74	0	0%	0%
12.	Anantapur	0	0	0	0	0%	0%	20046	18719	16982	27975	140%	149%	123	99	11	0	0%	0%
13.	Kurnool	0	0	0	0	0%	0%	21098	17932	12056	12387	59%	69%	5741	5709	5053	4935	86%	86%
ANDHRA PRADESH		6247	6267	5752	4592	74%	73%	143167	123123	100994	100111	70%	81%	93574	93368	85820	84799	91%	91%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 12.02.2020

(Area in hectare)

SI No	DISTRICT	21. Chillies						22. Cotton						23. Coriander						24. Onion					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	1156	1191	403	566	49%	48%	0	0	0	0	0%	0%	0	0	0	0	0%	0%	345	336	40	154	45%	46%
2.	Vizianagaram	717	678	452	314	44%	46%	0	0	0	0	0%	0%	0	0	0	0	0%	0%	138	125	75	60	43%	48%
3.	Visakhapatnam	489	397	167	169	35%	43%	0	0	0	0	0%	0%	4	0	0	0	0%	0%	103	58	23	35	34%	61%
4.	East Godavari	2665	2744	2132	2943	110%	107%	0	0	0	0	0%	0%	30	0	0	0	0%	0%	8	1	0	24	300%	2000%
5.	West Godavari	1898	1751	966	1087	57%	62%	0	0	0	0	0%	0%	1	0	0	0	0%	0%	0	0	0	0	0%	0%
6.	Krishna	687	877	586	479	70%	55%	0	0	0	0	0%	0%	0	0	0	0	0%	0%	3	0	0	12	400%	0%
7.	Guntur	3072	3125	632	454	15%	15%	25	0	0	0	0%	0%	0	0	0	0	0%	0%	93	77	22	20	22%	26%
8.	Prakasam	9725	9663	5100	7396	76%	77%	657	384	232	384	58%	100%	810	11	0	0	0%	0%	29	21	1	72	248%	350%
9.	SPSR Nellore	1602	1554	923	1603	100%	103%	2508	1379	1513	372	15%	27%	81	0	0	8	10%	0%	3	0	0	34	1133%	0%
10.	Chittoor	1816	2107	2276	1714	94%	81%	355	94	83	52	15%	55%	182	130	649	602	331%	464%	247	218	506	295	119%	136%
11.	YSR Kadapa	125	119	256	139	111%	117%	719	306	263	369	51%	121%	5883	5418	66	82	1%	2%	1239	870	767	735	59%	85%
12.	Anantapur	195	60	301	89	46%	148%	376	68	43	52	14%	77%	3537	142	711	1114	31%	783%	468	75	376	1182	253%	1572%
13.	Kurnool	351	455	233	612	174%	135%	2	37	3	8	400%	22%	4514	3211	440	1001	22%	31%	2778	2121	2568	8287	298%	391%
ANDHRA PRADESH		24498	24722	14427	17565	72%	71%	4642	2267	2137	1237	27%	55%	15042	8911	1866	2807	19%	31%	5454	3901	4378	10910	200%	280%