



GOVERNMENT OF ANDHRA PRADESH

SEASON AND CROP COVERAGE REPORT

RABI 2019-20

UPTO THE WEEK ENDING 04/03/2020

1. Rainfall.....	} 1
2. Water levels in major reservoirs	} 2
3. Crop Sowings.....	} 3
4. Pests & Diseases	3
5. Rainfall - Annexure	4
6. District/crop-wise area sown - Annexures	4



**COMMISSIONERATE OF AGRICULTURE
ANDHRA PRADESH, GUNTUR
(Statistics section)**

SEASON AND CROP COVERAGE (RABI 2019-20 SEASON)

1. WEATHER CONDITIONS

1.1. South-West Monsoon: The South-West Monsoon is crucial for the Agriculture Sector. The IMD has announced that the South-West Monsoon has arrived over Kerala on 8th June, 2019. Onset of South-West Monsoon over Andhra Pradesh on 21st June, 2019 and covered entire Andhra Pradesh by 22nd June, 2019.

North-East Monsoon: North-East Monsoon rains commenced over Tamilnadu and adjoining areas of Andhra Pradesh, Karnataka and Kerala on 16th October, 2019.

Mainly Dry weather likely to prevail over Coastal Andhra Pradesh and Rayalaseema districts.

(Rainfall in mm)

Season	Season Normal	Normal As on date	Actual Rainfall (mm)			% deviation to Normal as on date	Status
			2017	2018	2019		
South-West Monsoon (from June to September)	556.0	556.0	567.1	456.7	532.8	-4.2	Normal
North-East Monsoon (from October to December)	296.0	296.0	177.6	124.1	245.8	-17.0	Normal
Winter Period (from January to February)	15.8	15.8	1.4	10.2	21.1	34	Excess
Hot Weather Period (from 01.03.20 to 04.03.20)	98.3	1.3	0.0	2.5	0.2	-85	Scanty

Overall, the average rainfall received in Andhra Pradesh from 1-6-2019 to 04-03-2020 is recorded as 798.9 mm as against the Normal as on date of 869.1 mm showing by Normal -7.9 percent.

1.2. District wise Rainfall:

The district wise rainfall from 1.6.2019 to 04.03.2020 is presented in **Annexure-I**.

Status and deviation of Rainfall during the period from 1.6.2019 to 04.03.2020 is presented below:

S.No	Districts	No.of districts	Status & deviation
1	----- Nil -----	0	Excess (20% & above)
2	All districts	13	Normal (+19% to -19%)
3	----- Nil -----	0	Deficit (-20% to -59%)
4	----- Nil -----	0	Scanty (-60% to -99%)
5	----- Nil -----	0	No rain (-100%)

WATER LEVELS IN MAJOR RESERVOIRS

All the Major reservoirs are holding 513.18 tmc as on 04-03-2020, by this time last year, the level had stood at 285.8 tmc. The water levels in all major reservoirs as on **04-03-2020** are furnished hereunder.

Reservoir	Full level (in feet)	Reservoir level (in feet)		Storage in TMC		Flow(in cusecs)	
		Last year	This year	Last year	This year	Average Inflows of last 24 hrs	Average Outflows of last 24 hrs
Almatti	1705.0	1681.5	1686.25	45.2	55.8	0	14801
Narayanapur	1615.0	1599.6	1612.76	19.6	34.6	12426	12229
Ujjaini	1630.0	1613.8	1624.9	69.9	99.8	0	1707
Jurala	1045.0	1029.8	1042.2	2.8	8.0	0	1574
Tungabhadra	1633.0	1593.1	1604.9	12.3	26.5	0	6934
Srisailam	885.0	828.5	846.4	48.0	72.6	1121	49357
Nagarjuna Sagar	590.0	526.8	553.6	162.0	217.8	40029	14143
Pulichintala	175.0	113.4	152.6	2.5	17.8	0	3000
Jaikwadi	1522.0	1496.3	1517.7	29.2	85.9	0	3902
Singur	1717.9	1678.9	1678.5	1.3	1.3	0	60
Nizam Sagar	1405.0	1376.3	1382.6	0.8	1.9	0	71
Sri Ram Sagar	1091.0	1064.0	1079.2	18.7	50.2	0	7508
Mid Manair Reservoir	1043.3	997.1	1039.9	4.0	24.9	3872	6719
Lower Manair Dam	920.0	894.8	902.8	7.9	11.7	7759	5838
Kaddam	700.0	677.2	690.0	3.1	5.3	0	656
Sripada Yellampalli	485.6	476.3	472.5	13.0	10.70	5306	7350
Veligodu Balancing Reservoir	868.5	832.9	846.9	3.6	7.58	0	1480
Somasila	330.0	276.7	316.5	11.1	50.84	54	2951
Kandaleru	278.9	206.0	249.8	7.1	32.65	0	2265

Source: Irrigation Department, A.P. Guntur.

III. CROP SOWINGS

Rabi 2019 -20

The total area sown in the State is 22.27 lakh ha. (98%) as against the normal area of 22.77 lakh ha.

% of area covered to season Normal		Crops
< 25 %		Coriander.
26% to 50%		Sunflower, Rapeseed and Mustard.
51% to 75%		Greengram, Sesamum, Nigerseed, Cotton.
76% to 100%		Jowar, Blackgram, Chillies, Tobacco.
>100		Paddy, Bajra, Maize, Ragi, Horsegram, Bengalgram, Groundnut, Safflower, Onion.
% of area covered to season Normal	No.of Districts	Name of the Districts
< 25 %	0	NIL
26% to 50%	0	NIL
51% to 75%	0	NIL
76% to 100%	9	Srikakulam, Vizianagaram, Visakhapatnam, East Godavari, West Godavari, Guntur, Prakasam, YSR Kadapa, Kurnool
>100	4	Krishna, SPSR Nellore, Chittoor, Ananthapur

IV. AGRICULTURAL OPERATIONS AND CROP CONDITIONS.

Rabi: Paddy is at transplanting to tillering and panicle initiation stage. Jowar, Ragi and Bajra crops are at grain setting to harvesting stage. Maize is at vegetative to cob formation stage. Blackgram and Greengram crops are at pod development to harvesting stage. Bengalgram is at pod development to harvesting stage. Horsegram is at pod formation to harvesting stage. Groundnut is at pod development to harvesting stage. Sunflower is at flowering to seed setting stage. Tobacco pickings are under progress.

V. PESTS AND DISEASES

The pests & diseases on standing crops have been reported below.

Crop	Pest / Diseases	Major Districts Affected	Area Affected (ha.)	Area Treated (ha.)
Paddy	Leaf folder, Stem borer, Gall midge, Blast	Chittoor, Prakasam, Guntur, Vizianagaram, Ananthapur, Krishna, YSR Kadapa	19048	18270
Jowar	FAW	Guntur	632	632
Bajra	FAW	YSR Kadapa	152	152
Maize	FAW, Stem borer, Root rot, Turicum blight	Krishna, Vizianagaram, Srikakulam, Prakasam, East Godavari, West Godavari, Guntur	25414	25335
Bengal gram	Wilt, Heliothis Armigera	Guntur, Ananthapur, Krishna	6270	5238
Greengram	Maruca leaf folder	Vizianagaram, Guntur	1649	1649
Blackgram	YMV, Powdery mildew	Guntur, Krishna, Vizianagaram	9887	9887
Horsegram	Powdery mildew	Prakasam, Vizianagaram	2028	2028
Groundnut	Spodoptera and Aphids	Ananthapur, YSR Kadapa, Chittoor	5484	4809
Sesamum	Powdery mildew	YSR Kadapa	53	53
Cotton	Jassids and White flies	YSR Kadapa	100	100
Chillies	Sucking pests, Pod borer & leaf curls	Chittoor, Prakasam, Vizianagaram, Krishna	766	766

ANNEXURE - I
DISTRICT-WISE RAINFALL DURING SOUTH-WEST, NORTH-EAST MONSOON, WINTER PERIOD AND HOT WEATHER PERIOD DURING
THE YEAR FROM 01.06.2019 TO 04.03.2020

(Provisional)

Sl. No.	District	SOUTH-WEST MONSOON			NORTH-EAST MONSOON (October to December)			WINTER PERIOD (January to February)			HOT WEATHER PERIOD							GRAND TOTAL(1.6.19 to 04.03.20)				
		Season Normal	Actual rainfall (1.6.19 to 30.09.19)	% Deviation to normal	Season Normal	From 1.10.19 to 31.12.19	% Deviation to normal as on date	Season Normal	From 1.1.20 to 28.2.20	% Deviation to normal as on date	RAINFALL FOR THE WEEK/PERIOD								Normal as on date	Actual from 1.6.18 to 06.03.19	% deviation to Normal as on date	Status
											Season Normal	Normal As on date	From 1.3.18 to 04.3.18	From 1.3.19 to 04.3.19	From 1.3.20 to 04.3.20	% Deviation to normal as on date	Status					
1	SRIKAKULAM	705.7	728.4	3.2	276.0	308.3	11.7	25.9	39.1	51	154.0	2.4	0.0	4.0	0.0	-100	Excess	1010.0	1075.8	6.5	Normal	
2	VIZIANAGARAM	692.7	702.2	1.4	245.9	322.4	31.1	25.4	41.0	61	166.6	3.3	0.0	12.2	0.9	-73	Excess	967.3	1066.5	10.3	Normal	
3	VISAKHAPATNAM	712.5	780.6	9.6	297.2	289.5	-2.6	22.3	27.2	22	170.2	2.7	0.0	11.0	1.4	-48	Excess	1034.7	1098.7	6.2	Normal	
4	EAST GODAVARI	768.1	712.7	-7.2	305.4	264.9	-13.3	19.7	14.5	-26	124.6	2.5	0.0	4.7	0.2	-92	Deficit	1095.7	992.3	-9.4	Normal	
5	WEST GODAVARI	792.0	705.2	-11.0	239.3	186.0	-22.3	17.8	16.4	-8	104.0	1.7	0.0	1.5	0.0	-100	Normal	1050.8	907.6	-13.6	Normal	
	NORTH-COASTAL	734.2	725.8	-1.1	272.8	274.2	0.5	22.2	27.6	24	143.9	2.5	0.0	6.7	0.5	-80	Excess	1031.7	1028.2	-0.3	Normal	
6	KRISHNA	685.1	594.8	-13.2	249.4	178.4	-28.5	15.8	21.2	34	83.2	0.7	0.0	2.6	0.0	-100	Excess	951.0	794.4	-16.5	Normal	
7	GUNTUR	525.8	506.1	-3.7	228.9	161.3	-29.5	18.4	34.2	86	80.0	1.7	0.0	1.7	0.0	-100	Excess	774.8	701.6	-9.4	Normal	
8	PRAKASAM	388.3	378.9	-2.4	393.7	274.6	-30.3	16.3	35.7	119	73.2	0.7	0.0	0.9	0.0	-100	Excess	799.0	689.2	-13.7	Normal	
9	NELLORE	331.4	310.6	-6.3	661.4	513.4	-22.4	19.9	52.3	163	67.8	0.2	0.0	0.2	0.0	-100	Excess	1012.9	876.3	-13.5	Normal	
	SOUTH-COASTAL	482.7	447.6	-7.3	383.4	281.9	-26.5	17.6	35.9	104	76.1	0.8	0.0	1.4	0.0	-100	Excess	884.4	765.4	-13.5	Normal	
	COASTAL A.P	622.4	602.2	-3.3	321.9	277.6	-13.8	20.2	31.3	55	113.7	1.8	0.0	4.3	0.3	-84	Excess	966.2	911.4	-5.7	Normal	
13	CHITTOOR	439.4	509.1	15.9	395.4	283.6	-28.3	12.2	9.1	-25	87.0	0.8	0.0	0.1	0.0	-100	Deficit	847.8	801.8	-5.4	Normal	
12	KADAPA	393.5	362.3	-7.9	251.0	194.0	-22.7	3.4	5.1	50	51.7	0.4	-54.0	0.1	0.0	-100	Excess	648.3	561.4	-13.4	Normal	
11	ANANTAPUR	338.4	332.7	-1.7	155.3	182.9	17.8	2.9	0.6	-79	55.7	0.4	0.0	0.0	0.0	-100	Scanty	497.0	516.2	3.9	Normal	
10	KURNOOL	455.1	468.1	2.9	149.5	119.6	-20.0	4.6	1.0	-78	61.1	0.3	0.0	0.0	0.0	-100	Scanty	609.5	588.7	-3.4	Normal	
	RAYALASEEMA	406.6	418.1	2.8	237.8	195.0	-18.0	5.8	3.9	-32	63.9	0.5	-13.5	0.1	0.0	-100	Deficit	650.7	617.0	-5.2	Normal	
	ANDHRA PRADESH	556.0	532.8	-4.2	296.0	245.8	-17.0	15.8	21.1	34	98.3	1.3	0.0	2.5	0.2	-85	Scanty	869.1	799.7	-8.0	Normal	

Source: Directorate of Economics & Statistics, AP: Vijayawada

Data is provisional & Limits for deviation from Normal

Excess = (+20% & above), Normal=(+19% to -19%), Deficit=(-20% to -59%), Scanty=(-60% to -99%), No rain=(-100%)

: 4 :
ANNEXURE-II
CROP SOWINGS

CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 04.03.2020

(Area in lakh hectares)

SL NO	CROP	Targetted area	Normal		During corresponding period		Current year as on 04.03.20	% sown to	
			Season	As on date	Corres. Period as on 04.03.19	Corres. Period as on 04.03.19		Season	As on date
1	PADDY	7.40	6.98	6.98	7.18	6.26	7.96	114%	114%
2	WHEAT	0.00	0.00	0.00	0.00	0.00	0.00	34%	34%
3	JOWAR	1.24	1.14	1.14	1.10	1.40	1.09	95%	95%
4	BAJRA	0.04	0.03	0.03	0.05	0.01	0.048	147%	147%
5	MAIZE	2.43	1.83	1.83	2.26	1.59	1.87	102%	102%
6	RAGI	0.20	0.06	0.06	0.08	0.08	0.07	118%	118%
7	MINOR MILLETS	0.05	0.04	0.04	0.03	0.03	0.04	113%	113%
COARSE GRAINS		3.96	3.10	3.10	3.52	3.11	3.11	100%	100%
8	BENGALGRAM	5.01	4.42	4.42	5.24	4.77	4.54	103%	103%
9	GREENGRAM	1.64	1.29	1.29	0.98	1.00	0.86	66%	66%
10	BLACKGRAM	4.36	3.60	3.60	3.35	2.89	2.78	77%	77%
11	HORSEGRAM	0.25	0.28	0.28	0.27	1.07	0.35	124%	124%
12	OTHER PULSES	0.28	0.23	0.23	0.23	0.29	0.25	108%	108%
TOTAL PULSES		11.53	9.83	9.83	10.06	10.01	8.78	89%	89%
TOTAL FOODGRAINS		22.90	19.91	19.91	20.75	19.39	19.85	100%	100%
13	GROUNDNUT	0.94	0.78	0.78	0.86	0.61	0.93	119%	119%
14	SESAMUM	0.34	0.35	0.35	0.17	0.26	0.26	72%	72%
15	SUNFLOWER	0.22	0.18	0.18	0.07	0.10	0.06	34%	34%
16	SAFFLOWER	0.00	0.00	0.00	0.00	0.00	0.01	215%	215%
17	NIGER SEED	0.00	0.06	0.06	0.06	0.06	0.04	68%	68%
18	RAPE & MUSTARD	0.03	0.04	0.039	0.02	0.02	0.011	29%	29%
19	OTHER OILSEED (Castor, Soyabean, etc.,)	0.10	0.01	0.01	0.01	0.02	0.01	101%	101%
TOTAL OILSEEDS		1.63	1.43	1.43	1.19	1.06	1.32	92%	92%
20	TOBACCO	0.91	0.94	0.94	0.78	0.86	0.80	86%	86%
21	CHILLIES	0.23	0.24	0.24	0.20	0.14	0.19	78%	78%
22	COTTON	0.03	0.05	0.05	0.01	0.03	0.03	58%	58%
23	CORIANDER	0.07	0.15	0.15	0.01	0.02	0.03	20%	20%
24	ONION	0.08	0.05	0.05	0.06	0.04	0.06	104%	104%
TOTAL CROPPED AREA		25.84	22.77	22.77	22.99	21.54	22.27	98%	98%

Source: District Joint Directors of Agriculture
Data is provisional

: 5 :
ANNEXURE-III

DISTRICT WISE AREA SOWN DURING RABI 2019-20 AS ON 04.03.2020

(Area in hectares)

SI No	DISTRICT	Targetted area	TOTAL AREA SOWN						
			Normal		During			% Sown to	
			Season	As on date	Corres. Period as on 04.03.18	Corres. Period as on 04.03.19	Current year as on 04.03.20	Season Normal	As on Date
1.	Srikakulam	174180	110102	110102	136755	110180	106321	97%	97%
2.	Vizianagaram	82790	70012	70012	71109	44057	58622	84%	84%
3.	Visakhapatnam	42844	37264	37264	38005	30989	35750	96%	96%
4.	East Godavari	235250	223104	223104	199721	197648	198006	89%	89%
5.	West Godavari	282076	277879	277879	260540	253603	240487	87%	87%
6.	Krishna	219900	200592	200592	211309	206064	214190	107%	107%
7.	Guntur	227008	198986	198986	210519	193171	186672	94%	94%
8.	Prakasam	299535	255542	255542	230241	256380	240711	94%	94%
9.	SPSR Nellore	307655	234049	234049	234433	174450	257462	110%	110%
10.	Chittoor	69132	73636	73636	87039	139245	95595	130%	130%
11.	YSR Kadapa	175036	168286	168286	166348	162412	154336	92%	92%
12.	Anantapur	133897	114193	114193	121474	121615	155079	136%	136%
13.	Kurnool	334612	313508	313508	331366	263844	284100	91%	91%
ANDHRA PRADESH		2583915	2277153	2277153	2298859	2153658	2227331	98%	98%

ANNEXURE-IV

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 04.03.2020

(Area in hectare)

SI No	DISTRICT	1. PADDY						2. Wheat						3. Jowar					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	3829	3829	4170	7552	197%	197%	0	0	0	0	0%	0%	1	1	0	0	0%	0%
2.	Vizianagaram	4031	4031	2371	5453	135%	135%	0	0	0	0	0%	0%	3	3	0	0	0%	0%
3.	Visakhapatnam	4646	4646	2478	6121	132%	132%	0	0	0	0	0%	0%	1	1	0	0	0%	0%
4.	East Godavari	161932	161932	162958	164459	102%	102%	0	0	0	0	0%	0%	1631	1631	1683	1480	91%	91%
5.	West Godavari	171490	171490	169632	166749	97%	97%	0	0	0	0	0%	0%	39	39	0	8	21%	21%
6.	Krishna	25830	25830	26704	59468	230%	230%	0	0	0	0	0%	0%	569	569	218	234	41%	41%
7.	Guntur	18713	18713	29789	25510	136%	136%	0	0	0	0	0%	0%	23340	23340	31742	35844	154%	154%
8.	Prakasam	36360	36360	37092	50169	138%	138%	0	0	0	0	0%	0%	13705	13705	20440	8257	60%	60%
9.	SPSR Nellore	182140	182140	138020	211598	116%	116%	0	0	0	0	0%	0%	1555	1555	1905	918	59%	59%
10.	Chittoor	41281	41281	28080	46186	112%	112%	0	0	0	0	0%	0%	4	4	155	446	11150%	11150%
11.	YSR Kadapa	12480	12480	4302	7837	63%	63%	4	4	0	5	125%	125%	11765	11765	16737	13797	117%	117%
12.	Anantapur	10547	10547	7938	9714	92%	92%	15	15	0	12	80%	80%	4696	4696	3377	5015	107%	107%
13.	Kurnool	25119	25119	12873	34980	139%	139%	113	113	101	28	25%	25%	56397	56397	63743	42572	75%	75%
ANDHRA PRADESH		698398	698398	626407	795796	114%	114%	132	132	101	45	34%	34%	113706	113706	140000	108571	95%	95%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 04.03.2020

(Area in hectare)

SI No	DISTRICT	4. Bajra						5. Maize						6. Ragi					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	0	0	0	0%	0%	10924	10924	14489	18514	169%	169%	1972	1972	3764	3028	154%	154%
2.	Vizianagaram	0	0	0	0	0%	0%	17052	17052	14893	18494	108%	108%	696	696	904	483	69%	69%
3.	Visakhapatnam	0	0	0	0	0%	0%	1087	1087	579	593	55%	55%	275	275	332	271	99%	99%
4.	East Godavari	1	1	0	0	0%	0%	10331	10331	8398	8135	79%	79%	1	1	2	0	0%	0%
5.	West Godavari	0	0	0	0	0%	0%	53311	53311	46364	44661	84%	84%	1	1	0	0	0%	0%
6.	Krishna	0	0	0	0	0%	0%	18716	18716	17456	20092	107%	107%	0	0	0	4	0%	0%
7.	Guntur	26	26	0	18	69%	69%	44906	44906	36329	47653	106%	106%	507	507	880	1173	231%	231%
8.	Prakasam	657	657	25	311	47%	47%	10540	10540	4304	9187	87%	87%	832	832	375	559	67%	67%
9.	SPSR Nellore	28	28	1	67	239%	239%	719	719	476	370	51%	51%	57	57	41	31	54%	54%
10.	Chittoor	1	1	0	29	2900%	2900%	889	889	1913	1254	141%	141%	734	734	1237	669	91%	91%
11.	YSR Kadapa	2303	2303	763	3443	150%	150%	2529	2529	3361	1934	76%	76%	118	118	35	60	51%	51%
12.	Anantapur	28	28	16	23	82%	82%	4146	4146	3496	5147	124%	124%	883	883	834	862	98%	98%
13.	Kurnool	185	185	213	867	469%	469%	8248	8248	7302	10734	130%	130%	0	0	0	0	0%	0%
ANDHRA PRADESH		3229	3229	1018	4758	147%	147%	183398	183398	159360	186768	102%	102%	6076	6076	8404	7140	118%	118%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 04.03.2020

(Area in hectare)

SI No	DISTRICT	7. Minor Millets						I. COARSE GRAINS						8. Bengalgram					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	0	104	5	0%	0%	12897	12897	18357	21547	167%	167%	0	0	0	0	0%	0%
2.	Vizianagaram	0	0	0	0	0%	0%	17751	17751	15797	18977	107%	107%	130	130	55	100	77%	77%
3.	Visakhapatnam	0	0	0	0	0%	0%	1363	1363	911	864	63%	63%	98	98	166	54	55%	55%
4.	East Godavari	0	0	0	0	0%	0%	11964	11964	10083	9615	80%	80%	1203	1203	2412	2021	168%	168%
5.	West Godavari	0	0	0	0	0%	0%	53351	53351	46364	44669	84%	84%	29	29	23	4	14%	14%
6.	Krishna	0	0	0	2	0%	0%	19285	19285	17674	20332	105%	105%	1784	1784	2915	3410	191%	191%
7.	Guntur	48	48	56	168	350%	350%	68827	68827	69007	84856	123%	123%	20169	20169	24889	15686	78%	78%
8.	Prakasam	2827	2827	2201	2493	88%	88%	28561	28561	27345	20807	73%	73%	88469	88469	108926	86180	97%	97%
9.	SPSR Nellore	2	2	0	53	2650%	2650%	2361	2361	2423	1439	61%	61%	9025	9025	10993	10429	116%	116%
10.	Chittoor	1	1	0	15	1500%	1500%	1629	1629	3305	2413	148%	148%	3	3	2	43	1433%	1433%
11.	YSR Kadapa	411	411	113	192	47%	47%	17126	17126	21009	19426	113%	113%	85615	85615	101874	91942	107%	107%
12.	Anantapur	33	33	33	29	88%	88%	9786	9786	7756	11076	113%	113%	63900	63900	78214	92447	145%	145%
13.	Kurnool	353	353	86	1187	336%	336%	65183	65183	71344	55360	85%	85%	171217	171217	146353	151588	89%	89%
ANDHRA PRADESH		3675	3675	2593	4144	113%	113%	310084	310084	311375	311381	100%	100%	441642	441642	476822	453904	103%	103%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 04.03.2020

(Area in hectare)

SI No	DISTRICT	9. Greengram						10. Blackgram						11. Horsegram					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	32399	32399	29202	24901	77%	77%	45362	45362	43890	40448	89%	89%	2942	2942	2384	1847	63%	63%
2.	Vizianagaram	14720	14720	7863	12384	84%	84%	20549	20549	11368	18049	88%	88%	3895	3895	2607	1920	49%	49%
3.	Visakhapatnam	3327	3327	1963	2618	79%	79%	5936	5936	4380	6901	116%	116%	931	931	779	593	64%	64%
4.	East Godavari	16389	16389	6322	6243	38%	38%	23548	23548	9100	8125	35%	35%	47	47	12	174	370%	370%
5.	West Godavari	11397	11397	8264	6430	56%	56%	13737	13737	4692	2832	21%	21%	57	57	39	40	70%	70%
6.	Krishna	7125	7125	7860	3936	55%	55%	141469	141469	145651	124082	88%	88%	891	891	1225	206	23%	23%
7.	Guntur	31223	31223	30511	21066	67%	67%	48588	48588	29984	31200	64%	64%	9	9	69	5	56%	56%
8.	Prakasam	1068	1068	613	586	55%	55%	20309	20309	14672	11543	57%	57%	590	590	1329	1066	181%	181%
9.	SPSR Nellore	5624	5624	2278	4495	80%	80%	16173	16173	6997	16834	104%	104%	303	303	448	451	149%	149%
10.	Chittoor	383	383	383	113	30%	30%	2981	2981	4246	2732	92%	92%	10943	10943	84815	24379	223%	223%
11.	YSR Kadapa	3811	3811	2449	2312	61%	61%	7182	7182	3001	2387	33%	33%	3339	3339	6947	3650	109%	109%
12.	Anantapur	576	576	1585	130	23%	23%	59	59	24	44	75%	75%	4250	4250	6327	896	21%	21%
13.	Kurnool	1165	1165	313	629	54%	54%	14294	14294	10574	12660	89%	89%	229	229	203	23	10%	10%
ANDHRA PRADESH		129207	129207	99606	85843	66%	66%	360187	360187	288579	277837	77%	77%	28426	28426	107184	35250	124%	124%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 04.03.2020

(Area in hectare)

SI No	DISTRICT	12. Other Pulses (Redgram, Cowgram etc.)						II. TOTAL PULSES						III. TOTAL FOODGRAINS					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	15	15	11	4	27%	27%	80718	80718	75487	67200	83%	83%	97444	97444	98014	96299	99%	99%
2.	Vizianagaram	7	7	2	2	29%	29%	39301	39301	21895	32455	83%	83%	61083	61083	40063	56885	93%	93%
3.	Visakhapatnam	10182	10182	10891	10836	106%	106%	20474	20474	18179	21002	103%	103%	26483	26483	21568	27987	106%	106%
4.	East Godavari	228	228	51	70	31%	31%	41415	41415	17897	16633	40%	40%	215311	215311	190938	190707	89%	89%
5.	West Godavari	398	398	91	72	18%	18%	25618	25618	13109	9378	37%	37%	250459	250459	229105	220796	88%	88%
6.	Krishna	32	32	322	90	281%	281%	151301	151301	157973	131724	87%	87%	196416	196416	202351	211524	108%	108%
7.	Guntur	1388	1388	939	1669	120%	120%	101377	101377	86392	69626	69%	69%	188917	188917	185188	179992	95%	95%
8.	Prakasam	7798	7798	10577	6083	78%	78%	118234	118234	136117	105458	89%	89%	183155	183155	200554	176434	96%	96%
9.	SPSR Nellore	214	214	215	329	154%	154%	31339	31339	20931	32538	104%	104%	215840	215840	161374	245575	114%	114%
10.	Chittoor	105	105	842	945	900%	900%	14415	14415	90288	28212	196%	196%	57325	57325	121673	76811	134%	134%
11.	YSR Kadapa	864	864	1454	1094	127%	127%	100811	100811	115725	101385	101%	101%	130421	130421	141036	128653	99%	99%
12.	Anantapur	315	315	1224	121	38%	38%	69100	69100	87374	93638	136%	136%	89448	89448	103068	114440	128%	128%
13.	Kurnool	1704	1704	2207	3881	228%	228%	188609	188609	159650	168781	89%	89%	279024	279024	243968	259149	93%	93%
ANDHRA PRADESH		23250	23250	28826	25196	108%	108%	982712	982712	1001017	878030	89%	89%	1991326	1991326	1938900	1985252	100%	100%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 04.03.2020

(Area in hectare)

SI No	DISTRICT	13. Groundnut						14. Sesamum (gingelly)						15. Sunflower					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	4532	4532	4237	3591	79%	79%	5901	5901	7017	5522	94%	94%	724	724	468	186	26%	26%
2.	Vizianagaram	1429	1429	1045	487	34%	34%	6416	6416	2327	813	13%	13%	4	4	10	2	50%	50%
3.	Visakhapatnam	609	609	356	515	85%	85%	3161	3161	3054	2619	83%	83%	121	121	55	68	56%	56%
4.	East Godavari	249	249	197	144	58%	58%	2433	2433	2259	1843	76%	76%	176	176	187	180	102%	102%
5.	West Godavari	2155	2155	1302	1022	47%	47%	514	514	251	171	33%	33%	170	170	83	48	28%	28%
6.	Krishna	719	719	380	442	61%	61%	515	515	421	401	78%	78%	13	13	0	0	0%	0%
7.	Guntur	2949	2949	2179	2742	93%	93%	474	474	105	120	25%	25%	29	29	52	0	0%	0%
8.	Prakasam	2105	2105	863	1442	69%	69%	4534	4534	2462	3986	88%	88%	2588	2588	618	411	16%	16%
9.	SPSR Nellore	3849	3849	3007	3123	81%	81%	2976	2976	2293	1395	47%	47%	414	414	212	33	8%	8%
10.	Chittoor	12069	12069	12281	14030	116%	116%	792	792	1202	1457	184%	184%	840	840	555	251	30%	30%
11.	YSR Kadapa	15427	15427	10175	12649	82%	82%	6486	6486	3996	6616	102%	102%	7825	7825	5399	3825	49%	49%
12.	Anantapur	18185	18185	15919	37279	205%	205%	2	2	0	1	50%	50%	1647	1647	1112	814	49%	49%
13.	Kurnool	13669	13669	8802	15183	111%	111%	1067	1067	384	577	54%	54%	2954	2954	942	160	5%	5%
ANDHRA PRADESH		77946	77946	60743	92649	119%	119%	35271	35271	25771	25521	72%	72%	17505	17505	9693	5978	34%	34%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 04.03.2020

(Area in hectare)

SI No	DISTRICT	16. Saflower						17. Rape & Mustard						18. Other Oil seeds (Castor, Soyabean etc.)					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	0	0	0	0%	0%	0	0	0	0	0%	0%	0	0	0	0	0%	0%
2.	Vizianagaram	0	0	0	0	0%	0%	0	0	0	0	0%	0%	0	0	0	0	0%	0%
3.	Visakhapatnam	6	6	0	0	0%	0%	0	0	0	0	0%	0%	0	0	0	0	0%	0%
4.	East Godavari	0	0	0	0	0%	0%	0	0	0	0	0%	0%	0	0	0	0	0%	0%
5.	West Godavari	0	0	0	0	0%	0%	10	10	0	12	120%	120%	0	0	0	0	0%	0%
6.	Krishna	0	0	0	0	0%	0%	625	625	323	175	28%	28%	5	5	0	0	0%	0%
7.	Guntur	0	0	0	0	0%	0%	131	131	0	0	0%	0%	144	144	178	56	39%	39%
8.	Prakasam	1	1	0	4	400%	400%	30	30	8	6	20%	20%	920	920	1125	732	80%	80%
9.	SPSR Nellore	0	0	0	0	0%	0%	15	15	0	0	0%	0%	2	2	8	0	0%	0%
10.	Chittoor	0	0	0	0	0%	0%	0	0	0	0	0%	0%	0	0	0	0	0%	0%
11.	YSR Kadapa	114	114	218	158	139%	139%	0	0	0	0	0%	0%	25	25	79	275	1100%	1100%
12.	Anantapur	111	111	52	363	327%	327%	0	0	0	0	0%	0%	101	101	10	161	159%	159%
13.	Kurnool	71	71	71	126	177%	177%	3126	3126	1190	953	30%	30%	211	211	393	199	94%	94%
ANDHRA PRADESH		303	303	341	651	215%	215%	3937	3937	1521	1146	29%	29%	1408	1408	1793	1423	101%	101%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 04.03.2020

(Area in hectare)

SI No	DISTRICT	19.Nigerseed						IV. TOTAL OIL SEEDS						20. Tobacco					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	0	0	0	0%	0%	11157	11157	11722	9299	83%	83%	0	0	0	0	0%	0%
2.	Vizianagaram	19	19	2	0	0%	0%	7868	7868	3384	1302	17%	17%	206	206	78	51	25%	25%
3.	Visakhapatnam	6227	6227	5750	4256	68%	68%	10124	10124	9215	7458	74%	74%	61	61	16	20	33%	33%
4.	East Godavari	0	0	0	0	0%	0%	2858	2858	2643	2167	76%	76%	2232	2232	1935	2144	96%	96%
5.	West Godavari	0	0	0	0	0%	0%	2849	2849	1636	1253	44%	44%	22672	22672	22043	17949	79%	79%
6.	Krishna	0	0	0	0	0%	0%	1877	1877	1124	1018	54%	54%	1609	1609	2003	1285	80%	80%
7.	Guntur	0	0	0	0	0%	0%	3727	3727	2514	2918	78%	78%	3152	3152	4768	2728	87%	87%
8.	Prakasam	1	1	0	0	0%	0%	10179	10179	5076	6581	65%	65%	50987	50987	45395	47985	94%	94%
9.	SPSR Nellore	0	0	0	0	0%	0%	7256	7256	5520	4551	63%	63%	6759	6759	4504	6011	89%	89%
10.	Chittoor	0	0	0	0	0%	0%	13701	13701	14038	15738	115%	115%	10	10	0	2	20%	20%
11.	YSR Kadapa	0	0	0	0	0%	0%	29877	29877	19867	23523	79%	79%	22	22	74	0	0%	0%
12.	Anantapur	0	0	0	0	0%	0%	20046	20046	17093	38618	193%	193%	123	123	11	1	1%	1%
13.	Kurnool	0	0	0	0	0%	0%	21098	21098	11782	17198	82%	82%	5741	5741	5053	1937	34%	34%
ANDHRA PRADESH		6247	6247	5752	4256	68%	68%	142617	142617	105614	131624	92%	92%	93574	93574	85880	80113	86%	86%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 04.03.2020

(Area in hectare)

SI No	DISTRICT	21. Chillies						22. Cotton						23. Coriander						24. Onion					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	1156	1156	404	553	48%	48%	0	0	0	0	0%	0%	0	0	0	0	0%	0%	345	345	40	170	49%	49%
2.	Vizianagaram	717	717	457	320	45%	45%	0	0	0	0	0%	0%	0	0	0	0	0%	0%	138	138	75	64	46%	46%
3.	Visakhapatnam	489	489	167	235	48%	48%	0	0	0	0	0%	0%	4	4	0	0	0%	0%	103	103	23	50	49%	49%
4.	East Godavari	2665	2665	2132	2964	111%	111%	0	0	0	0	0%	0%	30	30	0	0	0%	0%	8	8	0	24	300%	300%
5.	West Godavari	1898	1898	819	489	26%	26%	0	0	0	0	0%	0%	1	1	0	0	0%	0%	0	0	0	0	0%	0%
6.	Krishna	687	687	586	351	51%	51%	0	0	0	0	0%	0%	0	0	0	0	0%	0%	3	3	0	12	400%	400%
7.	Guntur	3072	3072	679	1024	33%	33%	25	25	0	0	0%	0%	0	0	0	0	0%	0%	93	93	22	10	11%	11%
8.	Prakasam	9725	9725	5112	8707	90%	90%	657	657	242	906	138%	138%	810	810	0	26	3%	3%	29	29	1	72	248%	248%
9.	SPSR Nellore	1602	1602	923	879	55%	55%	2508	2508	2129	438	17%	17%	81	81	0	8	10%	10%	3	3	0	0	0%	0%
10	Chittoor	1816	1816	2292	2256	124%	124%	355	355	83	54	15%	15%	182	182	651	604	332%	332%	247	247	508	130	53%	53%
11	YSR Kadapa	125	125	256	332	266%	266%	719	719	346	813	113%	113%	5883	5883	66	177	3%	3%	1239	1239	767	838	68%	68%
12	Anantapur	195	195	301	325	167%	167%	376	376	47	169	45%	45%	3537	3537	711	1114	31%	31%	468	468	384	412	88%	88%
13	Kurnool	351	351	233	621	177%	177%	2	2	3	311	15550%	15550%	4514	4514	440	1020	23%	23%	2778	2778	2365	3864	139%	139%
ANDHRA PRADESH		24498	24498	14361	19056	78%	78%	4642	4642	2850	2691	58%	58%	15042	15042	1868	2949	20%	20%	5454	5454	4185	5646	104%	104%