



GOVERNMENT OF ANDHRA PRADESH

**SEASON AND CROP COVERAGE REPORT**

**RABI 2019-20**

UPTO THE WEEK ENDING 11/03/2020

1. Rainfall.....	} 1
2. Water levels in major reservoirs .....	} 2
3. Crop Sowings.....	} 3
4. Pests & Diseases	3
5. Rainfall - Annexure	4
6. District/crop-wise area sown - Annexures	4



**COMMISSIONERATE OF AGRICULTURE  
ANDHRA PRADESH, GUNTUR  
(Statistics section)**

# SEASON AND CROP COVERAGE (RABI 2019-20 SEASON)

## 1. WEATHER CONDITIONS

**1.1. South-West Monsoon:** The South-West Monsoon is crucial for the Agriculture Sector. The IMD has announced that the South-West Monsoon has arrived over Kerala on 8<sup>th</sup> June, 2019. Onset of South-West Monsoon over Andhra Pradesh on 21<sup>st</sup> June, 2019 and covered entire Andhra Pradesh by 22<sup>nd</sup> June, 2019.

**North-East Monsoon:** North-East Monsoon rains commenced over Tamilnadu and adjoining areas of Andhra Pradesh, Karnataka and Kerala on 16th October, 2019.

Light to Moderate Rain or Thunder showers likely to occur at Isolated places over North Coastal Andhra Pradesh & Dry weather likely to prevail over south coastal Andhra Pradesh and Rayalaseema districts.

(Rainfall in mm)

Season	Season Normal	Normal As on date	Actual Rainfall (mm)			% deviation to Normal as on date	Status
			2017	2018	2019		
<b>South-West Monsoon</b> (from June to September)	556.0	556.0	567.1	456.7	532.8	-4.2	Normal
<b>North-East Monsoon</b> (from October to December)	296.0	296.0	177.6	124.1	245.8	-17.0	Normal
<b>Winter Period</b> (from January to February)	15.8	15.8	1.4	10.2	21.1	34	Excess
<b>Hot Weather Period</b> (from 01.03.20 to 11.03.20)	98.3	5.7	0.0	4.0	6.2	9	Normal

Overall, the average rainfall received in Andhra Pradesh from 1-6-2019 to 11-03-2020 is recorded as 805.9 mm as against the Normal as on date of 873.5 mm showing by Normal -7.7 percent.

## 1.2. District wise Rainfall:

The district wise rainfall from 1.6.2019 to 11.03.2020 is presented in **Annexure-I**.

Status and deviation of Rainfall during the period from 1.6.2019 to 11.03.2020 is presented below:

S.No	Districts	No.of districts	Status & deviation
1	----- Nil -----	0	Excess (20% & above)
2	All districts	13	Normal (+19% to -19%)
3	----- Nil -----	0	Deficit (-20% to -59%)
4	----- Nil -----	0	Scanty (-60% to -99%)
5	----- Nil -----	0	No rain (-100%)

## WATER LEVELS IN MAJOR RESERVOIRS

All the Major reservoirs are holding 488.08 tmc as on 11-03-2020, by this time last year, the level had stood at 272.15 tmc. The water levels in all major reservoirs as on **11-03-2020** are furnished hereunder.

Reservoir	Full level (in feet)	Reservoir level (in feet)		Storage in TMC		Flow(in cusecs)	
		Last year	This year	Last year	This year	Average Inflows of last 24 hrs	Average Outflows of last 24 hrs
Almatti	1705.0	1680.3	1683.3	42.8	49.2	0	8078
Narayanapur	1615.0	1598.9	1612.0	18.9	33.6	6842	12033
Ujjaini	1630.0	1612.2	1624.3	66.2	97.9	0	3686
Jurala	1045.0	1029.2	1041.3	2.6	7.4	6	1059
Tungabhadra	1633.0	1591.5	1601.8	11.1	22.0	0	7117
Srisailam	885.0	827.4	837.9	47.0	58.8	0	5111
Nagarjuna Sagar	590.0	524.2	554.0	157.1	218.7	45	13077
Pulichintala	175.0	92.6	151.0	0.3	16.3	0	1000
Jaikwadi	1522.0	1495.5	1517.0	27.7	83.4	0	4311
Singur	1717.9	1678.4	1678.3	1.3	1.2	0	85
Nizam Sagar	1405.0	1376.2	1382.4	0.8	1.8	0	176
Sri Ram Sagar	1091.0	1063.6	1077.3	18.2	45.5	0	5483
Mid Manair Reservoir	1043.3	996.6	1040.1	4.2	25.0	0	413
Lower Manair Dam	920.0	890.6	900.4	6.2	10.5	25	326
Kaddam	700.0	675.8	689.4	2.9	5.2	0	116
Sripada Yellampalli	485.6	475.1	472.0	12.3	10.42	2419	1414
Veligodu Balancing Reservoir	868.5	831.7	844.3	3.3	6.72	0	1370
Somasila	330.0	273.5	315.7	9.3	49.44	0	2164
Kandaleru	278.9	204.4	248.1	6.7	31.12	0	2585

Source: Irrigation Department, A.P. Guntur.

### III. CROP SOWINGS

Rabi 2019 -20

The total area sown in the State is 22.44 lakh ha. (99%) as against the normal area of 22.77 lakh ha.

% of area covered to season Normal		Crops
< 25 %		Coriander.
26% to 50%		Sunflower, Rapeseed and Mustard.
51% to 75%		Greengram, Sesamum, Nigerseed, Cotton.
76% to 100%		Jowar, Blackgram, Chillies, Tobacco.
>100		Paddy, Bajra, Maize, Ragi, Horsegram, Bengalgram, Groundnut, Safflower, Onion.
% of area covered to season Normal	No.of Districts	Name of the Districts
< 25 %	0	NIL
26% to 50%	0	NIL
51% to 75%	0	NIL
76% to 100%	9	Srikakulam, Vizianagaram, Visakhapatnam, East Godavari, West Godavari, Guntur, Prakasam, YSR Kadapa, Kurnool
>100	4	Krishna, SPSR Nellore, Chittoor, Ananthapur

### IV. AGRICULTURAL OPERATIONS AND CROP CONDITIONS.

**Rabi:** Paddy is at maximum tillering to panicle initiation and milky stage. Jowar, Ragi and Bajra crops are at grain hardening to harvesting stage. Maize is at cob formation to cob maturity stage. Blackgram and Greengram crops are at pod maturity to harvesting stage. Bengalgram is at pod development to harvesting stage. Horsegram is at harvesting to harvested stage. Groundnut is at pod maturity to harvesting stage. Sunflower is at seed setting to harvesting stage. Tobacco pickings are under progress.

### V. PESTS AND DISEASES

The pests & diseases on standing crops have been reported below.

Crop	Pest / Diseases	Major Districts Affected	Area Affected (ha.)	Area Treated (ha.)
Paddy	Leaf folder, stem borer, Gall midge, Blast	Chittoor, Prakasam, Guntur, Vizianagaram, Ananthapuram, Krishna, YSR Kadapa, West Godavari	42158	40950
Jowar	FAW	Guntur	632	632
Bajra	FAW	YSR Kadapa	152	152
Maize	FAW, Stem borer, Root rot, Turicum blight	Krishna, Vizianagaram, Srikakulam, Prakasam, East Godavari, West Godavari, Guntur	25510	25410
Bengalgram	Wilt, Heliothis Armigera	Guntur, Ananthapuram, Krishna	5578	5015
Greengram	Maruca leaf folder	Vizianagaram, Guntur	1454	1225
Blackgram	YMV, Powdery mildew	Guntur, Krishna, Vizianagaram	8500	8479
Horsegram	Powdery mildew	Prakasam, Vizianagaram	1580	1580
Groundnut	Spodoptera and Aphids	Ananthapuram, YSR Kadapa, Chittoor, West Godavari	4864	4785
Sesamum	Powdery mildew	YSR Kadapa	53	53
Cotton	Jassids and White flies	YSR Kadapa	100	100
Chillies	Sucking pests, pod borer & leaf curls	Chittoor, Prakasam, Vizianagaram, Krishna	658	615



**DISTRICT-WISE RAINFALL DURING SOUTH-WEST, NORTH-EAST MONSOON, WINTER PERIOD AND HOT WEATHER PERIOD DURING  
THE YEAR FROM 01.06.2019 TO 11.03.2020**

(Provisional)

Sl. No.	District	SOUTH-WEST MONSOON			NORTH-EAST MONSOON (October to December)			WINTER PERIOD (January to February)			HOT WEATHER PERIOD							GRAND TOTAL(1.6.19 to 11.03.20)			
		Season Normal	Actual rainfall (1.6.19 to 30.09.19)	% Deviation to normal	Season Normal	From 1.10.19 to 31.12.19	% Deviation to normal as on date	Season Normal	From 1.1.20 to 28.2.20	% Deviation to normal as on date	RAINFALL FOR THE WEEK/PERIOD							Normal as on date	Actual from 1.6.18 to 06.03.19	% deviation to Normal as on date	Status
											Season Normal	Normal As on date	From 1.3.18 to 11.03.1	From 1.3.19 to 11.03.1	From 1.3.20 to 11.03.20	% Deviation to normal as on date	Status				
1	SRIKAKULAM	705.7	728.4	3.2	276.0	308.3	11.7	25.9	39.1	51	154.0	9.5	0.0	4.5	9.9	4	Excess	1017.1	1085.7	6.7	Normal
2	VIZIANAGARAM	692.7	702.2	1.4	245.9	322.4	31.1	25.4	41.0	61	166.6	10.1	0.0	14.8	12.5	24	Excess	974.1	1078.1	10.7	Normal
3	VISAKHAPATNAM	712.5	780.6	9.6	297.2	289.5	-2.6	22.3	27.2	22	170.2	9.6	0.0	21.1	8.4	-12	Excess	1041.6	1105.7	6.2	Normal
4	EAST GODAVARI	768.1	712.7	-7.2	305.4	264.9	-13.3	19.7	14.5	-26	124.6	8.4	0.0	6.9	1.6	-81	Deficit	1101.6	993.7	-9.8	Normal
5	WEST GODAVARI	792.0	705.2	-11.0	239.3	186.0	-22.3	17.8	16.4	-8	104.0	8.1	0.0	1.7	0.8	-90	Normal	1057.2	908.4	-14.1	Normal
	<b>NORTH-COASTAL</b>	<b>734.2</b>	<b>725.8</b>	<b>-1.1</b>	<b>272.8</b>	<b>274.2</b>	<b>0.5</b>	<b>22.2</b>	<b>27.6</b>	<b>24</b>	<b>143.9</b>	<b>9.1</b>	<b>0.0</b>	<b>9.8</b>	<b>6.6</b>	<b>-27</b>	<b>Excess</b>	<b>1038.3</b>	<b>1034.3</b>	<b>-0.4</b>	<b>Normal</b>
6	KRISHNA	685.1	594.8	-13.2	249.4	178.4	-28.5	15.8	21.2	34	83.2	7.9	0.0	5.2	5.9	-25	Excess	958.2	800.3	-16.5	Normal
7	GUNTUR	525.8	506.1	-3.7	228.9	161.3	-29.5	18.4	34.2	86	80.0	7.5	0.0	2.5	6.8	-9	Excess	780.6	708.4	-9.2	Normal
8	PRAKASAM	388.3	378.9	-2.4	393.7	274.6	-30.3	16.3	35.7	119	73.2	5.2	0.0	2.8	13.4	158	Excess	803.5	702.6	-12.6	Normal
9	NELLORE	331.4	310.6	-6.3	661.4	513.4	-22.4	19.9	52.3	163	67.8	1.4	0.0	0.3	4.1	193	Excess	1014.1	880.4	-13.2	Normal
	<b>SOUTH-COASTAL</b>	<b>482.7</b>	<b>447.6</b>	<b>-7.3</b>	<b>383.4</b>	<b>281.9</b>	<b>-26.5</b>	<b>17.6</b>	<b>35.9</b>	<b>104</b>	<b>76.1</b>	<b>5.5</b>	<b>0.0</b>	<b>2.7</b>	<b>7.5</b>	<b>37</b>	<b>Excess</b>	<b>889.1</b>	<b>772.9</b>	<b>-13.1</b>	<b>Normal</b>
	<b>COASTAL A.P</b>	<b>622.4</b>	<b>602.2</b>	<b>-3.3</b>	<b>321.9</b>	<b>277.6</b>	<b>-13.8</b>	<b>20.2</b>	<b>31.3</b>	<b>55</b>	<b>113.7</b>	<b>7.5</b>	<b>0.0</b>	<b>6.6</b>	<b>7.0</b>	<b>-6</b>	<b>Excess</b>	<b>972.0</b>	<b>918.1</b>	<b>-5.5</b>	<b>Normal</b>
13	CHITTOOR	439.4	509.1	15.9	395.4	283.6	-28.3	12.2	9.1	-25	87.0	1.8	0.0	0.1	4.7	161	Deficit	848.8	806.5	-5.0	Normal
12	KADAPA	393.5	362.3	-7.9	251.0	194.0	-22.7	3.4	5.1	50	51.7	2.0	-54.0	0.2	6.2	210	Excess	649.9	567.6	-12.7	Normal
11	ANANTAPUR	338.4	332.7	-1.7	155.3	182.9	17.8	2.9	0.6	-79	55.7	1.0	0.0	0.0	2.5	150	Scanty	497.6	518.7	4.2	Normal
10	KURNOOL	455.1	468.1	2.9	149.5	119.6	-20.0	4.6	1.0	-78	61.1	3.1	0.0	0.0	7.4	139	Scanty	612.3	596.1	-2.6	Normal
	<b>RAYALASEEMA</b>	<b>406.6</b>	<b>418.1</b>	<b>2.8</b>	<b>237.8</b>	<b>195.0</b>	<b>-18.0</b>	<b>5.8</b>	<b>3.9</b>	<b>-32</b>	<b>63.9</b>	<b>2.0</b>	<b>-13.5</b>	<b>0.1</b>	<b>5.2</b>	<b>163</b>	<b>Deficit</b>	<b>652.2</b>	<b>622.2</b>	<b>-4.6</b>	<b>Normal</b>
	<b>ANDHRA PRADESH</b>	<b>556.0</b>	<b>532.8</b>	<b>-4.2</b>	<b>296.0</b>	<b>245.8</b>	<b>-17.0</b>	<b>15.8</b>	<b>21.1</b>	<b>34</b>	<b>98.3</b>	<b>5.7</b>	<b>0.0</b>	<b>4.0</b>	<b>6.2</b>	<b>9</b>	<b>Normal</b>	<b>873.5</b>	<b>805.9</b>	<b>-7.7</b>	<b>Normal</b>

Source: Directorate of Economics & Statistics, AP: Vijayawada

Data is provisional & Limits for deviation from Normal

Excess = (+20% & above), Normal=(+19% to -19%), Deficit=(-20% to -59%), Scanty=(-60% to -99%), No rain=(-100%)



## CROP SOWINGS

## CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 11.03.2020

(Area in lakh hectares)

SL NO	CROP	Targetted area	Normal		During corresponding period		Current year as on 11.03.20	% sown to	
			Season	As on date	Corres. Period as on 11.03.19	Corres. Period as on 11.03.19		Season	As on date
1	PADDY	7.40	6.98	6.98	7.26	6.31	8.07	116%	116%
2	WHEAT	0.00	0.00	0.00	0.00	0.00	0.00	35%	35%
3	JOWAR	1.24	1.14	1.14	1.10	1.41	1.09	96%	96%
4	BAJRA	0.04	0.03	0.03	0.05	0.01	0.048	147%	147%
5	MAIZE	2.43	1.83	1.83	2.28	1.61	1.87	102%	102%
6	RAGI	0.20	0.06	0.06	0.08	0.09	0.07	121%	121%
7	MINOR MILLETS	0.05	0.04	0.04	0.03	0.03	0.04	113%	113%
<b>COARSE GRAINS</b>		<b>3.96</b>	<b>3.10</b>	<b>3.10</b>	<b>3.54</b>	<b>3.14</b>	<b>3.12</b>	<b>101%</b>	<b>101%</b>
8	BENGALGRAM	5.01	4.42	4.42	5.24	4.78	4.55	103%	103%
9	GREENGRAM	1.64	1.29	1.29	0.97	0.99	0.87	68%	68%
10	BLACKGRAM	4.36	3.60	3.60	3.35	2.89	2.79	77%	77%
11	HORSEGRAM	0.25	0.28	0.28	0.27	1.07	0.35	125%	125%
12	OTHER PULSES	0.28	0.23	0.23	0.23	0.29	0.26	111%	111%
<b>TOTAL PULSES</b>		<b>11.53</b>	<b>9.83</b>	<b>9.83</b>	<b>10.06</b>	<b>10.03</b>	<b>8.82</b>	<b>90%</b>	<b>90%</b>
<b>TOTAL FOODGRAINS</b>		<b>22.90</b>	<b>19.91</b>	<b>19.91</b>	<b>20.86</b>	<b>19.48</b>	<b>20.02</b>	<b>101%</b>	<b>101%</b>
13	GROUNDNUT	0.94	0.78	0.78	0.86	0.61	0.93	119%	119%
14	SESAMUM	0.34	0.35	0.35	0.19	0.27	0.25	72%	72%
15	SUNFLOWER	0.22	0.18	0.18	0.06	0.10	0.06	35%	35%
16	SAFFLOWER	0.00	0.00	0.00	0.00	0.00	0.01	220%	220%
17	NIGER SEED	0.00	0.06	0.06	0.06	0.06	0.04	68%	68%
18	RAPE & MUSTARD	0.03	0.04	0.039	0.02	0.04	0.012	30%	30%
19	OTHER OILSEED (Castor, Soyabean, etc.,)	0.10	0.01	0.01	0.01	0.02	0.01	103%	103%
<b>TOTAL OILSEEDS</b>		<b>1.63</b>	<b>1.43</b>	<b>1.43</b>	<b>1.21</b>	<b>1.10</b>	<b>1.32</b>	<b>92%</b>	<b>92%</b>
20	TOBACCO	0.91	0.94	0.94	0.78	0.85	0.80	85%	85%
21	CHILLIES	0.23	0.24	0.24	0.20	0.14	0.19	78%	78%
22	COTTON	0.03	0.05	0.05	0.01	0.03	0.03	62%	62%
23	CORIANDER	0.07	0.15	0.15	0.01	0.02	0.03	19%	19%
24	ONION	0.08	0.05	0.05	0.06	0.04	0.06	107%	107%
<b>TOTAL CROPPED AREA</b>		<b>25.84</b>	<b>22.77</b>	<b>22.77</b>	<b>23.13</b>	<b>21.66</b>	<b>22.44</b>	<b>99%</b>	<b>99%</b>

Source: District Joint Directors of Agriculture

Data is provisional

## DISTRICT WISE AREA SOWN DURING RABI 2019-20 AS ON 11.03.2020

(Area in hectares)

SI No	DISTRICT	Targetted area	TOTAL AREA SOWN						
			Normal		During			% Sown to	
			Season	As on date	Corres. Period as on 11.03.18	Corres. Period as on 11.03.19	Current year as on 11.03.20	Season Normal	As on Date
1.	Srikakulam	174180	110102	110102	138058	110180	106686	97%	97%
2.	Vizianagaram	82790	70012	70012	74251	44983	60051	86%	86%
3.	Visakhapatnam	42844	37264	37264	38005	31214	36036	97%	97%
4.	East Godavari	235250	223104	223104	200106	197637	198432	89%	89%
5.	West Godavari	282076	277879	277879	260540	252305	243338	88%	88%
6.	Krishna	219900	200592	200592	211309	206064	215921	108%	108%
7	Guntur	227008	198986	198986	210589	194019	187547	94%	94%
8.	Prakasam	299535	255542	255542	233029	257998	236998	93%	93%
9.	SPSR Nellore	307655	234049	234049	235149	174450	263742	113%	113%
10	Chittoor	69132	73636	73636	87330	139245	98600	134%	134%
11	YSR Kadapa	175036	168286	168286	169248	162398	155185	92%	92%
12	Anantapur	133897	114193	114193	121800	121819	155277	136%	136%
13	Kurnool	334612	313508	313508	333900	273406	286359	91%	91%
<b>ANDHRA PRADESH</b>		<b>2583915</b>	<b>2277153</b>	<b>2277153</b>	<b>2313314</b>	<b>2165718</b>	<b>2244172</b>	<b>99%</b>	<b>99%</b>



**DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 11.03.2020**

(Area in hectare)

SI No	DISTRICT	1. PADDY						2. Wheat						3. Jowar					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	3829	3829	4170	7796	204%	204%	0	0	0	0	0%	0%	1	1	0	0	0%	0%
2.	Vizianagaram	4031	4031	2564	6480	161%	161%	0	0	0	0	0%	0%	3	3	0	0	0%	0%
3.	Visakhapatnam	4646	4646	2657	6729	145%	145%	0	0	0	0	0%	0%	1	1	0	0	0%	0%
4.	East Godavari	161932	161932	162958	164959	102%	102%	0	0	0	0	0%	0%	1631	1631	1683	1480	91%	91%
5.	West Godavari	171490	171490	169117	168844	98%	98%	0	0	0	0	0%	0%	39	39	0	8	21%	21%
6.	Krishna	25830	25830	26704	61081	236%	236%	0	0	0	0	0%	0%	569	569	218	234	41%	41%
7.	Guntur	18713	18713	29994	25951	139%	139%	0	0	0	0	0%	0%	23340	23340	32415	35959	154%	154%
8.	Prakasam	36360	36360	37411	46828	129%	129%	0	0	0	0	0%	0%	13705	13705	20771	8257	60%	60%
9.	SPSR Nellore	182140	182140	138020	216196	119%	119%	0	0	0	0	0%	0%	1555	1555	1905	936	60%	60%
10.	Chittoor	41281	41281	28080	47664	115%	115%	0	0	0	0	0%	0%	4	4	155	323	8075%	8075%
11.	YSR Kadapa	12480	12480	4302	8345	67%	67%	4	4	0	5	125%	125%	11765	11765	16737	13931	118%	118%
12.	Anantapur	10547	10547	7963	10183	97%	97%	15	15	0	13	87%	87%	4696	4696	3377	4938	105%	105%
13.	Kurnool	25119	25119	17087	35747	142%	142%	113	113	101	28	25%	25%	56397	56397	63675	42676	76%	76%
<b>ANDHRA PRADESH</b>		<b>698398</b>	<b>698398</b>	<b>631027</b>	<b>806802</b>	<b>116%</b>	<b>116%</b>	<b>132</b>	<b>132</b>	<b>101</b>	<b>46</b>	<b>35%</b>	<b>35%</b>	<b>113706</b>	<b>113706</b>	<b>140936</b>	<b>108742</b>	<b>96%</b>	<b>96%</b>

**DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 11.03.2020**

(Area in hectare)

SI No	DISTRICT	4. Bajra						5. Maize						6. Ragi					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	0	0	0	0%	0%	10924	10924	14489	18551	170%	170%	1972	1972	3764	3028	154%	154%
2.	Vizianagaram	0	0	0	0	0%	0%	17052	17052	14911	18682	110%	110%	696	696	912	485	70%	70%
3.	Visakhapatnam	0	0	0	0	0%	0%	1087	1087	580	597	55%	55%	275	275	353	278	101%	101%
4.	East Godavari	1	1	0	0	0%	0%	10331	10331	8398	8135	79%	79%	1	1	2	0	0%	0%
5.	West Godavari	0	0	0	0	0%	0%	53311	53311	46963	44379	83%	83%	1	1	0	0	0%	0%
6.	Krishna	0	0	0	0	0%	0%	18716	18716	17456	20092	107%	107%	0	0	0	4	0%	0%
7.	Guntur	26	26	0	18	69%	69%	44906	44906	36710	47717	106%	106%	507	507	880	1173	231%	231%
8.	Prakasam	657	657	25	311	47%	47%	10540	10540	4329	9187	87%	87%	832	832	379	559	67%	67%
9.	SPSR Nellore	28	28	1	70	250%	250%	719	719	476	417	58%	58%	57	57	41	32	56%	56%
10.	Chittoor	1	1	0	5	500%	500%	889	889	1913	1653	186%	186%	734	734	1237	803	109%	109%
11.	YSR Kadapa	2303	2303	763	3470	151%	151%	2529	2529	3361	1970	78%	78%	118	118	35	61	52%	52%
12.	Anantapur	28	28	16	21	75%	75%	4146	4146	3512	5141	124%	124%	883	883	960	907	103%	103%
13.	Kurnool	185	185	107	867	469%	469%	8248	8248	7548	10791	131%	131%	0	0	0	0	0%	0%
<b>ANDHRA PRADESH</b>		<b>3229</b>	<b>3229</b>	<b>912</b>	<b>4762</b>	<b>147%</b>	<b>147%</b>	<b>183398</b>	<b>183398</b>	<b>160646</b>	<b>187312</b>	<b>102%</b>	<b>102%</b>	<b>6076</b>	<b>6076</b>	<b>8563</b>	<b>7330</b>	<b>121%</b>	<b>121%</b>

**DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 11.03.2020**

(Area in hectare)

SI No	DISTRICT	7. Minor Millets						I. COARSE GRAINS						8. Bengalgram					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	0	104	5	0%	0%	12897	12897	18357	21584	167%	167%	0	0	0	87	0%	0%
2.	Vizianagaram	0	0	0	0	0%	0%	17751	17751	15823	19167	108%	108%	130	130	55	89	69%	69%
3.	Visakhapatnam	0	0	0	0	0%	0%	1363	1363	933	875	64%	64%	98	98	179	84	86%	86%
4.	East Godavari	0	0	0	0	0%	0%	11964	11964	10083	9615	80%	80%	1203	1203	2410	1965	163%	163%
5.	West Godavari	0	0	0	0	0%	0%	53351	53351	46963	44387	83%	83%	29	29	23	8	28%	28%
6.	Krishna	0	0	0	2	0%	0%	19285	19285	17674	20332	105%	105%	1784	1784	2915	3528	198%	198%
7.	Guntur	48	48	56	62	129%	129%	68827	68827	70061	84929	123%	123%	20169	20169	24889	15700	78%	78%
8.	Prakasam	2827	2827	2201	2493	88%	88%	28561	28561	27705	20807	73%	73%	88469	88469	109222	85855	97%	97%
9.	SPSR Nellore	2	2	0	53	2650%	2650%	2361	2361	2423	1508	64%	64%	9025	9025	10993	11100	123%	123%
10.	Chittoor	1	1	0	48	4800%	4800%	1629	1629	3305	2832	174%	174%	3	3	2	43	1444%	1444%
11.	YSR Kadapa	411	411	113	204	50%	50%	17126	17126	21009	19636	115%	115%	85615	85615	101874	91964	107%	107%
12.	Anantapur	33	33	33	59	179%	179%	9786	9786	7898	11066	113%	113%	63900	63900	78214	92464	145%	145%
13.	Kurnool	353	353	154	1220	346%	346%	65183	65183	71484	55554	85%	85%	171217	171217	147349	152320	89%	89%
<b>ANDHRA PRADESH</b>		<b>3675</b>	<b>3675</b>	<b>2661</b>	<b>4146</b>	<b>113%</b>	<b>113%</b>	<b>310084</b>	<b>310084</b>	<b>313718</b>	<b>312292</b>	<b>101%</b>	<b>101%</b>	<b>441642</b>	<b>441642</b>	<b>478125</b>	<b>455209</b>	<b>103%</b>	<b>103%</b>

**DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 11.03.2020**

(Area in hectare)

SI No	DISTRICT	9. Greengram						10. Blackgram						11. Horsegram					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	32399	32399	29202	24901	77%	77%	45362	45362	43890	40448	89%	89%	2942	2942	2384	1847	63%	63%
2.	Vizianagaram	14720	14720	7866	12450	85%	85%	20549	20549	11398	18157	88%	88%	3895	3895	2616	1920	49%	49%
3.	Visakhapatnam	3327	3327	1968	2628	79%	79%	5936	5936	4380	6904	116%	116%	931	931	779	593	64%	64%
4.	East Godavari	16389	16389	6322	6248	38%	38%	23548	23548	9100	8125	35%	35%	47	47	12	174	370%	370%
5.	West Godavari	11397	11397	8264	7438	65%	65%	13737	13737	4692	2858	21%	21%	57	57	39	40	70%	70%
6.	Krishna	7125	7125	7860	3936	55%	55%	141469	141469	145651	124082	88%	88%	891	891	1225	206	23%	23%
7.	Guntur	31223	31223	29976	21130	68%	68%	48588	48588	30095	31242	64%	64%	9	9	69	5	56%	56%
8.	Prakasam	1068	1068	647	586	55%	55%	20309	20309	14852	11543	57%	57%	590	590	1398	1066	181%	181%
9.	SPSR Nellore	5624	5624	2278	4736	84%	84%	16173	16173	6997	16862	104%	104%	303	303	448	488	161%	161%
10.	Chittoor	383	383	383	176	46%	46%	2981	2981	4246	3284	110%	110%	10943	10943	84815	24545	224%	224%
11.	YSR Kadapa	3811	3811	2449	2322	61%	61%	7182	7182	3001	2387	33%	33%	3339	3339	6947	3674	110%	110%
12.	Anantapur	576	576	1585	132	23%	23%	59	59	24	44	75%	75%	4250	4250	6327	886	21%	21%
13.	Kurnool	1165	1165	322	644	55%	55%	14294	14294	10913	12822	90%	90%	229	229	203	23	10%	10%
<b>ANDHRA PRADESH</b>		<b>129207</b>	<b>129207</b>	<b>99122</b>	<b>87327</b>	<b>68%</b>	<b>68%</b>	<b>360187</b>	<b>360187</b>	<b>289239</b>	<b>278758</b>	<b>77%</b>	<b>77%</b>	<b>28426</b>	<b>28426</b>	<b>107262</b>	<b>35467</b>	<b>125%</b>	<b>125%</b>

**DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 11.03.2020**

(Area in hectare)

SI No	DISTRICT	12. Other Pulses (Redgram, Cowgram etc.)						II. TOTAL PULSES						III. TOTAL FOODGRAINS					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	15	15	11	0	0%	0%	80718	80718	75487	67196	83%	83%	97444	97444	98014	96363	99%	99%
2.	Vizianagaram	7	7	2	2	29%	29%	39301	39301	21937	32635	83%	83%	61083	61083	40324	57426	94%	94%
3.	Visakhapatnam	10182	10182	10891	10836	106%	106%	20474	20474	18197	21015	103%	103%	26483	26483	21787	28086	106%	106%
4.	East Godavari	228	228	51	70	31%	31%	41415	41415	17895	16638	40%	40%	215311	215311	190936	191131	89%	89%
5.	West Godavari	398	398	91	72	18%	18%	25618	25618	13109	10412	41%	41%	250459	250459	229189	221584	88%	88%
6.	Krishna	32	32	322	90	281%	281%	151301	151301	157973	131724	87%	87%	196416	196416	202351	211524	108%	108%
7.	Guntur	1388	1388	939	2068	149%	149%	101377	101377	85968	70205	69%	69%	188917	188917	186023	181673	96%	96%
8.	Prakasam	7798	7798	10697	6083	78%	78%	118234	118234	136816	105458	89%	89%	183155	183155	201932	176434	96%	96%
9.	SPSR Nellore	214	214	215	341	159%	159%	31339	31339	20931	32990	105%	105%	215840	215840	161374	248659	115%	115%
10.	Chittoor	105	105	842	1049	999%	999%	14415	14415	90288	29056	202%	202%	57325	57325	121673	76189	133%	133%
11.	YSR Kadapa	864	864	1454	1038	120%	120%	100811	100811	115725	101382	101%	101%	130421	130421	141036	129341	99%	99%
12.	Anantapur	315	315	1224	122	39%	39%	69100	69100	87374	92460	134%	134%	89448	89448	103235	113457	127%	127%
13.	Kurnool	1704	1704	2322	3933	231%	231%	188609	188609	161109	169484	90%	90%	279024	279024	249781	260593	93%	93%
<b>ANDHRA PRADESH</b>		<b>23250</b>	<b>23250</b>	<b>29061</b>	<b>25704</b>	<b>111%</b>	<b>111%</b>	<b>982712</b>	<b>982712</b>	<b>1002809</b>	<b>880655</b>	<b>90%</b>	<b>90%</b>	<b>1991326</b>	<b>1991326</b>	<b>1947655</b>	<b>1992460</b>	<b>100%</b>	<b>100%</b>

**DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 11.03.2020**

(Area in hectare)

SI No	DISTRICT	13. Groundnut						14. Sesamum (gingelly)						15. Sunflower					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	4532	4532	4237	3591	79%	79%	5901	5901	7017	5522	94%	94%	724	724	468	186	26%	26%
2.	Vizianagaram	1429	1429	1045	493	34%	34%	6416	6416	2991	854	13%	13%	4	4	11	2	50%	50%
3.	Visakhapatnam	609	609	359	513	84%	84%	3161	3161	3057	2242	71%	71%	121	121	55	70	58%	58%
4.	East Godavari	249	249	197	144	58%	58%	2433	2433	2259	1844	76%	76%	176	176	187	180	102%	102%
5.	West Godavari	2155	2155	1407	1022	47%	47%	514	514	251	171	33%	33%	170	170	83	48	28%	28%
6.	Krishna	719	719	380	442	61%	61%	515	515	421	401	78%	78%	13	13	0	0	0%	0%
7.	Guntur	2949	2949	2187	2901	98%	98%	474	474	110	113	24%	24%	29	29	52	0	0%	0%
8.	Prakasam	2105	2105	855	1442	69%	69%	4534	4534	2556	3986	88%	88%	2588	2588	618	411	16%	16%
9.	SPSR Nellore	3849	3849	3007	3283	85%	85%	2976	2976	2293	1638	55%	55%	414	414	212	33	8%	8%
10.	Chittoor	12069	12069	12281	14215	118%	118%	792	792	1202	1224	155%	155%	840	840	555	484	58%	58%
11.	YSR Kadapa	15427	15427	10161	12692	82%	82%	6486	6486	3996	6676	103%	103%	7825	7825	5399	3681	47%	47%
12.	Anantapur	18185	18185	15934	36967	203%	203%	2	2	0	11	550%	550%	1647	1647	1112	836	51%	51%
13.	Kurnool	13669	13669	9177	15237	111%	111%	1067	1067	533	602	56%	56%	2954	2954	1045	179	6%	6%
<b>ANDHRA PRADESH</b>		<b>77946</b>	<b>77946</b>	<b>61227</b>	<b>92942</b>	<b>119%</b>	<b>119%</b>	<b>35271</b>	<b>35271</b>	<b>26686</b>	<b>25284</b>	<b>72%</b>	<b>72%</b>	<b>17505</b>	<b>17505</b>	<b>9797</b>	<b>6110</b>	<b>35%</b>	<b>35%</b>

**DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 11.03.2020**

(Area in hectare)

SI No	DISTRICT	16. Saflower						17. Rape & Mustard						18. Other Oil seeds (Castor, Soyabean etc.)					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	0	0	0	0%	0%	0	0	0	0	0%	0%	0	0	0	0	0%	0%
2.	Vizianagaram	0	0	0	0	0%	0%	0	0	0	0	0%	0%	0	0	0	0	0%	0%
3.	Visakhapatnam	6	6	0	0	0%	0%	0	0	0	0	0%	0%	0	0	0	0	0%	0%
4.	East Godavari	0	0	0	0	0%	0%	0	0	0	0	0%	0%	0	0	0	0	0%	0%
5.	West Godavari	0	0	0	0	0%	0%	10	10	0	12	120%	120%	0	0	0	0	0%	0%
6.	Krishna	0	0	0	0	0%	0%	625	625	323	175	28%	28%	5	5	0	0	0%	0%
7.	Guntur	0	0	0	0	0%	0%	131	131	0	0	0%	0%	144	144	178	56	39%	39%
8.	Prakasam	1	1	0	4	400%	400%	30	30	8	6	20%	20%	920	920	1125	732	80%	80%
9.	SPSR Nellore	0	0	0	0	0%	0%	15	15	0	0	0%	0%	2	2	8	0	0%	0%
10.	Chittoor	0	0	0	0	0%	0%	0	0	0	0	0%	0%	0	0	0	0	0%	0%
11.	YSR Kadapa	114	114	218	161	141%	141%	0	0	0	0	0%	0%	25	25	79	286	1144%	1144%
12.	Anantapur	111	111	52	375	338%	338%	0	0	0	0	0%	0%	101	101	10	166	164%	164%
13.	Kurnool	71	71	71	126	177%	177%	3126	3126	4079	987	32%	32%	211	211	369	209	99%	99%
<b>ANDHRA PRADESH</b>		<b>303</b>	<b>303</b>	<b>341</b>	<b>666</b>	<b>220%</b>	<b>220%</b>	<b>3937</b>	<b>3937</b>	<b>4410</b>	<b>1180</b>	<b>30%</b>	<b>30%</b>	<b>1408</b>	<b>1408</b>	<b>1769</b>	<b>1449</b>	<b>103%</b>	<b>103%</b>

**DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 11.03.2020**

(Area in hectare)

SI No	DISTRICT	19.Nigerseed						IV. TOTAL OIL SEEDS						20. Tobacco					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	0	0	0	0%	0%	11157	11157	11722	9299	83%	83%	0	0	0	0	0%	0%
2.	Vizianagaram	19	19	2	0	0%	0%	7868	7868	4049	1349	17%	17%	206	206	78	51	25%	25%
3.	Visakhapatnam	6227	6227	5750	4256	68%	68%	10124	10124	9221	7081	70%	70%	61	61	16	21	34%	34%
4.	East Godavari	0	0	0	0	0%	0%	2858	2858	2643	2168	76%	76%	2232	2232	1935	2144	96%	96%
5.	West Godavari	0	0	0	0	0%	0%	2849	2849	1741	1253	44%	44%	22672	22672	20556	17949	79%	79%
6.	Krishna	0	0	0	0	0%	0%	1877	1877	1124	1018	54%	54%	1609	1609	2003	1285	80%	80%
7.	Guntur	0	0	0	0	0%	0%	3727	3727	2527	3070	82%	82%	3152	3152	4768	2443	78%	78%
8.	Prakasam	1	1	0	0	0%	0%	10179	10179	5162	6581	65%	65%	50987	50987	45521	47985	94%	94%
9.	SPSR Nellore	0	0	0	0	0%	0%	7256	7256	5520	4954	68%	68%	6759	6759	4504	6061	90%	90%
10.	Chittoor	0	0	0	0	0%	0%	13701	13701	14038	15923	116%	116%	10	10	0	1	10%	10%
11.	YSR Kadapa	0	0	0	0	0%	0%	29877	29877	19853	23496	79%	79%	22	22	74	0	0%	0%
12.	Anantapur	0	0	0	0	0%	0%	20046	20046	17108	38355	191%	191%	123	123	11	0	0%	0%
13.	Kurnool	0	0	0	0	0%	0%	21098	21098	15274	17340	82%	82%	5741	5741	5067	2033	35%	35%
<b>ANDHRA PRADESH</b>		<b>6247</b>	<b>6247</b>	<b>5752</b>	<b>4256</b>	<b>68%</b>	<b>68%</b>	<b>142617</b>	<b>142617</b>	<b>109982</b>	<b>131887</b>	<b>92%</b>	<b>92%</b>	<b>93574</b>	<b>93574</b>	<b>84533</b>	<b>79973</b>	<b>85%</b>	<b>85%</b>



**DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 11.03.2020**

(Area in hectare)

Sl No	DISTRICT	21. Chillies						22. Cotton						23. Coriander						24. Onion					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	1156	1156	404	553	48%	48%	0	0	0	0	0%	0%	0	0	0	0	0%	0%	345	345	40	170	49%	49%
2.	Vizianagaram	717	717	457	320	45%	45%	0	0	0	0	0%	0%	0	0	0	0	0%	0%	138	138	75	66	48%	48%
3.	Visakhapatnam	489	489	167	235	48%	48%	0	0	0	0	0%	0%	4	4	0	0	0%	0%	103	103	23	50	49%	49%
4.	East Godavari	2665	2665	2123	2964	111%	111%	0	0	0	0	0%	0%	30	30	0	0	0%	0%	8	8	0	0	0%	0%
5.	West Godavari	1898	1898	819	489	26%	26%	0	0	0	0	0%	0%	1	1	0	0	0%	0%	0	0	0	0	0%	0%
6.	Krishna	687	687	586	351	51%	51%	0	0	0	0	0%	0%	0	0	0	0	0%	0%	3	3	0	12	400%	400%
7.	Guntur	3072	3072	679	989	32%	32%	25	25	0	0	0%	0%	0	0	0	0	0%	0%	93	93	22	20	22%	22%
8.	Prakasam	9725	9725	5127	8707	90%	90%	657	657	255	906	138%	138%	810	810	0	26	3%	3%	29	29	1	24	83%	83%
9.	SPSR Nellore	1602	1602	923	897	56%	56%	2508	2508	2129	591	24%	24%	81	81	0	8	10%	10%	3	3	0	0	0%	0%
10.	Chittoor	1816	1816	2292	2137	118%	118%	355	355	83	13	4%	4%	182	182	651	649	357%	357%	247	247	508	284	115%	115%
11.	YSR Kadapa	125	125	256	433	346%	346%	719	719	346	870	121%	121%	5883	5883	66	177	3%	3%	1239	1239	767	838	68%	68%
12.	Anantapur	195	195	308	411	211%	211%	376	376	47	174	46%	46%	3537	3537	711	983	28%	28%	468	468	399	444	95%	95%
13.	Kurnool	351	351	244	635	181%	181%	2	2	3	312	15600%	15600%	4514	4514	440	1020	23%	23%	2778	2778	2597	3949	142%	142%
<b>ANDHRA PRADESH</b>		<b>24498</b>	<b>24498</b>	<b>14385</b>	<b>19121</b>	<b>78%</b>	<b>78%</b>	<b>4642</b>	<b>4642</b>	<b>2863</b>	<b>2866</b>	<b>62%</b>	<b>62%</b>	<b>15042</b>	<b>15042</b>	<b>1868</b>	<b>2863</b>	<b>19%</b>	<b>19%</b>	<b>5454</b>	<b>5454</b>	<b>4432</b>	<b>5857</b>	<b>107%</b>	<b>107%</b>